



2025/1
EXPORT LIST




*Copper to Steel,
Past to Present...*



Atalay
A Century Experience



6-28	Series 600	
30-54	Series 730	
56-70	Series 700	
72-98	Series 900	
100-115	Doner Kebab Robots	
116-125	Doner Robot Equipments	
126-127	Conveyor Belts	
128-143	Doner Machines	
144-145	Doner Kebab Cutting Machines	
146-148	Clam Grill Conveyor Grills Conveyor Toasters	

150	Turkish Coffee Machines	
151	Coffee Drawer Leaven Cabinet	
152-155	Banquet Trolleys Stock Pot Stove Cookers	
156-158	Salamanders	
160-161	Chicken Rotisserie Machines	
162-165	Pizza Ovens Baked Potato Ovens and Carts	
166-167	Panini Machines Waffle Machines Crep Machines	
168-169	Horizontal Kebab Machines Sterilizer Cooker	
170-173	Plate Dispenser Cartridges Service Trolleys	
174-175	Saladbar Bein-marie	



Series 600



Grills / Electric



E AEI - 360



E AEI - 460 / N



E AEI - 660



E AEI - 660 / ND



E AEI - 860



Model	E AEI - 360	E AEI - 460	E AEI - 660	E AEI - 860	E AEI - 1060	E AEI - 360 / N	E AEI - 460 / N
Plate	Flat	Flat	Flat	Flat	Flat	Grooved	Grooved
Power	220-240 V	380-415 V	380-415 V	380-415 V	380-415 V	20-240 V	380-415 V
kW	3	4.5	6	9	9	3	4.5
Dimensions	300 x 600 x 300	400 x 600 x 300	600 x 600 x 300	800 x 600 x 300	1000 x 600 x 300	300 x 600 x 300	400 x 600 x 300
Packaged Dim.	400 x 690 x 575	500 x 690 x 575	700 x 690 x 575	900 x 690 x 625	1100 x 690 x 625	400 x 690 x 575	500 x 690 x 575
Weight	32 kg	41 kg	54 kg	69 kg	93 kg	32 kg	41 kg
Packaged Weight	37 kg	48 kg	62 kg	82 kg	108 kg	37 kg	48 kg
Price	640 EURO	730 EURO	840 EURO	1.090 EURO	1.240 EURO	670 EURO	760 EURO

N: Grooved D: Flat ND: Grooved+Flat

Grills / Electric



E AEI - 860 / N



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Plate thickness is produced as **15 mm.** made of **ST52** stainless steel.
- Specially designed heating elements to ensure homogeneous cooking across plate surfaces.
- **E AEI - 360** ve **E AEI - 460** models **50-300°C** single thermostat controls.
- **E AEI - 660**, **E AEI - 860** ve **E AEI - 1060** models **50-300°C** double thermostat controls.
- Cable section;
E AEI - 360 ; 3 x 1,5 mm² TTR - **E AEI - 460** ; 5 x 1,5 mm² TTR
E AEI - 660 ; 5 x 1,5 mm² TTR - **E AEI - 860** ; 5 x 1,5 mm² TTR
E AEI - 1060 ; 5 x 1,5 mm² TTR
- Cooking Surface;
E AEI - 360 ; 296 x 494 mm. - **E AEI - 460** ; 396 x 494 mm.
E AEI - 660 ; 596 x 494 mm. - **E AEI - 860** ; 796 x 494 mm.
E AEI - 1060 ; 996 x 494 mm.



E AEI - 1060 / ND



Model	E AEI - 660 / N	E AEI - 860 / N	E AEI - 1060 / N	E AEI - 660 / ND	E AEI - 860 / ND	E AEI - 1060 / ND
Plate	Grooved	Grooved	Grooved	Grooved + Flat	Grooved + Flat	Grooved + Flat
Power	380-415 V	380-415 V	380-415 V	380-415 V	380-415 V	380-415 V
kW	6	9	9	6	9	9
Dimensions	600 x 600 x 300	800 x 600 x 300	1000 x 600 x 300	600 x 600 x 300	800 x 600 x 300	1000 x 600 x 300
Packaged Dim.	700 x 690 x 575	900 x 690 x 625	1100 x 690 x 625	700 x 690 x 575	900 x 690 x 625	1100 x 690 x 625
Weight	54 kg	69 kg	93 kg	54 kg	69 kg	93 kg
Packaged Weight	62 kg	82 kg	108 kg	62 kg	82 kg	108 kg
Price	890 EURO	1.130 EURO	1.290 EURO	860 EURO	1.100 EURO	1.280 EURO

N: Grooved D: Flat ND: Grooved+Flat

Series 600

Grills / Electric Chrome Surface



E AEI - 360 / N CR



E AEI - 460 / N CR



E AEI - 660 CR



E AEI - 660 / N CR



E AEI - 660 / ND CR



Model	E AEI - 360 CR	E AEI - 460 CR	E AEI - 660 CR	E AEI - 860 CR	E AEI - 1060 CR	E AEI - 360 / N CR	E AEI - 460 / N CR
Plate	Flat	Flat	Flat	Flat	Flat	Grooved	Grooved
Power	220-240 V	380-415 V	380-415 V	380-415 V	380-415 V	220-240 V	380-415 V
kW	3	4.5	6	9	9	3	4.5
Dimensions	300 x 600 x 300	400 x 600 x 300	600 x 600 x 300	800 x 600 x 300	1000 x 600 x 300	300 x 600 x 300	400 x 600 x 300
Packaged Dim.	400 x 690 x 575	500 x 690 x 575	700 x 690 x 575	900 x 690 x 625	1100 x 690 x 625	400 x 690 x 575	500 x 690 x 575
Weight	32 kg	41 kg	54 kg	69 kg	93 kg	32 kg	41 kg
Packaged Weight	37 kg	48 kg	62 kg	82 kg	108 kg	37 kg	48 kg
Price	740 EURO	880 EURO	1.110 EURO	1.440 EURO	1.710 EURO	770 EURO	910 EURO

N: Grooved D: Flat ND: Grooved+Flat CR: Chrome Surface

Series 600

Grills / Electric Chrome Surface



E AEI - 860 CR



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Plate thickness is produced as **15 mm.** made of **ST52** stainless steel.
- Specially designed heating elements to ensure homogeneous cooking across plate surfaces.
- **E AEI - 360 CR** ve **E AEI - 460 CR** models **50-300°C** single thermostat controls.
- **E AEI - 660CR** , **E AEI - 860 CR** ve **E AEI - 1060 CR** models **50-300°C** double thermostat controls.
- Cable section;
E AEI - 360 CR ; 3 x 1,5 mm² TTR - **E AEI - 460 CR** ; 5 x 1,5 mm² TTR
E AEI - 660 CR ; 5 x 1,5 mm² TTR - **E AEI - 860 CR** ; 5 x 1,5 mm² TTR
E AEI - 1060 CR ; 5 x 1,5mm² TTR
- Cooking Surface;
E AEI - 360 CR ; 296 x 494 mm. - **E AEI - 460 CR** ; 396 x 494 mm.
E AEI - 660 CR ; 596 x 494 mm. - **E AEI - 860 CR** ; 796 x 494 mm.
E AEI - 1060 CR ; 996 x 494 mm.



E AEI - 860 / ND CR



Model	E AEI - 660 / N CR	E AEI - 860 / N CR	E AEI - 1060 / N CR	E AEI - 660 / ND CR	E AEI - 860 / ND CR	E AEI - 1060 / ND CR
Plate	Grooved	Grooved	Grooved	Grooved + Flat	Grooved + Flat	Grooved + Flat
Power	380-415 V	380-415 V	380-415 V	380-415 V	380-415 V	380-415 V
kW	6	9	9	6	9	9
Dimensions	600 x 600 x 300	800 x 600 x 300	1000 x 600 x 300	600 x 600 x 300	800 x 600 x 300	1000 x 600 x 300
Packaged Dim.	700 x 690 x 575	900 x 690 x 625	1100 x 690 x 625	700 x 690 x 575	900 x 690 x 625	1100 x 690 x 625
Weight	54 kg	69 kg	93 kg	54 kg	69 kg	93 kg
Packaged Weight	62 kg	82 kg	108 kg	62 kg	82 kg	108 kg
Price	1.170 EURO	1.500 EURO	1.750 EURO	1.140 EURO	1.480 EURO	1.720 EURO

N: Grooved D: Flat ND: Grooved+Flat CR: Chrome Surface

Series 600

Grills / Gas



E AGI - 360



E AGI - 360 / N



E AGI - 460



E AGI - 660 / N



E AGI - 660 / ND




Model	E AGI - 360	E AGI - 460	E AGI - 660	E AGI - 860	E AGI - 1060	E AGI - 360 / N	E AGI - 460 / N
Plate	Flat	Flat	Flat	Flat	Flat	Grooved	Grooved
Gas Cons.-LPG	0.287 kg / h	0.364 kg / h	0.574 kg / h	0.729 / h	1,008 kg / h	0.287 kg / h	0.364 kg / h
Gas Cons.-NG	0.401 m ³ / h	0.515 m ³ / h	0,802 m ³ / h	1,03 m ³ / h	1,396 m ³ / h	0.401 m ³ / h	0.515 m ³ / h
KW-LPG	3,7	4,7	7,4	9,4	13	3,7	4,7
KW-NG	3,7	4,7	7,4	9,4	13	3,7	4,7
Kcal-LPG	3182	4042	6364	8084	11180	3182	4042
Kcal-NG	3182	4042	6364	8084	11180	3182	4042
Dimensions	300 x 600 x 300	400 x 600 x 300	600 x 600 x 300	800 x 600 x 300	1000 x 600 x 300	300 x 600 x 300	400 x 600 x 300
Packaged Dim.	400 x 690 x 575	500 x 690 x 575	700 x 690 x 575	900 x 690 x 625	1100 x 690 x 625	400 x 690 x 575	500 x 690 x 575
Weight	35 kg	41 kg	59 kg	71 kg	88 kg	35 kg	41 kg
Packaged Weight	40 kg	48 kg	66 kg	88 kg	103 kg	40 kg	48 kg
Price	710 EURO	820 EURO	1.050 EURO	1.280 EURO	1.510 EURO	740 EURO	860 EURO

N: Grooved D: Flat ND: Grooved+Flat

Grills / Gas



E AGI - 860



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Plate thickness is produced as **15 mm.** made of **ST52** stainless steel.
- LPG and NG options available.
- Specially designed tubular burner to ensure homogeneous cooking across plate surfaces.
- **E AGI - 360** and **E AGI - 460** models single thermostat controls.
- **E AGI - 660, E AGI - 860** ve **E AGI - 1060** models double thermostat controls.
- Cooking Surface;
E AGI - 360 ; 296 x 494 mm. - **E AGI - 460** ; 396 x 494 mm.
E AGI - 660 ; 596 x 494 mm. - **E AGI - 860** ; 796 x 494 mm.
E AGI - 1060 ; 996 x 494 mm.



E AGI - 1060 / ND



Model	E AGI - 660 / N	E AGI - 860 / N	E AGI - 1060 / N	E AGI - 660 / ND	E AGI - 860 / ND	E AGI - 1060 / ND
Plate	Grooved	Grooved	Grooved	Grooved + Flat	Grooved + Flat	Grooved + Flat
Gas Cons.-LPG	0.574 kg / h	0.759 / h	1,008 kg / h	0.574 kg / h	0.729 / h	1,008 kg / h
Gas Cons.-NG	0,802 m ³ / h	1,03 m ³ / h	1,396 m ³ / h	0,802 m ³ / h	1,03 m ³ / h	1,396 m ³ / h
KW-LPG	7,4	9,4	13	7,4	9,4	13
KW-NG	7,4	9,4	13	7,4	9,4	13
Kcal-LPG	6364	8084	11180	6364	8084	11180
Kcal-NG	6364	8084	11180	6364	8084	11180
Dimensions	600 x 600 x 300	800 x 600 x 300	1000 x 600 x 300	600 x 600 x 300	800 x 600 x 300	1000 x 600 x 300
Packaged Dim.	700 x 690 x 575	900 x 690 x 625	1100 x 690 x 625	700 x 690 x 575	900 x 690 x 625	1100 x 690 x 625
Weight	59 kg	71 kg	88 kg	59 kg	71 kg	88 kg
Packaged Weight	66 kg	88 kg	103 kg	66 kg	88 kg	103 kg
Price	1.100 EURO	1.340 EURO	1.590 EURO	1.090 EURO	1.310 EURO	1.550 EURO

N: Grooved D: Flat ND: Grooved+Flat

Series 600

Grills / Gas Chrome Surface



E AGI - 360 CR



E AGI - 360 / N CR



E AGI - 460 / N CR



E AGI - 660 CR



E AGI - 660 / ND CR



Model	E AGI - 360 CR	E AGI - 460 CR	E AGI - 660 CR	E AGI - 860 CR	E AGI - 1060 CR	E AGI - 360 / N CR	E AGI - 460 / N CR
Plate	Flat	Flat	Flat	Flat	Flat	Grooved	Grooved
Gas Cons.-LPG	0.287 kg / h	0.364 kg / h	0.574 kg / h	0.729 / h	1,008 kg / h	0.287 kg / h	0.364 kg / h
Gas Cons.-NG	0.401 m ³ / h	0.515 m ³ / h	0,802 m ³ / h	1,03 m ³ / h	1,396 m ³ / h	0.401 m ³ / h	0.515 m ³ / h
KW-LPG	3,7	4,7	7,4	9,4	13	3,7	4,7
KW-NG	3,7	4,7	7,4	9,4	13	3,7	4,7
Kcal-LPG	3182	4042	6364	8084	11180	3182	4042
Kcal-NG	3182	4042	6364	8084	11180	3182	4042
Dimensions	300 x 600 x 300	400 x 600 x 300	600 x 600 x 300	800 x 600 x 300	1000 x 600 x 300	300 x 600 x 300	400 x 600 x 300
Packaged Dim.	400 x 690 x 575	500 x 690 x 575	700 x 690 x 575	900 x 690 x 625	1100 x 690 x 625	400 x 690 x 575	500 x 690 x 575
Weight	35 kg	41 kg	59 kg	71 kg	88 kg	35 kg	41 kg
Packaged Weight	40 kg	48 kg	66 kg	88 kg	103 kg	40 kg	48 kg
Price	1.050 EURO	1.140 EURO	1.620 EURO	2.040 EURO	2.300 EURO	1.240 EURO	1.300 EURO

N: Grooved D: Flat ND: Grooved+Flat CR: Chrome Surface

Grills / Gas Chrome Surface



E AGI - 860 CR



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Plate thickness is produced as **15 mm.** made of **ST52** stainless steel.
- LPG and NG options available.
- Specially designed tubular burner to ensure homogeneous cooking across plate surfaces.
- **E AGI - 360 CR** and **E AGI - 460 CR** models single thermostat controls.
- **E AGI - 660 CR, E AGI - 860 CR** ve **E AGI - 1060 CR** models double thermostat controls.
- Cooking Surface;

E AGI - 360 CR ; 296 x 494 mm. - **E AGI - 460 CR** ; 396 x 494 mm.

E AGI - 660 CR ; 596 x 494 mm. - **E AGI - 860 CR** ; 796 x 494 mm.

E AGI - 1060 CR ; 996 x 494 mm.



E AGI - 1060 / ND CR



Model	E AGI - 660 / N CR	E AGI - 860 / N CR	E AGI - 1060 / N CR	E AGI - 660 / ND CR	E AGI - 860 / ND CR	E AGI - 1060 / ND CR
Plate	Grooved	Grooved	Grooved	Grooved + Flat	Grooved + Flat	Grooved + Flat
Gas Cons.-LPG	0.574 kg / h	0.729 / h	1,008 kg / h	0.574 kg / h	0.729 / h	1,008 kg / h
Gas Cons.-NG	0,802 m ³ / h	1,03 m ³ / h	1,396 m ³ / h	0,802 m ³ / h	1,03 m ³ / h	1,396 m ³ / h
KW-LPG	7,4	9,4	13	7,4	9,4	13
KW-NG	7,4	9,4	13	7,4	9,4	13
Kcal-LPG	6364	8084	11180	6364	8084	11180
Kcal-NG	6364	8084	11180	6364	8084	11180
Dimensions	600 x 600 x 300	800 x 600 x 300	1000 x 600 x 300	600 x 600 x 300	800 x 600 x 300	1000 x 600 x 300
Packaged Dim.	700 x 690 x 575	900 x 690 x 625	1100 x 690 x 625	700 x 690 x 575	900 x 690 x 625	1100 x 690 x 625
Weight	59 kg	71 kg	88 kg	59 kg	71 kg	88 kg
Packaged Weight	66 kg	88 kg	103 kg	66 kg	88 kg	103 kg
Price	1.720 EURO	2.140 EURO	2.400 EURO	1.690 EURO	2.100 EURO	2.320 EURO

N: Grooved D: Flat ND: Grooved+Flat CR: Chrome Surface

American Grill / Cast Iron / Water Drawer / Electric



E AAIE - 460



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- With the 7 steps thermostat on the device, it provides the opportunity to adjust the temperature as requested.
- Equipped drain tap.
- When the rezistors are in the upward position, the electricity is cut of with safety switch.
- Cooking surface;
E AAIE - 460 ; 368 x 311 mm. - **E AAIE - 660** ; 455 x 345 mm.
- Cable section;
E AAIE - 460 ; 3 x 1,5 mm² TTR
E AAIE - 660 ; 5 x 1,5 mm² TTR



E AAIE - 660

Model	E AAIE - 460	E AAIE - 660
Plate	220-240 V	380-415 V
kW	2.7	4.5
Dimensions	400 x 600 x 300	600 x 600 x 300
Packaged Dim.	500 x 690 x 575	700 x 690 x 575
Weight	36 kg	53 kg
Packaged Weight	42 kg	62 kg
Price	1.030 EURO	1.250 EURO

Lava - Stone Grill / Gas




E ALI- 460



E ALI- 660



E ALI - 860



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Oil drawer capacity; **E ALI 460** ve **E ALI 660** models **2,6** lt., **E ALI 860** models **2 x 2,6** lt.
- LPG and NG options available.
- **E ALI - 460** and **E ALI - 660** models single gas tap controls.
- **E ALI - 860**, models double gas taps controls.
- Cooking surface;
E ALI - 460 ; 295 x 405 mm. - **E ALI - 660** ; 395 x 405 mm.
E ALI - 860 ; 695 x 405 mm.
- Oil discharge is done with a movable drawe.
- Thanks to the handles on the device, the inclination of the cooking surface, can be adjustable according to the user's wishes.

Model	E ALI - 460	E ALI - 660	E ALI - 860
Gas Cons.-LPG	0.504 kg / h	0.721 kg / h	1.008 kg / h
Gas Cons.-NG	0.712 m ³ / h	0.993 m ³ / h	1.424 m ³ / h
KW-LPG	6.5	9.3	13
KW-NG	6.5	9.3	13
Kcal-LPG	5590	7998	11180
Kcal-NG	5590	7998	11180
Dimensions	400 x 600 x 300	600 x 600 x 300	800 x 600 x 300
Packaged Dim.	500 x 690 x 575	700 x 690 x 575	900 x 690 x 625
Weight	35 kg	52 kg	62 kg
Packaged Weight	41 kg	60 kg	75 kg
Price	750 EURO	1.010 EURO	1.160 EURO

Fryers / Electric



E AEF - 360



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Oil temperature is controlled by thermostat between **100°-190°C**.
- Equipped with limiting thermostat.
- When the resistors are in the upward position, the electricity is cut of with safety switch.
- Basket size;
E AEF - 360 and **E AEF - 660**; 195 x 270 x 100 mm.
E AEF - 460 and **E AEF - 860**; 225 x 270 x 100 mm.
- Cable section;
E AEF - 360 and **E AEF - 460**; 5 x 1,5 mm² TTR
E AEF - 660; 5 x 2,5 mm² TTR, **E AEF - 860**; 5 x 4 mm² TTR



E AEF - 660



E AEF - 860

Model	E AEF - 360	E AEF - 460	E AEF - 660	E AEF - 860
Capacity	Min. 4,5 lt - Max. 9 lt.	Min. 6 lt - Max. 12 lt.	Min. 2x4,5 lt - Max. 2x9 lt.	Min. 2x6 lt - Max. 2x12 lt.
Voltage	380-415 V	380-415 V	380-415 V	380-415 V
kW	7.5	9	15	18
Dimensions	300 x 600 x 300	400 x 600 x 300	600 x 600 x 300	800 x 600 x 300
Packaged Dim.	400 x 690 x 575	500 x 690 x 575	700 x 690 x 575	900 x 690 x 625
Weight	21 kg	23 kg	36 kg	41 kg
Packaged Weight	26 kg	29 kg	44 kg	54 kg
Price	990 EURO	1.030 EURO	1.760 EURO	1.870 EURO

Fryers / Gas



E AGF - 460

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available
- Specially designed tubular burner to ensure homogeneous cooking across plate surfaces.
- With the 7 steps thermostat on the device, it provides the opportunity to adjust the temperature as requested.
- Basket size;

E AGF - 660; 185 x 260 x 95 mm.

E AGF - 460 and E AGF - 860; 215 x 260 x 95 mm.



E AGF - 660



E AGF - 860

Model	E AGF - 460	E AGF - 660	E AGF - 860
Capacity	Min. 10 lt - Max. 13 lt.	Min. 2 x 7 lt - Max. 2 x 8 lt.	Min. 2 x 10 lt - Max. 2 x 13 lt.
Gas Cons.-LPG	0.411 kg / h	0.822 kg / h	0.822 kg / h
Gas Cons.-NG	0.542 m ³ / h	1.084 m ³ / h	1.084 m ³ / h
KW-LPG	5.3	10.6	10.6
KW-NG	5.3	10.6	10.6
Kcal-LPG	4558	9116	9116
Kcal-NG	4558	9116	9116
Dimensions	400 x 600 x 300	600 x 600 x 300	800 x 600 x 300
Packaged Dim.	500 x 690 x 575	700 x 690 x 575	900 x 690 x 625
Weight	25 kg	41 kg	44 kg
Packaged Weight	31 kg	49 kg	57 kg
Price	1.230 EURO	2.170 EURO	2.310 EURO

Warm Keeper / Electric



E APD - 460

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Equipped with porcelain heater.
- Used for holding chips at perfect serving temperature and condition.
- Cable section; **3 x 1,5 mm² TTR**



Model	E APD - 360	E APD - 460
Capacity	GN 1/2 150	GN 2/3 150
Voltage	220-240 V	220-240 V
kW	0,65	0,65
Dimensions	300 x 600 x 300	400 x 600 x 300
Packaged Dim.	400 x 690 x 575	500 x 690 x 575
Weight	15 kg	18 kg
Packaged Weight	20 kg	24 kg
Price	460 EURO	490 EURO

Bain - Marie / Electric



E ASB - 360



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- The device is controlled by a thermostat in the range of **30°-90°C** .
- Cable section; **3 x 1,5 mm² TTR**



Model	E ASB - 360	E ASB - 460	E ASB - 660
Capacity	GN 1/4 + GN 1/2 150	GN 1/2 + GN 1/3 150	GN 1/1 + GN 1/4x2 150
Voltage	220-240 V	220-240 V	220-240 V
kW	1.2	1.4	2.1
Dimensions	300 x 600 x 300	400 x 600 x 300	600 x 600 x 300
Packaged Dim.	400 x 690 x 575	500 x 690 x 575	700 x 690 x 575
Weight	15 kg	24 kg	31 kg
Packaged Weight	20 kg	30 kg	39 kg
Price	630 EURO	680 EURO	880 EURO



E ASB - 660

Pasta Cooker / Electric



E AMP - 360



E AMP - 460



E AMP - 660



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- The device has a locked drain valve. It cannot be turned on/off without user control.
- The device has a clean water inlet tap and an overflowing water drain.
- Heat control is provided by the energy regulator in the device.
- It has a heat regulator against over heating.
- Basket dimensions;
 - E AMP - 360** ; 138 x 182 x 128 mm.
 - E AMP - 460** ; 131 x 114 x 128 mm.
 - E AMP - 660** ; 130 x 247 x 128 mm.
- Cable section;
 - E AMP - 360**; 3 x 1,5 mm² TTR
 - E AMP - 460**; 5 x 1,5 mm² TTR
 - E AMP - 660**; 5 x 1,5 mm² TTR

Model	E AMP - 360	E AMP - 460	E AMP - 660
Basket	2	4	3
Voltage	220-240 V	380-415 V	380-415 V
kW	3	5	7.5
Dimensions	300 x 600 x 300	400 x 600 x 300	600 x 600 x 300
Packaged Dim.	400 x 690 x 575	500 x 690 x 575	700 x 690 x 575
Weight	19 kg	23 kg	28 kg
Packaged Weight	24 kg	29 kg	36 kg
Price	880 EURO	990 EURO	1.210 EURO

Cookers / Electric



E AEO - 360



E AEO - 460



E AEO - 660



E AEO - 860




E AEO - 1060

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- With the 6 steps thermostat on the device, it provides the opportunity to adjust the temperature as requested.
- Each of the heating hot plates has a capacity of 2000 Watts and a thermostat feature ensuring that the heat remains at a max. of 400°C.
- Cable section;

E AEO - 360, E AEO - 460; 5 x 1,5 mm² TTR

E AEO - 660, E AEO - 860, E AEO - 1060; 5 x 2,5 mm² TTR



Model	E AEO - 360	E AEO - 460	E AEO - 660	E AEO - 860	E AEO - 1060
Plate	2 x Ø180	2 x Ø180	4 x Ø180	4 x Ø180	6 x Ø180
Voltage	380-415 V	380-415 V	380-415 V	380-415 V	380-415 V
kW	4	4	8	8	12
Dimensions	300 x 600 x 300	400 x 600 x 300	600 x 600 x 300	800 x 600 x 300	1000 x 600 x 300
Packaged Dim.	400 x 690 x 575	500 x 690 x 575	700 x 690 x 575	900 x 690 x 625	1100 x 690 x 625
Weight	18 kg	20 kg	28 kg	32 kg	54 kg
Packaged Weight	21 kg	25 kg	36 kg	45 kg	69 kg
Price	480 EURO	500 EURO	820 EURO	870 EURO	1.130 EURO

Series 600

Cookers / Gas



E AGO - 460




- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Piloted and thermocouple control system.
- LPG and NG options available.
- The device speed set up to high or low flame.



E AGO - 660



E AGO - 1060



Model	E AGO - 360	E AGO - 460	E AGO - 660	E AGO - 860	E AGO - 1060
Back	2 x Ø80	2 x Ø80	4 x Ø80	4 x Ø80	6 x Ø80
Gas Cons.-LPG	0.775 kg / h	0.775 kg / h	1.55 kg / h	1.55 kg / h	2.326 kg / h
Gas Cons.-NG	1.162 m ³ / h	1.162 m ³ / h	2.324 m ³ / h	2.324 m ³ / h	3.486 m ³ / h
kW-LPG	10	10	20	20	30
kW-NG	11	11	22	22	33
Kcal-LPG	8598	8598	17197	17197	25795
Kcal-NG	9458	9458	18917	18917	28375
Dimensions	300 x 600 x 300	400 x 600 x 300	600 x 600 x 300	800 x 600 x 300	1000 x 600 x 300
Packaged Dim.	400 x 690 x 575	500 x 690 x 575	700 x 690 x 575	900 x 690 x 625	1100 x 690 x 625
Weight	25 kg	30 kg	34 kg	42 kg	65 kg
Packaged Weight	30 kg	35 kg	42 kg	54 kg	80 kg
Price	660 EURO	750 EURO	1.210 EURO	1.240 EURO	1.800 EURO

Series 600

Cookers / Gas Single Back



E AGO - 460 T



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Piloted and thermocouple control system.
- LPG and NG options available.
- The device speed set up to high or low flame.



E AGO - 860 T

Model	E AGO 460 T	E AGO - 860 T
Back	1 x Ø100	2 x Ø100
Gas Cons.-LPG	0.388 kg / h	0,775kg / h
Gas Cons.-NG	0,581 m ³ / h	1,162 m ³ / h
kW-LPG	5	2 x 5
kW-NG	5,5	2 x 5,5
Kcal-LPG	4299	8598
Kcal-NG	4729	9458
Dimensions	400 x 600 x 300	800 x 600 x 300
Packaged Dim.	500 x 690 x 575	900 x 690 x 625
Weight	24 kg	42 kg
Packaged Weight	30 kg	54 kg
Price	580 EURO	1.010 EURO

Wok Cookers / Gas



E AWO - 460



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- The device piloted and thermocouple control system.
- LPG and NG options available.
- The device has a crump collection drawer on the bottom.
- The device speed set up to high or low flame.



E AWO - 860

Model	E AWO 460	E AWO - 860
Brulor	1	2
Gas Cons.-LPG	0,969 kg / h	1,938 kg / h
Gas Cons.-NG	1,303 m ³ / h	2,606 m ³ / h
kW-LPG	12,5	25
kW-NG	12,5	25
Kcal-LPG	10748	21496
Kcal-NG	10748	21496
Dimensions	400 x 600 x 300	800 x 600 x 300
Packaged Dim.	500 x 690 x 575	900 x 690 x 625
Weight	40 kg	67 kg
Packaged Weight	46 kg	80 kg
Price	810 EURO	1.400 EURO

Under Counter Ovens / Electric



E ASFE - 860 F



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- The resistances in the device operate in the range of **50°-300°C** degrees. It can be individually controlled optionally.
- In the **ST** model, in order to homogenize the heat at the base of the device, **10mm** thick ST model steel is produced.
- There is an **AC** fan that heats the internal volume homogeneously in **F** models.
- Different products from the same series can be put on the product.
- There are **2** pieces **530x400** mm wire grids in the oven.
- **E ASFE - 860** on the ovens **1** pieces **860** or **2** pieces **460** product can be placed.

E ASFE - 1060 on the ovens **1** pieces **1060**, **460+660** or **460+360+360** product can be placed.

- Cable section;

E ASFE - 860 ST and **E ASFE - 1060 ST**; 5 x 1,5 mm² TTR

E ASFE - 860 F and **E ASFE - 1060 F**; 3 x 1,5 mm² TTR



E ASFE - 1060 ST

Model	E ASFE - 860 ST	E ASFE - 860 F	E ASFE - 1060 ST	E ASFE - 1060 F
Oven Capacity	530 x 400	530 x 400	530 x 400	530 x 400
Voltage	380-415 V	220-240 V	380-415 V	220-240 V
kW	4.3	2.6	4.3	2.6
Dimensions	800 x 600 x 550	800 x 600 x 550	1000 x 600 x 550	1000 x 600 x 550
Packaged Dim.	900 x 720 x 720	900 x 720 x 720	1100 x 720 x 720	1100 x 720 x 720
Weight	35 kg	35 kg	45 kg	45 kg
Packaged Weight	48 kg	48 kg	60 kg	60 kg
Price	1.480 EURO	1.080 EURO	1.630 EURO	1.200 EURO

ST: Static F: Fan

Under Counter Ovens / Gas



E ASFG - 860



E ASFG - 1060



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- The temperature in the oven is controlled by a thermostatic gas tap in the range of **60°-300°C** degrees.
- The device has a piloted and thermocouple control system. When the flame goes out with the thermocouple, the gas coming to the device is automatically cut off.
- LPG and NG options available.
- In the **ST** model, in order to homogenize the heat at the base of the device, **10mm** thick **ST** model steel is produced.
- Different products from the same series can be put on the product.
- There are **2** pieces **530 x 400 mm** wire grids in the oven.
- The ventilation shaft of the device is movable and can be positioned according to the product in each other.
- **E ASFG - 860** on the ovens **1** pieces **860** or **2** pieces **460** product can be placed.
- **E ASFG - 1060** on the ovens **1** pieces **1060**, **460+660** or **460+360+360** product can be placed.

Model	E ASFG - 860	E ASFG - 1060
Oven Capacity	530 x 400	530 x 400
Gas Consumption-LPG	0.256 kg / h	0.256 kg / h
Gas Consumption-NG	0.349 m ³ / h	0.349 m ³ / h
kW-LPG	3,3	3,3
kW-NG	3,3	3,3
Kcal-LPG	2837	2837
Kcal-NG	2837	2837
Dimensions	800 x 600 x 550	1000 x 600 x 550
Packaged Dimensions	900 x 720 x 720	1100 x 720 x 720
Weight	42 kg	50 kg
Packaged Weight	55 kg	65 kg
Price	1.400 EURO	1.600 EURO

Cooking Ranges / Electric



E AEK - 860



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- The resistances in the device operate in the range of **50°-300°C** degrees. It can be individually controlled optionally.
- In the **ST** model, in order to homogenize the heat at the base of the device, **10mm** thick ST model steel is produced.
- There are **2** pieces **530x400** mm wire grids in the oven.
 - The kW values in the table below are stove (bottom part) and oven (upper part). The total kW value is the sum of the two.
- Cable section; **5 x 6 mm² TTR**



E AEK - 1060

Model	E AEK - 860	E AEK - 1060
Plate	4 x Ø180	6 x Ø180
Capacity	530 x 400	530 x 400
Voltage	380-415 V	380-415 V
kW	4 x 2 kW + 4.3 kW	6 x 2 kW + 4.3 kW
Dimensions	800 x 600 x 850	1000 x 600 x 850
Packaged Dim.	900 x 720 x 1200	1100 x 720 x 1200
Weight	100 kg	109 kg
Packaged Weight	105 kg	115 kg
Price	2.050 EURO	2.300 EURO

Cooking Ranges / Gas



E AGK - 860



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene long, service life and easy of cleaning.
- The oven temperature is controlled by a thermostatic gas tap in the range **60°-300°C**.
- The device has a piloted and thermocouple control system. When the flame goes out with the thermocouple, the gas coming to the device automatically cut off.
- LPG and NG options available.
- In the **ST** model, in order to homogenize the heat at the base of the device, **10mm** thick ST model steel is produced.
- There are **2** pieces **530x400** mm wire grids in the oven.
- The ventilation shaft of the decive is movable and is positioned on it according to the product.
- The kW values in the table below are stove (bottom part) and oven (upper part). The total kW value is the sum of the two.



E AGK - 1060

Model	E AGK - 860	E AGK - 1060
Back	4 x Ø80	6x Ø80
Oven Capacity	530 x 400	530 x 400
Gas Consumption-LPG	1,806 kg / h	2,581 kg / h
Gas Consumption-NG	2,673 m ³ / h	3,835 m ³ / h
kW-LPG	4 x 5 kW + 3,3 kW	6 x 5 kW + 3,3 kW
kW-NG	4 x 5.5 kW + 3,3 kW	6 x 5.5 kW + 3,3 kW
Kcal-LPG	17196	25795
Kcal-NG	18917	28375
Dimensions	800 x 600 x 850	1000 x 600 x 850
Packaged Dimensions	900 x 720 x 1200	1100 x 720 x 1200
Weight	112 kg	120 kg
Packaged Weight	125 kg	135 kg
Price	2.660 EURO	3.150 EURO

Neutral Worktop



E AAT - 360



E AAT - 660



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.

Model	E AAT - 360	E AAT - 460	E AAT - 660
Dimensions	300 x 600 x 300	400 x 600 x 300	600 x 600 x 300
Packaged Dim.	400 x 690 x 575	500 x 690 x 575	700 x 690 x 575
Weight	9 kg	13 kg	17 kg
Packaged Weight	12 kg	17 kg	20 kg
Price	220 EURO	250 EURO	300 EURO

Undercounter Cabinets



E AST - 36



E AST - 66



E AST - 86

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Double-wall walled.
- Pins on the undercounter cabinets are designed for the top equipment so that the products have a uniform look.

Model	E AST - 36	E AST - 46	E AST - 66	E AST - 86	E AST - 106	E AST - 126
Dimensions	300 x 530 x 550	400 x 530 x 550	600 x 530 x 550	800 x 530 x 550	1000 x 530 x 550	1200 x 530 x 550
Packaged Dim.	320 x 550 x 550	420 x 550 x 550	620 x 550 x 550	820 x 550 x 550	1020 x 550 x 550	1220 x 550 x 550
Weight	12 kg	14 kg	18 kg	23 kg	27 kg	30 kg
Packaged Weight	13 kg	15 kg	19 kg	24 kg	28 kg	33 kg
Price	240 EURO	280 EURO	320 EURO	350 EURO	450 EURO	500 EURO

NEW
SERIES



Series 730

Series 730

Grills / Electric



AEI - 473



AEI - 673



AEI - 673 / N



AEI - 873




Model	AEI - 473	AEI - 673	AEI - 873	AEI - 1273	AEI - 473 / N
Plate	Düz	Düz	Düz	Düz	Nervürlü
Power	380-415 V	380-415 V	380-415 V	380-415 V	380-415 V
kW	5.1	6.8	10.2	15.3	5.1
Dimensions	400 x 730 x 300	600 x 730 x 300	800 x 730 x 300	1200 x 730 x 300	400 x 730 x 300
Packaged Dim.	500 x 860 x 500	700 x 860 x 500	900 x 860 x 500	1300 x 860 x 575	500 x 860 x 500
Weight	43 kg.	49 kg.	80 kg.	88 kg.	43 kg.
Packaged Weight	49 kg.	58 kg.	87 kg.	103 kg.	49 kg.
Price	890 EURO	1.140 EURO	1.450 EURO	1.900 EURO	990 EURO

N: Grooved D: Flat ND: Grooved+Flat

Series 730

Grills / Electric



AEI - 873 / N

- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Plate thickness is produced as **12mm**. Made of **ST52** stainless steel.
- The temperature can be controlled in the range of **50°-300°C** degrees.
- A homogeneous heat distribution is provided on the cooking surface with the resistances in the device.
- **AEI - 473** models are single thermostat controlled.
- **AEI - 673** and **AEI - 873** are double thermostats, **AEI - 1273** has triple thermostat controlled.
- Cable section; **AEI - 473**; 5 x 2,5 mm² TTR
AEI - 673, AEI - 873, AEI - 1273 ; 5 x 2,5 mm² TTR
- Cooking Surface;
AEI - 473 ; 360 X 550 mm. - **AEI - 673** ; 560 x 550 mm.
AEI - 873 ; 760 x 550 mm. - **AEI - 1273** ; 1160 X 550 mm.



AEI - 1273 / ND



Model	AEI - 673 / N	AEI - 873 / N	AEI - 1273 / N	AEI - 673 / ND	AEI - 873 / ND	AEI - 1273 / ND
Plate	Grooved	Grooved	Grooved	Grooved+Flat	Grooved+Flat	Grooved+Flat
Power	380-415 V	0-415 V	380-415 V	3380-415 V	380-415 V	380-415 V
kW	6.8	10.2	15.3	6.8	10.2	15.3
Dimensions	600 x 730 x 300	800 x 730 x 300	1200 x 730 x 300	600 x 730 x 300	800 x 730 x 300	1200 x 730 x 300
Packaged Dim.	700 x 860 x 500	900 x 860 x 500	1300 x 860 x 575	700 x 860 x 500	900 x 860 x 500	1300 x 860 x 575
Weight	49 kg.	80 kg.	88 kg.	49 kg.	80 kg.	88 kg.
Packaged Weight	58 kg.	87 kg.	103 kg.	58 kg.	87 kg.	103 kg.
Price	1.260 EURO	1.530 EURO	2.260 EURO	1.240 EURO	1.500 EURO	2.200 EURO

N: Grooved D: Flat ND: Grooved+Flat

Series 730

Grills / Electric Chrome Surface



AEI - 473 CR



AEI - 673 / N CR



AEI - 673 / ND CR



AEI - 873 / N CR




Model	AEI - 473 CR	AEI - 673 CR	AEI - 873 CR	AEI - 1273 CR	AEI - 473 / N CR
Plate	Flat	Flat	Flat	Flat	Grooved
Power	380-415 V	380-415 V	380-415 V	380-415 V	380-415 V
kW	5.1	6.8	10.2	15.3	5.1
Dimensions	400 x 730 x 300	600 x 730 x 300	800 x 730 x 300	1200 x 730 x 300	400 x 730 x 300
Packaged Dim.	500 x 860 x 500	700 x 860 x 500	900 x 860 x 500	1300 x 860 x 575	500 x 860 x 500
Weight	43 kg.	49 kg.	80 kg.	88 kg.	43 kg.
Packaged Weight	49 kg.	58 kg.	87 kg.	103 kg.	49 kg.
Price	1.270 EURO	1.620 EURO	1.940 EURO	2.750 EURO	1.390 EURO

N: Grooved D: Flat ND: Grooved+Flat CR: Chrome Surface

Series 730

Grills / Electric Chrome Surface



AEI - 873 / ND CR

- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Plate thickness is produced as **15 mm**. Made of **ST52** stainless steel.
- The temperature can be controlled in the range of **100°-300°C** degrees.
- A homogeneous heat distribution is provided on the cooking surface with the resistances in the device.
- **AEI - 473 CR** models are single thermostat controlled.
- **AEI - 673 CR** and **AEI - 873 CR** are double thermostats, **AEI - 1273 CR** has triple thermostat controlled.
- Cable section; **AEI - 473 CR**; 5 x 1,5 mm² TTR ,
AEI - 673 CR , **AEI - 873 CR** , **AEI - 1273 CR** ; 5 x 2,5 mm² TTR
- Cooking Surface;
AEI - 473 CR ; 360 X 550 mm. - **AEI - 673 CR** ; 560 x 550 mm.
AEI - 873 CR ; 760 x 550 mm. - **AEI - 1273 CR** ; 1160 X 550 mm.



AEI - 1273 CR



Model	AEI - 673 / N CR	AEI - 873 / N CR	AEI - 1273 / N CR	AEI - 673 / ND CR	AEI - 873 / ND CR	AEI - 1273 / ND CR
Plate	Grooved	Grooved	Grooved	Grooved+Flat	Grooved+Flat	Grooved+Flat
Power	380-415 V	380-415 V	380-415 V	380-415 V	380-415 V	80-415 V
kW	6.8	10.2	15.3	6.8	10.2	15.3
Dimensions	600 x 730 x 300	800 x 730 x 300	1200 x 730 x 300	600 x 730 x 300	800 x 730 x 300	1200 x 730 x 300
Packaged Dim.	700 x 860 x 500	900 x 860 x 500	1300 x 860 x 575	700 x 860 x 500	900 x 860 x 500	1300 x 860 x 575
Weight	49 kg.	80 kg.	88 kg.	49 kg.	80 kg.	88 kg.
Packaged Weight	58 kg.	87 kg.	103 kg.	58 kg.	87 kg.	103 kg.
Price	1.780 EURO	2.180 EURO	2.830 EURO	1.740 EURO	2.130 EURO	2.800 EURO

N: Grooved D: Flat ND: Grooved+Flat CR: Chrome Surface

Series 730

Grills / Gas



AGI - 473



AGI - 673 / N



AGI - 673 / ND



AGI - 873



Model	AGI - 473	AGI - 673	AGI - 873	AGI - 1273	AGI - 473 / N
Plate	Flat	Flat	Flat	Flat	Grooved
Gas Cons.-LPG	0,45 kg / h	0,899 kg / h	0,899 kg / h	1,35kg / h	0,45 kg / h
Gas Cons.-NG	0,626 m ³ / h	1,222 m ³ / h	1,222 m ³ / h	1,878 m ³ / h	0,626 m ³ / h
KW-LPG	5,8	11,6	11,6	17,4	5,8
KW-NG	5,8	11,6	11,6	17,4	5,8
Kcal-LPG	4987	9974	9974	14961	4987
Kcal-NG	4987	9974	9974	14961	4987
Dimensions	400 x 730 x 300	600 x 730 x 300	800 x 730 x 300	1200 x 730 x 300	400 x 730 x 300
Packaged Dim.	500 x 860 x 500	700 x 860 x 500	900 x 860 x 575	1300 x 860 x 575	500 x 860 x 500
Weight	43 kg.	49 kg.	80 kg.	88 kg.	43 kg.
Packaged Weight	49 kg.	58 kg.	87 kg.	103 kg.	49 kg.
Price	1.030 EURO	1.310 EURO	1.620 EURO	2.160 EURO	1.090 EURO


N: Grooved D: Flat ND: Grooved+Flat

Series 730

Grills / Gas



AGI - 873 / ND



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Plate thickness is produced as **15 mm**.
- Made of **ST52** stainless steel.
- LPG and NG options are available.
- A homogeneous heat distribution is provided on the cooking surface with the independent gas taps.
- **AGI - 473** models are single gas taps controlled.
- **AGI - 673** and **AGI - 873** are double gas taps, **AGI - 1273** has triple gas taps controlled.
- Cooking Surface;
AGI - 473 ; 360 x 550 mm. - **AGI - 663** ; 560 x 550 mm.
AGI - 873 ; 760 x 550 mm. - **AGI - 1273** ; 1160 x 550 mm.



AGI - 1273 / N



Model	AGI - 673 / N	AGI - 873 / N	AGI - 1273 / N	AGI - 673 / ND	AGI - 873 / ND	AGI - 1273 / ND
Plate	Grooved	Grooved	Grooved	Grooved+Flat	Grooved+Flat	Grooved+Flat
Gas Cons.-LPG	0,899 kg / h	0,899 kg / h	1,35kg / h	0,899 kg / h	0,899 kg / h	1,35kg / h
Gas Cons.-NG	1,222 m ³ / h	1,222 m ³ / h	1,878 m ³ / h	1,222 m ³ / h	1,222 m ³ / h	1,878 m ³ / h
KW-LPG	11,6	11,6	17,4	11,6	11,6	17,4
KW-NG	11,6	11,6	17,4	11,6	11,6	17,4
Kcal-LPG	9974	9974	14961	9974	9974	14961
Kcal-NG	9974	9974	14961	9974	9974	14961
Dimensions	600 x 730 x 300	800 x 730 x 300	1200 x 730 x 300	600 x 730 x 300	800 x 730 x 300	1200 x 730 x 300
Packaged Dim.	700 x 860 x 500	900 x 860 x 575	1300 x 860 x 575	700 x 860 x 500	900 x 860 x 575	1300 x 860 x 575
Weight	49 kg.	80 kg.	88 kg.	49 kg.	80 kg.	88 kg.
Packaged Weight	58 kg.	87 kg.	103 kg.	58 kg.	87 kg.	103 kg.
Price	1.410 EURO	1.840 EURO	2.380 EURO	1.340 EURO	1.750 EURO	2.320 EURO

N: Grooved D: Flat ND: Grooved+Flat

Series 730

Grills / Gas Chrome Surface



AGI - 473 N CR



AGI - 673 ND CR



AGI - 673 CR



AGI - 873 / N CR



Model	AGI - 473 CR	AGI - 673 CR	AGI - 873 CR	AGI - 1273 CR	AGI - 473 / N CR
Plate	Flat	Flat	Flat	Flat	Grooved
Gas Cons.-LPG	0,45 kg / h	0,899 kg / h	0,899 kg / h	1,35kg / h	0,45 kg / h
Gas Cons.-NG	0,626 m ³ / h	1,222 m ³ / h	1,222 m ³ / h	1,878 m ³ / h	0,626 m ³ / h
KW-LPG	5,8	11,6	11,6	17,4	5,8
KW-NG	5,8	11,6	11,6	17,4	5,8
Kcal-LPG	4987	9974	9974	14961	4987
Kcal-NG	4987	9974	9974	14961	4987
Dimensions	400 x 730 x 300	600 x 730 x 300	800 x 730 x 300	1200 x 730 x 300	400 x 730 x 300
Packaged Dim.	500 x 860 x 500	700 x 860 x 500	900 x 860 x 575	1300 x 860 x 575	500 x 860 x 500
Weight	43 kg.	49 kg.	80 kg.	88 kg.	43 kg.
Packaged Weight	49 kg.	58 kg.	87 kg.	103 kg.	49 kg.
Price	1.440 EURO	1.850 EURO	2.320 EURO	2.820 EURO	1.520 EURO

N: Grooved D: Flat ND: Grooved+Flat CR: Chrome Surface

Series 730

Grills / Gas Chrome Surface



AGI - 873 / ND CR



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Plate thickness is produced as **15 mm**.
- Made of **ST52** stainless steel.
- LPG and NG options are available.
- A homogeneous heat distribution is provided on the cooking surface with the independent gas taps.
- **AGI - 473 CR** models are **100-300°C** single gas taps controlled.
- **AGI - 673 CR** and **AGI - 873 CR** are **100-300°C** double gas taps, **AGI - 1273 CR** has **100-300°C** triple gas taps controlled.
- Cooking Surface;
AGI - 473 CR ; 360 x 550 mm. - **AGI - 663 CR** ; 560 x 550 mm.
AGI - 873 CR ; 760 x 550 mm. - **AGI - 1273 CR** ; 1160 x 550 mm.



AGI - 1273 / ND CR



Model	AGI - 673 / N CR	AGI - 873 / N CR	AGI - 1273 / N CR	AGI - 673 / ND CR	AGI - 873 / ND CR	AGI - 1273 / ND CR
Plate	Grooved	Grooved	Grooved	Grooved+Flat	Grooved+Flat	Grooved+Flat
Gas Cons.-LPG	0,899 kg / h	0,899 kg / h	1,35kg / h	0,899 kg / h	0,899 kg / h	1,35kg / h
Gas Cons.-NG	1,222 m ³ / h	1,222 m ³ / h	1,878 m ³ / h	1,222 m ³ / h	1,222 m ³ / h	1,878 m ³ / h
KW-LPG	11,6	11,6	17,4	11,6	11,6	17,4
KW-NG	11,6	11,6	17,4	11,6	11,6	17,4
Kcal-LPG	9974	9974	14961	9974	9974	14961
Kcal-NG	9974	9974	14961	9974	9974	14961
Dimensions	600 x 730 x 300	800 x 730 x 300	1200 x 730 x 300	600 x 730 x 300	800 x 730 x 300	1200 x 730 x 300
Packaged Dim.	700 x 860 x 500	900 x 860 x 575	1300 x 860 x 575	700 x 860 x 500	900 x 860 x 575	1300 x 860 x 575
Weight	49 kg.	80 kg.	88 kg.	49 kg.	80 kg.	88 kg.
Packaged Weight	58 kg.	87 kg.	103 kg.	58 kg.	87 kg.	103 kg.
Price	2.030 EURO	2.600 EURO	3.040 EURO	1.940 EURO	2.540 EURO	2.830 EURO

N: Grooved D: Flat ND: Grooved+Flat CR: Chrome Surface

American Grill / Electric



AAIE - 473



AAIE - 673



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- The water in the chamber at the bottom prevents the formation of smoke and smell caused by oil.
- With the **7** steps thermostat on the device, it provides the opportunity to adjust the temperature as requested.
- There is a drain tap.
- There is a fixing mechanism that keeps the resistors up and it provides easy cleaning.
- When the resistors are in the upward position, the electricity is cut off with safety switch.
- Cable section; **5 x 1,5 mm² TTR**
- Cooking Surface;
AAIE - 473 ; 270 x 495 mm. - **AAIE - 673** ; 455 x 495 mm.

Model	AAIE - 473	AAIE - 673
Voltage	380-415 V	380-415 V
kW	3.3	5.5
Dimensions	400 x 730 x 300	600 x 730 x 300
Packaged Dim.	500 x 860 x 500	700 x 860 x 500
Weight	45 kg.	65 kg.
Packaged Weight	51 kg.	74 kg.
Price	1.260 EURO	1.510 EURO

American Grill / Gas



AAIG - 473



AAIG - 873



AAIG - 1273

- Made of stainless Steel
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Plate thickness is produced as **15 mm**.
- Made of **ST52** stainless steel.
- LPG and NG options are available.
- A homogeneous heat distribution is provided on the cooking surface with the independent gas taps.
- **AAIG - 473** models are single gas tap controlled.
- **AAIG - 673** and **AGI - 873** are double gas taps, **AAIG - 1273** has triple gas taps controlled.
- There is drawer for oil drain.
- With the handles on the device, the grill surface can be adjusted in the direction of the desired slope.
- Cooking Surface;
AAIG - 473 ; 326 x 418 mm. - **AAIG - 673** ; 491 x 418 mm.
AAIG - 873 ; 726 x 418 mm. - **AAIG - 1273** ; 1076 x 418 mm.
- Oil drainage is done with a movable drawer.

Model	AAIG - 473	AAIG - 673	AAIG - 873	AAIG - 1273
Gas Cons.-LPG	0,527 kg / h	1,054 kg / h	1,054 kg / h	1,581 kg / h
Gas Cons.-NG	0,7 m ³ / h	1,4 m ³ / h	1,4 m ³ / h	2,1 m ³ / h
KW-LPG	6,8	13,6	13,6	20,4
KW-NG	6,8	13,6	13,6	20,4
Kcal-LPG	5847	11694	11694	17541
Kcal-NG	5847	11694	11694	17541
Dimensions	400 x 730 x 300	600 x 730 x 300	800 x 730 x 300	1200 x 730 x 300
Packaged Dim.	500 x 860 x 500	700 x 860 x 500	900 x 860 x 575	1300 x 860 x 575
Weight	51 kg.	71 kg.	98 kg.	137 kg.
Packaged Weight	57 kg.	80 kg.	110 kg.	152 kg.
Price	1.330 EURO	1.570 EURO	2.040 EURO	2.660 EURO

Lava - Stone Grill / Gas



ALI - 473



ALI - 673



ALI - 1273


- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Plate thickness is produced as **15 mm**.
- Made of **ST52** stainless steel.
- LPG and NG options are available.
- A homogeneous heat distribution is provided on the cooking surface with the independent gas taps.
- **ALI - 473** models are single gas tap controlled.
- **ALI - 673** and **ALI - 873** are double gas taps, **ALI - 1273** has triple gas taps controlled.
- There is drawer for oil drain.
- With the handles on the device, the grill surface can be adjusted in the direction of the desired slope.
- Cooking Surface;
ALI - 473 ; 326 x 418 mm. - **ALI - 673** ; 491 x 418 mm.
ALI - 873 ; 726 x 418 mm. - **ALI - 1273** ; 1076 x 418 mm.
- Oil drainage is done with a movable drawer.

Model	ALI - 473	ALI - 673	ALI - 873	ALI - 1273
Gas Cons.-LPG	0,527 kg / h	1,054 kg / h	1,054 kg / h	1,581 kg / h
Gas Cons.-NG	0,7 m ³ / h	1,4 m ³ / h	1,4 m ³ / h	2,1 m ³ / h
kW-LPG	6,8	13,6	13,6	20,4
kW-NG	6,8	13,6	13,6	20,4
Kcal-LPG	5847	11694	11694	17541
Kcal-NG	5847	11694	11694	17541
Dimensions	400 x 730 x 300	600 x 730 x 300	800 x 730 x 300	1200 x 730 x 300
Packaged Dim.	500 x 860 x 500	700 x 860 x 500	900 x 860 x 575	1300 x 860 x 575
Weight	51 kg.	71 kg.	98 kg.	137 kg.
Packaged Weight	57 kg.	80 kg.	110 kg.	152 kg.
Price	1.190 EURO	1.420 EURO	1.960 EURO	2.560 EURO

Cookers / Inductions



AIO - 473



AIO - 873



AIO - 1273

- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Thanks to induction technology, only the bottom part of the pans and pots used is heated
- Thanks to its magnetic feature, the device automatically adjusts the the electrical energy it will use. Thus heat transfer efficiency reaches %90
- It should be used with suitable pans and pots.
- Cable section;

AIO - 473; 5 x 1,5 mm² TTR

AIO - 873, AIO - 1273; 5 x 2,5 mm² TTR



Model	AIO - 473	AIO - 873	AIO - 1273
Induction	2	4	6
Voltage	380-415 V	380-415 V	380-415 V
kW	7	14	21
Dimensions	400 x 730 x 300	800 x 730 x 300	1200 x 730 x 300
Packaged Dim.	460 x 830 x 560	860 x 830 x 560	1260 x 830 x 560
Weight	33 kg.	66 kg.	97 kg.
Packaged Weight	42 kg.	84 kg.	126 kg.
Price	2.560 EURO	5.200 EURO	6.970 EURO

Cookers / Electric



AEO - 473



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- With the 6 steps thermostat on the device, it provides the opportunity to adjust the temperature as requested.
- Each of the heating hotplate resistance has a capacity of 2600 Watts.
- Cable section;

AEO - 473; 5 x 1,5 mm² TTR


AEO - 873, AEO - 1273; 5 x 2,5 mm² TTR



AEO - 873



AEO - 1273



Model	AEO - 473	AEO - 873	AEO - 1273
Plate	2 x Ø220	4 x Ø220	6 x Ø220
Voltage	380-415 V	380-415 V	380-415 V
kW	2 x 2.6	4 x 2.6	6 x 2.6
Dimensions	400 x 730 x 300	800 x 730 x 300	1200 x 730 x 300
Packaged Dim.	500 x 860 x 500	900 x 860 x 575	1300 x 860 x 575
Weight	25 kg.	38 kg.	63 kg.
Packaged Weight	31 kg.	50 kg.	78 kg.
Price	670 EURO	1.200 EURO	1.520 EURO

Series 730

Cookers / Electric



AEO - 473 / 1K



AEO - 473 / 2K



AEO - 873 / 1K



AEO - 873 / 2K



AEO - 1273 / 1K



AEO - 1273 / 2K

- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- With the **6** steps thermostat on the device, it provides the opportunity to adjust the temperature as requested.
- Each of the heating hotplate resistance has a capacity of **2600** Watts and the hot plate's resistance dimensions that **220x220mm**. The another one is that **300x300mm** and **4000** Watt.
- Cable section;

AEO - 473; 5 x 1,5 mm² TTR

AEO - 873 and AEO - 1273; 5 x 2,5 mm² TTR

Model	AEO - 473 / 1K	AEO - 473 / 2K	AEO - 873 / 1K	AEO - 873 / 2K	AEO - 1273 / 1K	AEO - 1273 / 2K
Plate	1 x 300 x 300	2 x 220 x 220	2 x 300 x 300	4 x 220 x 220	3 x 300 x 300	6 x 220 x 220
Voltage	380-415 V	380-415 V	380-415 V	380-415 V	380-415 V	380-415 V
kW	4	2 x 2.6	2 x 4	4 x 2.6	3 x 4	6 x 2.6
Dimensions	400 x 730 x 300	400 x 730 x 300	800 x 730 x 300	800 x 730 x 300	1200 x 730 x 300	1200 x 730 x 300
Packaged Dim.	500 x 860 x 500	500 x 860 x 500	900 x 860 x 575	900 x 860 x 575	1300 x 860 x 575	1300 x 860 x 575
Weight	25 kg.	27 kg.	38 kg.	40 kg.	63 kg.	65 kg.
Packaged Weight	31 kg.	33 kg.	50 kg.	52 kg.	78 kg.	80 kg.
Price	770 EURO	1.100 EURO	1.200 EURO	1.800 EURO	1.800 EURO	2.365 EURO

Series 730

Cookers / Gas



AGO - 473




AGO - 873



AGO - 1273

- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Piloted and thermocouple control system.
- When the flame goes out, the gas coming to the device is blocked by the thermocouple.
- LPG and NG options are available.
- The device speed can be set up to high or low flame.



Model	AGO - 473	AGO - 873	AGO - 1273
Back	2 x Ø80	4 x Ø80	6 x Ø80
Gas Cons.-LPG	0.775 kg / h	1,55 kg / h	2,325 kg / h
Gas Cons.-NG	1.162 m ³ / h	2,324 m ³ / h	3,486 m ³ / h
kW-LPG	10	20	30
kW-NG	11	22	33
Kcal-LPG	8598	17197	25795
Kcal-NG	9458	18917	28375
Dimensions	400 x 730 x 300	800 x 730 x 300	1200 x 730 x 300
Packaged Dim.	500 x 860 x 500	900 x 860 x 500	1300 x 860 x 500
Weight	26 kg.	42 kg.	72 kg.
Packaged Weight	32 kg.	54 kg.	87 kg.
Price	860 EURO	1.470 EURO	2.200 EURO

Series 730

Cookers / Gas Single Back



AGO - 473 T




AGO - 873 T



AGO - 1273 T



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Piloted and thermocouple control system.
- When the flame goes out, the gas coming to the device is blocked by the thermocouple.
- LPG and NG options are available.
- The device speed can be set up to high or low flame.



Model	AGO - 473 T	AGO - 873 T	AGO - 1273 T
Back	1 x Ø100	2 x Ø100	3 x Ø100
Gas Cons.-LPG	0,814 kg / h	1,628kg / h	2,442 kg / h
Gas Cons.-NG	1,21 m ³ / h	2,42 m ³ / h	3,63 m ³ / h
kW-LPG	10	20	30
kW-NG	11	22	33
Kcal-LPG	8598	17197	25795
Kcal-NG	9458	18917	28375
Dimensions	400 x 730 x 300	800 x 730 x 300	1200 x 730 x 300
Packaged Dim.	500 x 860 x 500	900 x 860 x 500	1300 x 860 x 500
Weight	24 kg.	40 kg.	70 kg.
Packaged Weight	30 kg.	52 kg.	85 kg.
Price	820 EURO	1.130 EURO	1.630 EURO

Fryers / Electric



AEF - 473



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- The temperature in the fryer is controlled in the range of **100°-190°C** degrees thermostat.
- The device has a safety limit thermostat.
- There is a fixing mechanism that keeps the resistors up and it provides easy cleaning.
- When the resistors are in the upward position, the electricity is cut off with safety switch.
- Cable section; **AEF - 473**; 5 x 1,5 mm² TTR, **AEF - 873**; 5 x 4 mm² TTR



AEF - 873

Model	AEF - 473	AEF - 873
GN Type	Min. 6 lt - Max. 12 lt.	Min. 2 x 6 lt - Max. 2 x 12 lt.
Voltage	380-415 V	380-415 V
kW	9	18
Dimensions	400 x 730 x 300	800 x 730 x 300
Packaged Dim.	500 x 860 x 500	900 x 860 x 575
Weight	33 kg.	48 kg.
Packaged Weight	42 kg.	57 kg.
Price	1.380 EURO	2.320 EURO

Pasta Cooker / Electric



APD - 473

- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- There is a perforated stainless steel part to drain the oil.
- Ceramic resistance is used in the device.
- Cable section; **3 x 1,5 mm² TTR**

Model	APD - 473
Tub	Yekpare
Voltage	220-240 V
kW	0,65
Dimensions	400 x 730 x 300
Packaged Dim.	500 x 860 x 575
Weight	13 kg.
Packaged Weight	20 kg.
Price	640 EURO

Pasta Cooker / Electric



AMP - 673



AMP - 873

- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- The device has a locked drain valve. It cannot be turned on/off without user control.
- The device has a clean water inlet tap and an overflowing water drain.
- The device provides heat control with a 7 steps energy regulator.
- It has a heat regulator against overheating.
- Basket Dimensions:
AMP - 473 ; 146 x 114 x 128 mm. - AMP - 673 ; 247 x 130 x 128 mm.
AMP - 873 ; 146 x 114 x 128 mm.
- Cable Section
AMP - 473; 5 x 2,5 mm² TTR - AMP - 673; 5 x 2,5 mm² TTR
AMP - 873; 5 x 6 mm² TTRR

Model	AMP - 473	AMP - 673	AMP - 873
Basket	4	3	4+4
Voltage	380-415 V	380-415 V	380-415 V
kW	5	7.5	10
Dimensions	400 x 730 x 300	600 x 730 x 300	800 x 730 x 300
Packaged Dim.	500 x 860 x 500	700 x 860 x 500	900 x 860 x 575
Weight	30 kg.	37 kg.	45 kg.
Packaged Weight	36 kg.	42 kg.	50 kg.
Price	1.280 EURO	1.390 EURO	2.150 EURO

Pasta Cooker / Gas



AMPG - 473

- Made of stainless Steel
- Stainless steel sheet construction provides hygiene long service life and
- LPG and NG options are available.

Model	AMPG - 473
Back	4
Gas Cons.-LPG	0,931 kg / h
Gas Cons.-NG	0,674 m ³ / h
kW-LPG	8,7
kW-NG	8,7
Kcal-LPG	7481
Kcal-NG	7481
Dimensions	400 x 730 x 850
Packaged Dim.	470 x 800 x 1210
Weight	65 kg.
Packaged Weight	71 kg.
Price	2.270 EURO

Under Counter Ovens / Electric



ASFE - 873 F



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- The resistances in the device operate in the range of **50°-300°C** degrees. It can be individually controlled optionally.
- In the **ST** model, in order to homogenize the heat at the base of the device, **10 mm thick ST** model steel is produced.
- There is an AC fan that heats the internal volume homogeneously in **F** models.
- Different products from the same series can be put on the product.
- There are **2** pieces **530x400** mm wire grids in the oven.
- The ventilation shaft of the device is movable and can be positioned according to the product in **ST** models.
- Cable section;

ASFE - 873 ST, ASFE - 1273 ST ve ASFE - 1273 ST D; 5 x 2,5 mm² TTR
ASFF - 873 F ; 3 x 2,5 mm² TTR



ASFE - 1273 ST



ASFE - 1273 ST D

Model	ASFE - 873 ST	ASFE - 873 F	ASFE - 1273 ST	ASFE - 1273 ST D
Capacity	530 x 400	530 x 400	650 x 930	530 x 400
Voltage	380-415 V	220-240 V	380-415 V	380-415 V
kW	6	2.6	12	6
Dimensions	800 x 715 x 550	800 x 715 x 550	1200 x 715 x 550	1200 x 715 x 550
Packaged Dim.	900 x 825 x 720	900 x 825 x 720	1300 x 825 x 720	1300 x 825 x 720
Price	1.710 EURO	1.260 EURO	1.920 EURO	1.770 EURO

ST: Static F: Fan D: With Cabinet

Under Counter Ovens / Gas



ASFG - 873



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- The temperature in the oven is controlled by a thermostatic gas tap in the range of **60°-300°C** degrees.
- The device has a piloted and thermocouple control system. When the flame goes out with the thermocouple, the gas coming to the device is automatically cut off.
- LPG and NG options available.
- In the **ST** model, in order to homogenize the heat at the base of the device, **10** mm thick **ST** model steel is produced.
- Different products from the same series can be put on the product.
- There are **2** pieces **530x400** mm wire grids in the oven.
- The ventilation shaft of the device is movable and can be positioned according to the product in each other.



ASFG - 1273



ASFG - 1273 D

Model	ASFG - 873	ASFG - 1273	ASFG - 1273 D
Capacity	530 x 650	650 x 930	530 x 650
Gas Consumption-LPG	0,256 kg / h	0,256 kg / h	0,256 kg / h
Gas Consumption-NG	0,349 m ³ / h	0,349 m ³ / h	0,349 m ³ / h
kW-LPG	3,3	3,3	3,3
kW-NG	3,3	3,3	3,3
Kcal-LPG	2837	2837	2837
Kcal-NG	2837	2837	2837
Dimensions	800 x 730 x 550	1200 x 730 x 550	1200 x 730 x 550
Packaged Dimensions	900 x 825 x 720	1300 x 825 x 720	1300 x 825 x 720
Price	1.870 EURO	2.150 EURO	2.070 EURO

D: With Cabinet

Cooking Ranges / Electric



AEK - 873



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- The temperature in the cooking range is controlled by a resistance in the range of **50°-300°C** degrees.
- It can be separately controlled.
- On the cooking range, there are hot plates with **Ø22** and a power of **2600** watts.
- In order to homogenize the heat at the base of the device, **10** mm thick **ST** model steel is produced.
- There are **2** pieces **530x650** mm wire grids for **AEK - 873** and **AEK - 1273 D**.
- There are **2** pieces **1040x530** mm wire grids for **AEK - 1273**.
- Cable section;
AEK - 873, AEK - 1273D ; 5 x 6 mm² TTR
AEK - 1273; 5 x 10 mm² TTR



AEK - 1273



AEK - 1273 D

Model	AEK - 873	AEK - 1273	AEK - 1273 D
Capacity	4 x Ø220	6 x Ø220	6 x Ø220
Oven Capacity	GN 2/1	1040x530	GN 2/1
Voltage	380-415 V	380-415 V	380-415 V
kW	4 x 2.6 kW + 6 kW	6 x 2.6 kW + 12 kW	6 x 2.6 kW + 6 kW
Dimensions	800 x 730 x 850	1200 x 730 x 850	1200 x 730 x 850
Packaged Dim.	900 x 825 x 1100	1300 x 825 x 1100	1300 x 825 x 1100
Weight	136 kg.	170 kg.	170 kg.
Packaged Weight	148 kg.	185 kg.	185 kg.
Price	2.810 EURO	3.630 EURO	3.380 EURO

Cooking Ranges / Gas



AGK - 873



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- The temperature in the cooking range is controlled by a gas tap in the range of **100°-300°C** degrees.
- The device has a piloted and thermocouple control system. When the flame goes out with the thermocouple, the gas coming to the device is automatically cut off.
- LPG and NG options available.
- In order to homogenize the heat at the base of the device, **10 mm thick ST** model steel is produced.
- There are **2** pieces **530x400** mm wire grids in the oven.
- The ventilation shaft of the device is movable and can be positioned according to the product in each other.



AGK - 1273 D

Model	AGK - 873	AGK - 1273 D
Back	4 x Ø80	6 x Ø80
Oven Capacity	GN 2/1	GN 2/1
Gas Consumption-LPG	1,55kg / h	2,558 kg / h
Gas Consumption-NG	2,673 m ³ / h	3,835 m ³ / h
kW-LPG	4 x 5 kW + 3.3 kW	6 x 5 kW + 3.3 kW
kW-NG	4 x 5.5 kW + 3.3 kW	6 x 5.5 kW + 3.3 kW
Kcal-LPG	20034	28633
Kcal-NG	21754	31212
Dimensions	800 x 730 x 850	1200 x 730 x 850
Packaged Dimensions	900 x 825 x 1100	1300 x 825 x 1100
Weight	124 kg.	165 kg.
Packaged Weight	136 kg.	185 kg.
Price	3.310 EURO	4.090 EURO

Wok Cookers / Gas



AWO - 473



AWO - 873

- Made of stainless Steel
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Piloted and thermocouple control system.
- When the flame goes out, the gas coming to the device is blocked by the thermocouple.
- LPG and NG options are available.
- The device speed can be set up to high or low flame.
- At the bottom, there is the crumb collection drawer.

Model	AWO 473	AWO - 873
Burner	1	2
Gas Cons.-LPG	0,969 kg / h	1,938 kg / h
Gas Cons.-NG	1,303 m ³ / h	2,606m ³ / h
kW-LPG	12,5	25
kW-NG	12,5	25
Kcal-LPG	10748	21496
Kcal-NG	10748	21496
Dimensions	400 x 730 x 300	800 x 730 x 300
Packaged Dim.	500 x 860 x 500	900 x 860 x 500
Weight	38 kg.	70 kg.
Packaged Weight	44 kg.	82 kg.
Price	1.110 EURO	1.900 EURO

Solid Top Cooker / Gas



AGKO - 473



AGKO - 873

- Made of stainless Steel
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Piloted and thermocouple control system.
- When the flame goes out, the gas coming to the device is blocked by the thermocouple.
- LPG and NG options are available.
- The device speed can be set up to high or low flame.

Model	AGKO - 473	AGKO - 873
Burner	1	1
Gas Cons.-LPG	0,389 kg / h	0,473 kg / h
Gas Cons.-NG	0,581 m ³ / h	0,631 m ³ / h
kW-LPG	5	6
kW-NG	5.5	6
Kcal-LPG	4300	5159
Kcal-NG	4730	5159
Dimensions	400 x 730 x 300	800 x 730 x 300
Packaged Dim.	500 x 860 x 580	900 x 860 x 580
Weight	62 kg.	88 kg.
Packaged Weight	75 kg.	100 kg.
Price	1.320 EURO	1.940 EURO

Series 730

Bain Marie / Electric



ASB - 473

- Made of stainless Steel
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- The temperature in the bain marie is controlled in the range of **30°-120°C** degrees thermostat.
- The device has a locked drain valve. It cannot be turned on/off without user control.
- Item has tube resistance.
- Cable section; **3 x 1,5 mm² TTR**



ASB - 873

Model	ASB - 473	ASB - 873
Capacity	GN 1/1 150	630 x 510 x 195 / 150
Voltage	220-240 V	220-240 V
kW	1.5	3
Dimensions	400 x 730 x 300	800 x 730 x 300
Packaged Dim.	500 x 860 x 500	900 x 860 x 500
Weight	17 kg.	31 kg.
Packaged Weight	23 kg.	37 kg.
Price	860 EURO	1.400 EURO

Neutral Worktop Drawer



AATC-473



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.



AATC-673

Model	AAT - 473 C	AAT - 673 C
Dimensions	400 x 730 x 300	600 x 730 x 300
Packaged Dim.	500 x 860 x 500	700 x 860 x 500
Weight	16 kg.	22 kg.
Packaged Weight	21 kg.	28 kg.
Price	450 EURO	530 EURO

Neutral Worktop



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.



AAT - 473



AAT - 673



AAT - 1273

Model	AAT - 473	AAT - 673	AAT - 873	AAT - 1273
Dimensions	400 x 730 x 300	600 x 730 x 300	800 x 730x 300	1200 x 730 x 300
Packaged Dim.	500 x 860 x 500	700 x 860 x 500	900 x 860 x 500	1300 x 860 x 500
Weight	14 kg.	20 kg.	24 kg.	28 kg.
Packaged Weight	19 kg.	26 kg.	32 kg.	36 kg.
Price	320 EURO	380 EURO	470 EURO	670 EURO

Undercounter Cabinets



- Made of stainless Steel
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Double-wall doors.
- Pins on the undercounter cabinets are designed fort he top Equipment so that the products have a uniform look.



AST - 473



AST - 673



AST - 1273

Model	AST - 473	AST - 673	AST - 873	AST - 1273
Dimensions	400 x 670 x 550	600 x 670 x 550	800 x 670 x 550	1000 x 670 x 550
Packaged Dim.	420 x 690 x 550	620 x 690 x 550	820 x 690 x 550	1020 x 690 x 550
Weight	16 kg.	22 kg.	27 kg.	38 kg.
Packaged Weight	17 kg.	23 kg.	28 kg.	39 kg.
Price	410 EURO	450 EURO	490 EURO	580 EURO

Series 700



Grills / Electric



AEI - 470 / N



AEI - 670



AEI - 870 / N



AEI - 870 / ND



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Fat tray is in the form of removable drawer.
- Specially designed heating elements to ensure homogeneous cooking across plate surfaces.
- Dripped fat can be easily drained to the discharge drawer from the inclined plate for easy removal.
- Thermostat controls.
- Plate thickness is produced as **15 mm.** made of **ST52** stainless steel.
- **AEI-870** models are equipped with two independent thermostat controls.
- Cable section; **5 x 1,5 mm² TTR**



Model	AEI - 470	AEI - 670	AEI - 870	AEI - 470 / N
Plate	Flat	Flat	Flat	Grooved
Power	380-415 V	380-415 V	380-415 V	380-415 V
kW	3.6	4.8	7.2	3.6
Dimensions	400 x 700 x 300	600 x 700 x 300	800 x 700 x 300	400 x 700 x 300
Packaged Dim.	470 x 800 x 520	670 x 800 x 610	870 x 800 x 610	470 x 800 x 520
Weight	47 kg	60 kg	78 kg	47 kg
Pack. Weight	50 kg	66 kg	89 kg	50 kg
Price	770 EURO	1.000 EURO	1.180 EURO	860 EURO



Model	AEI-670 / N	AEI-870 / N	AEI-670 / ND	AEI-870 / ND
Plate	Grooved	Grooved	Grooved+Flat	Grooved+Flat
Power	380-415 V	380-415 V	380-415 V	380-415 V
kW	4.8	7.2	4.8	7.2
Dimensions	600 x 700 x 300	800 x 700 x 300	600 x 700 x 300	800 x 700 x 300
Packaged Dim.	670 x 800 x 610	870 x 800 x 610	670 x 800 x 610	870 x 800 x 610
Weight	60 kg	78 kg	60 kg	78 kg
Pack. Weight	66 kg	89 kg	66 kg	89 kg
Price	1.100 EURO	1.370 EURO	1.080 EURO	1.300 EURO

N: Grooved D: Flat ND: Grooved+Flat

Series 700

Grills / Electric Chrome Surface



AEI - 470 / N CR



AEI - 670 CR



AEI - 870 CR



AEI - 870 / ND CR



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Fat tray is in the form of removable drawer.
- Specially designed heating elements to ensure homogeneous cooking across plate surfaces.
- Dripped fat can be easily drained to the discharge drawer from the inclined plate for easy removal.
- Thermostat controls.
- Plate thickness is produced as **15 mm.** made of **ST52** stainless steel.
- **AEI-870 CR** models are equipped with two independent thermostat controls.
- Cable section; **5 x 1,5 mm² TTR**



Model	AEI - 470 CR	AEI - 670 CR	AEI - 870 CR	AEI - 470 / N CR
Plate	Flat	Flat	Flat	Grooved
Power	380-415 V	380-415 V	380-415 V	380-415 V
kW	3.6	4.8	7.2	3.6
Dimensions	400 x 700 x 300	600 x 700 x 300	800 x 700 x 300	400 x 700 x 300
Packaged Dim.	470 x 800 x 520	670 x 800 x 610	870 x 800 x 610	470 x 800 x 520
Weight	47 kg	60 kg	78 kg	47 kg
Pack. Weight	50 kg	66 kg	89 kg	50 kg
Price	1.100 EURO	1.400 EURO	1.690 EURO	1.210 EURO



Model	AEI - 670 / N CR	AEI - 870 / N CR	AEI-670 / ND CR	AEI - 870/ND CR
Plate	Grooved	Grooved	Grooved+Flat	Grooved+Flat
Power	380-415 V	380-415 V	380-415 V	380-415 V
kW	4.8	7.2	4.8	7.2
Dimensions	600 x 700 x 300	800 x 700 x 300	600 x 700 x 300	800 x 700 x 300
Packaged Dim.	670 x 800 x 610	870 x 800 x 610	670 x 800 x 610	870 x 800 x 610
Weight	60 kg	78 kg	60 kg	78 kg
Pack. Weight	66 kg	89 kg	66 kg	89 kg
Price	1.550 EURO	1.960 EURO	1.520 EURO	1.910 EURO

N: Grooved D: Flat ND: Grooved+Flat CR: Chrome Surface

Grills / Gas



AGI - 470



AGI - 670 / N



AGI - 870



AGI - 870 / ND

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Fat tray is in the form of removable drawer.
- Specially designed tubular burner to ensure homogeneous cooking across plate surfaces.
- Dripped fat can be easily drained to the discharge drawer from the inclined plate for easy removal.
- **AGI-870** models are equipped with two different gas taps.
- The igniter lighter is separate from the device so that it is not affected by the heat.



Model	AGI - 470	AGI - 670	AGI - 870	AGI-470/N
Plate	Flat	Flat	Flat	Grooved
Gas Cons.-LPG	0.45 kg / h	0.45 kg / h	0.626 kg / h	0.45 kg / h
Gas Cons.-NG	0.626 m ³ / h	0.626 m ³ / h	1.252 m ³ / h	0.626 m ³ / h
kW-LPG	5,8	5,8	11.6	5,8
kW-NG	5,8	5,8	11.6	5,8
Kcal-LPG	4987	4987	9974	4987
Kcal-NG	4987	4987	9974	4987
Dimensions	400 x 700 x 300	600 x 700 x 300	800x700x300	400 x 700 x 300
Packaged Dim.	470 x 800 x 520	670 x 800 x 610	870x800x610	470 x 800 x 520
Weight	43 kg	49 kg	80 kg	43 kg
Pack. Weight	49 kg	58 kg	87 kg	49 kg
Price	890 EURO	1.140 EURO	1.370 EURO	940 EURO



Model	AGI-670/N	AGI-870/N	AGI-670/ND	AGI-870/ND
Plate	Grooved	Grooved	Grooved+Flat	Grooved+Flat
Gas Cons.-LPG	0.45 kg / h	0.626 kg / h	0.45 kg / h	0.626 kg / h
Gas Cons.-NG	0.626 m ³ / h	1.252 m ³ / h	0.626 m ³ / h	1.252 m ³ / h
kW-LPG	5,8	11.6	5,8	11.6
kW-NG	5,8	11.6	5,8	11.6
Kcal-LPG	4987	9974	4987	9974
Kcal-NG	4987	9974	4987	9974
Dimensions	600 x 700 x 300	800x700x300	600 x 700 x 300	800x700x300
Packaged Dim.	670 x 800 x 610	870x800x610	670 x 800 x 610	870x800x610
Weight	49 kg	80 kg	49 kg	80 kg
Pack. Weight	58 kg	87 kg	58 kg	87 kg
Price	1.220 EURO	1.560 EURO	1.180 EURO	1.520 EURO

N: Grooved D: Flat ND: Grooved+Flat

Grills / Gas / Chrome Surface



AGI - 470 CR



AGI - 470 / N CR



AGI - 670 CR



AGI - 870 CR

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Fat tray is in the form of removable drawer.
- Specially designed tubular burner to ensure homogeneous cooking across plate surfaces.
- Dripped fat can be easily drained to the discharge drawer from the inclined plate for easy removal.
- **AGI-870 CR** models are equipped with two different gas cocks.
- The igniter lighter is separate from the device so that it is not affected by the heat.



Model	AGI - 470 CR	AGI - 670 CR	AGI - 870 CR	AGI-470/N CR
Plate	Flat	Flat	Flat	Grooved
Gas Cons.-LPG	0.45 kg / h	0.45 kg / h	0.626 kg / h	0.45 kg / h
Gas Cons.-NG	0.626 m ³ / h	0.626 m ³ / h	1.252 m ³ / h	0.626 m ³ / h
kW-LPG	5,8	5,8	11.6	5,8
kW-NG	5,8	5,8	11.6	5,8
Kcal-LPG	4987	4987	9974	4987
Kcal-NG	4987	4987	9974	4987
Dimensions	400 x 700 x 300	600 x 700 x 300	800x700x300	400 x 700 x 300
Packaged Dim.	470 x 800 x 520	670 x 800 x 610	870x800x610	470 x 800 x 520
Weight	43 kg	49 kg	80 kg	43 kg
Pack. Weight	49 kg	58 kg	87 kg	49 kg
Price	1.250 EURO	1.690 EURO	2.140 EURO	1.330 EURO



Model	AGI-670/N CR	AGI-870/N CR	AGI-670/ND CR	AGI-870/ND CR
Plate	Grooved	Grooved	Grooved+Flat	Grooved+Flat
Gas Cons.-LPG	0.45 kg / h	0.626 kg / h	0.45 kg / h	0.626 kg / h
Gas Cons.-NG	0.626 m ³ / h	1.252 m ³ / h	0.626 m ³ / h	1.252 m ³ / h
kW-LPG	5,8	11.6	5,8	11.6
kW-NG	5,8	11.6	5,8	11.6
Kcal-LPG	4987	9974	4987	9974
Kcal-NG	4987	9974	4987	9974
Dimensions	600 x 700 x 300	800x700x300	600 x 700 x 300	800x700x300
Packaged Dim.	670 x 800 x 610	870x800x610	670 x 800 x 610	870x800x610
Weight	49 kg	80 kg	49 kg	80 kg
Pack. Weight	58 kg	87 kg	58 kg	87 kg
Price	1.820 EURO	2.310 EURO	1.790 EURO	2.260 EURO

N: Grooved D: Flat ND: Grooved+Flat CR: Chrome Surface

American Grill / Cast Iron / Water Drawer / Gas



AAIG- 470



AAIG- 670



AAIG - 1270



AAIG- 870

**CAST IRON
SURFACE**

- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Equipped with safety valve and pilot light.
- LPG and NG options available.
- Fat tray is in the form of removable drawer.
- Angled cast iron grills.
- Cooking surface has 2 scaled movement.
- Removable burners.
- The igniter lighter is separate from the device so that it is not affected by the heat.
- **AAIG-870** models are equipped with two different gas taps.
- **AAIG-1270** models are equipped with three different gas taps.

Model	AAIG - 470	AAIG - 670	AAIG - 870	AAIG - 1270
Gas Cons.-LPG	0,527 kg / h	0,527 kg / h	1,054 kg / h	1,581 kg / h
Gas Cons.-NG	0,7 m ³ / h	0,7 m ³ / h	1,4 m ³ / h	2,1 m ³ / h
kW-LPG	6,8	6,8	13,6	20,4
kW-NG	6,8	6,8	13,6	20,4
Kcal-LPG	5847	5847	11694	17541
Kcal-NG	5847	5847	11694	17541
Dimensions	400 x 700 x 300	600 x 700 x 300	800 x 700 x 300	1200 x 700 x 300
Packaged Dim.	470 x 800 x 520	670 x 800 x 610	870 x 800 x 610	1280 x 800 x 610
Weight	51 kg	71 kg	98 kg	137 kg
Pack. Weight	57 kg	80 kg	110 kg	152 kg
Price	1.160 EURO	1.400 EURO	1.770 EURO	2.280 EURO

Series 700

Lava - Stone Grill / Cast Iron / Water Drawer / Gas



ALI- 470



ALI- 670



ALI- 870



ALI - 1270

**CAST IRON
SURFACE**

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long, service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Equipped with safety valve and pilot light.
- Designed to prevent dripping on to the lava stones.
- LPG and NG options available.
- Fat tray is in the form of removable drawer.
- Angled cast iron grills.
- Cooking surface has 2 scaled movement.
- Removable burners.
- The igniter lighter is separate from the device so that it is not affected by the heat.
- **ALI-870** models are equipped with two different gas taps.
- **ALI-1270** models are equipped with three different gas taps.

Model	ALI - 470	ALI - 670	ALI - 870	ALI - 1270
Gas Cons.-LPG	0,527 kg / h	0,527 kg / h	1,054 kg / h	1,581 kg / h
Gas Cons.-NG	0,7 m ³ / h	0,7 m ³ / h	1,4 m ³ / h	2,1 m ³ / h
kW-LPG	6,8	6,8	13,6	20,4
kW-NG	6,8	6,8	13,6	20,4
Kcal-LPG	5847	5847	11694	17541
Kcal-NG	5847	5847	11694	17541
Dimensions	400 x 700 x 300	600 x 700 x 300	800 x 700 x 300	1200 x 700 x 300
Packaged Dim.	470 x 800 x 520	670 x 800 x 610	870 x 800 x 610	1280 x 800 x 610
Weight	51 kg	71 kg	98 kg	137 kg
Pack. Weight	57 kg	80 kg	110 kg	152 kg
Price	1.030 EURO	1.240 EURO	1.720 EURO	2.210 EURO

Fryers / Electric



AEF - 470



AEF - 870



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Equipped with limiting thermostat.
- Removable heating element provides easy of cleaning.
- Equipped with drainage taps.
- Basket size; **AEF - 470, AEF - 870; 225 x 270 x 100 mm., AEF - 670; 195 x 270 x 100 mm.**
- Cable section;
AEF - 470; 5 x 1,5 mm² TTR, AEF - 670 ve AEF - 870; 5 x 2,5 mm² TTR



Model	AEF - 470	AEF - 670	AEF - 870
Capacity	Min. 6 lt. Max 12 lt	2 x Min. 5 lt. Max 11 lt	2 x Min. 6 lt. Max 12 lt
Voltage	380-415 V	380-415 V	380-415 V
kW	9	15	18
Dimensions	400 x 700 x 300	600 x 700 x 300	800 x 700 x 300
Packaged Dim.	470 x 800 x 520	670 x 800 x 520	870 x 800 x 520
Weight	23 kg	35 kg	45 kg
Packaged Weight	29 kg	39 kg	49 kg
Price	1.080 EURO	1.840 EURO	1.940 EURO

Fryers / Gas



AGF - 470



AGF - 870



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Sepet ölçüsü; **AGF - 470; 189 x 253 x 127 mm., AGF - 870; 248 x 253 x 127 mm.**



Model	AGF - 470	AGF - 870
Capacity	Min. 18 lt. Max 22 lt	2 x Min. 18 lt. Max 22 lt
Gas Consumption-LPG	0,93 kg / h	1,86kg / h
Gas Consumption-NG	0,898 m ³ / h	1,796 m ³ / h
kW-LPG	12	24
kW-NG	8.5	17
Kcal-LPG	10318	20636
Kcal-NG	7308	14617
Dimensions	400 x 700 x 850	800 x 700 x 850
Packaged Dimensions	470 x 800 x 1210	880 x 800 x 1210
Weight	61 kg	106 kg
Packaged Weight	67 kg	118 kg
Price	2.020 EURO	3.750 EURO

Warm Keeper / Electric



APD - 470



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic desing providing convenience to users in all aspects.
- Equipped with porcelain heater.
- Used for holding chips at perfect serving temperature and condition.
- Cable section; **3 x 1,5 mm². TTR**

Model	APD - 470
Capacity	GN 1/1 150
Voltage	220-240 V
kW	0.65 kW
Dimensions	400 x 700 x 300
Packaged Dim.	470 x 800 x 560
Weight	17 kg
Packaged Weight	23 kg
Price	550 EURO

Bain - Marie / Electric



ASB - 470

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Suitable for a variety of dimensions of GN pan.
- Complete with drainage taps.
- Thermostat controls **30°-120°C**
- Silicone resistance.
- Manuel water filling.
- Cable section; **3 x 1,5 mm² TTR**

Model	ASB - 470	ASB - 870
Capacity	GN 1/1 - 150	2 x GN 1/1 - 150
Power	220-240 V	220-240 V
kW	1	2
Dimensions	400 x 700 x 300	800 x 700 x 300
Packaged Dimens.	470 x 800 x 520	870 x 800 x 610
Weight	18 kg	30 kg
Packaged Weight	24 kg	42 kg
Price	810 EURO	1.160 EURO



ASB - 870

Cookers / Electric




AEO - 470



AEO - 870



AEO - 1270



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Equipped with cast iron plate.
- Each heater is controlled by an independent stepped switch.
- Each of the heather hot blades is cast iron with a capacity of **2600** Watt.
- Cable section;

AEO - 470; 5 x 1,5 mm² TTR

AEO - 870 ve **AEO - 1270;** 5 x 2,5 mm² TTR

			
Model	AEO - 470	AEO - 870	AEO - 1270
Plate	2 x Ø22 cm.	4 x Ø22 cm.	6 x Ø22 cm.
Voltage	385-415 V	385-415 V	385-415 V
kW	2 x 2,6 kW	4 x 2,6 kW	6 x 2,6 cm.
Dimensions	400 x 700 x 300	800 x 700 x 300	1200 x 700 x 300
Packaged Dim.	470 x 800 x 520	870 x 800 x 520	1280 x 800 x 610
Weight	22 kg	35 kg	60 kg
Packaged Weight	28 kg	47 kg	75 kg
Price	590 EURO	1.050 EURO	1.310 EURO

Series 700

Cookers / Gas





AGO - 470



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Equipped with burners with high calorie efficiency.
- Cast iron cook top grates.



AGO - 870



AGO - 1270

Model	AGO - 470	AGO - 870	AGO - 1270
Plate	2 x Ø80	4 x Ø80	6 x Ø80
Gas Cons.-LPG	0,775 kg / h	1,55 kg / h	2,325 kg / h
Gas Cons.-NG	1,162 m ³ / h	2,324 m ³ / h	3,486 m ³ / h
kW-LPG	2 x 5 kW	4 x 5 kW	6 x 5 kW
kW-NG	2 x 5,5 kW	4 x 5,5 kW	6 x 5,5 kW
Kcal-LPG	8598	17196	25795
Kcal-NG	9458	18916	28375
Dimensions	400 x 700 x 300	800 x 700 x 300	1200 x 700 x 300
Packaged Dimen.	470 x 800 x 520	870 x 800 x 520	1280 x 800 x 610
Weight	26 kg	42 kg	72 kg
Packaged Weight	32 kg	54 kg	87 kg
Price	770 EURO	1.310 EURO	1.930 EURO

Cooking Ranges / Electric



AEK - 870



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Heaters **Ø22 cm , 2600 Watt** cast iron plate.
- Each heater is controlled by an independent swich.
- Resistances working between **50°-300°C**
- The kW values in the table below are in the form of a stove and an oven.
The total kW value is the sum of the two.
- Cable section; **5 x 6 mm. TTR**



AEK - 1270



Model	AEK - 870	AEK - 1270
Oven Capacity	GN 2/1	GN 2/1
Number of Plates	4 x Ø22	6 x Ø22
Power	380-415 V	380-415 V
kW	4 x 2,6 kW + 6,3 kW	6 x 2,6 kW + 6,3 kW
External Dimensions	800 x 700 x 850	1200 x 700 x 850
Packaged Dimensions	880 x 880 x 1210	1280 x 880 x 1210
Weight	131 kg	165 kg
Packaged Weight	143 kg	180 kg
Price	2.440 EURO	2.820 EURO

Cooking Ranges / Gas



AGK - 870



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Equipped with burners with high calorie efficiency.
- Cast iron cook top grates.
- Grills gray cast iron.
- Thermostat gas control **100°-300°C** .
- The kW values in the table below are in the form of a stove and an oven.
The total kW value is the sum of the two.



AGK - 1270



Model	AGK - 870	AGK - 1270
Oven Capacity	GN 2/1 - 100 x 2	GN 2/1 - 100 x 2
Number of Plates	4 x Ø80	6 x Ø80
Gas Consumption-LPG	1,806 kg / h	2,558 kg / h
Gas Consumption-NG	2,673 m ³ / h	3,835 m ³ / h
kW-LPG	4 x 5 kW + 3,3 kW	6 x 5 kW + 3,3 kW
kW-NG	4 x 5,5 kW + 3,3 kW	6 x 5,5 kW + 3,3 kW
Kcal-LPG	20034	28633
Kcal-NG	21754	31212
Dimensions	800 x 700 x 850	1200 x 700 x 850
Packaged Dimensions	880 x 880 x 1210	1280 x 880 x 1210
Weight	119 kg	160 kg
Packaged Weight	131 kg	180 kg
Price	2.940 EURO	3.720 EURO

Wok Cookers / Gas



AWO - 470



AWO - 870

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Burners have high calories.

Model	AWO - 470	AWO - 870
Brulor	1	2
Gas Cons.-LPG	0,969 kg / h	1,938 kg / h
Gas Cons.-NG	1,303 m ³ / h	2,606 m ³ / h
kW-LPG	12,5	2 x 12,5
kW-NG	12,5	2 x 12,5
Kcal-LPG	10748	21496
Kcal-NG	10748	21496
Dimensions	400 x 700 x 300	800 x 700 x 300
Packaged Dimens.	470 x 800 x 520	870 x 800 x 520
Weight	38 kg	70 kg
Packaged Weight	44 kg	82 kg
Price	960 EURO	1.650 EURO

Side By Side Cookers / Gas



AGO - 870 Y



AGO - 1270 Y

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Burners have high calories.

Model	AGO - 470 Y	AGO - 870 Y	AGO - 1270 Y
Brulor	1 x Ø100	2 x Ø100	3 x Ø100
Gas Cons.-LPG	0,709 kg/h	1.418 kg/h	2.127 kg/h
Gas Cons.-NG	1,2 m ³ /h	2.4 m ³ /h	3.6 m ³ /h
kW-LPG	10	2 x 10	3 x 10
kW-NG	12	2 x 12	3 x 12
Kcal-LPG	8598	17197	25795
Kcal-NG	10318	20636	30954
Dimensions	400 x 700 x 300	800 x 700 x 300	1200 x 700 x 300
Packaged Dimens.	470 x 800 x 520	870 x 800 x 520	1280 x 800 x 610
Weight	22 kg	41 kg	70 kg
Packaged Weight	28 kg	53 kg	85 kg
Price	710 EURO	1.090 EURO	1.490 EURO

Pasta Cooker / Electric



AMP - 470

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Thermostat control; **30°-120°C** .
- **6 pcs. 131 x 114 x 168 mm.** basket
- Complete with drainage taps.
- Water inlet.
- Cable section; **5 x 1,5 mm² TTR**

Model	AMP - 470
Basket	6
Voltage	385-415 V
kW	6
Dimensions	400 x 700 x 300
Packaged Dim.	470 x 800 x 520
Weight	27 kg
Packaged Weight	33 kg
Price	1.110 EURO

Pasta Cooker / Gas



AMPG - 470

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.

Model	AMPG - 470
Sepet	4
Gaz Sarfiyatı-LPG	0,931 kg / h
Gaz Sarfiyatı-NG	0,674 m ³ / h
kW - LPG	8,7
kW - NG	8,7
Kilokalori - LPG	7481
Kilokalori - NG	7481
Net Ölçüler	400 x 700 x 850
Paket Ölçüleri	470 x 800 x 1210
Net Ağırlık	58 kg
Paket Ağırlık	64 kg
Fiyat	1.970 EURO

Neutral Worktop



AAT - 470



AAT - 870



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.



Model	AAT - 470	AAT - 670	AAT - 870
Dimensions	400 x 700 x 300	600 x 700 x 300	800 x 700 x 300
Packaged Dim.	470 x 800 x 530	670 x 800 x 530	870 x 800 x 530
Weight	16 kg	21 kg	27 kg
Pack. Weight	18 kg	25 kg	31 kg
Price	290 EURO	350 EURO	400 EURO

Undercounter Cabinets



AST - 47

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Double-wall doors.
- Pins on the undercounter cabinets are designed for the top equipment so that the products have a uniform look.
- **AST-47** is produced for **40x70x30** products.
- **AST-67** is produced for **60x70x30** products.
- **AST-87** is produced for **80x70x30** products.
- **AST-127** is produced for **120x70x30** products.
- **AST-87** can carry **2 pcs. 40x70x30** products at the same time.
- **AST-127** can carry **3 pcs. 40x70x30** products at the same time.



AST - 67



AST - 87



AST - 127

Model	AST - 47	AST - 67	AST - 87	AST - 127
Dimensions	400 x 650 x 560	600 x 650 x 560	800 x 650 x 560	1200 x 650 x 560
Packaged Dim.	420 x 670 x 560	620 x 670 x 560	820 x 670 x 560	1220 x 670 x 560
Weight	15 kg	21 kg	25 kg	37 kg
Pack. Weight	16 kg	22 kg	26 kg	40 kg
Price	300 EURO	340 EURO	390 EURO	530 EURO

Series 900



Grills / Electric



AEI - 490



AEI - 490 / N



AEI - 890



AEI - 890 / N



AEI - 890 / ND



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Specially designed heating elements to ensure homogeneous cooking across plate surfaces.
- Dripped fat can be easily drained to the discharge drawer from the inclined plate for easy removal **50° - 300°C**
- Thermostat controls.
- Plate thickness is produced as **15 mm.** made of **ST52** stainless steel.
- **AEI-890** models are equipped with two independent thermostat controls.



Model	AEI - 490	AEI - 890	AEI - 490 / N	AEI - 890 / N	AEI - 890 / ND
Plate	Düz	Düz	Nervürlü	Nervürlü	Nervürlü+Düz
Power	380-415 V	380-415 V	380-415 V	380-415 V	380-415 V
kW	6.9	13.8	6.9	13.8	13.8
Dimensions	400 x 900 x 850	800 x 900 x 850	400 x 900 x 850	800 x 900 x 850	800 x 900 x 850
Packaged Dim.	470 x 1000 x 1210	880 x 1020 x 1210	470 x 1000 x 1210	880 x 1020 x 1210	880 x 1020 x 1210
Weight	75 kg	133 kg	75 kg	133 kg	133 kg
Pack. Weight	90 kg	155 kg	90 kg	155 kg	155 kg
Price	1.210 EURO	1.980 EURO	1.400 EURO	2.010 EURO	2.000 EURO

N: Grooved D: Flat ND: Grooved+Flat

Series 900

Grills / Electric Chrome Surface



AEI - 490 CR



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Specially designed heating elements to ensure homogeneous cooking across plate surfaces.
- Dripped fat can be easily drained to the discharge drawer from the inclined plate for easy removal **50° - 300°C**
- Thermostat controls.
- Plate thickness is produced as **15 mm.** made of **ST52** stainless steel.
- **AEI-890 CR** models are equipped with two independent thermostat controls.



AEI - 890 / N CR



AEI - 890 / ND CR



Model	AEI - 490 CR	AEI - 890 CR	AEI - 490 / N CR	AEI - 890 / N CR	AEI - 890 / ND CR
Plate	Düz	Düz	Nervürlü	Nervürlü	Nervürlü+Düz
Power	380-415 V	380-415 V	380-415 V	380-415 V	380-415 V
kW	6.9	13.8	6.9	13.8	13.8
Dimensions	400 x 900 x 850	800 x 900 x 850	400 x 900 x 850	800 x 900 x 850	800 x 900 x 850
Packaged Dim.	470 x 1000 x 1210	880 x 1020 x 1210	470 x 1000 x 1210	880 x 1020 x 1210	880 x 1020 x 1210
Weight	75 kg	133 kg	75 kg	133 kg	133 kg
Pack. Weight	90 kg	155 kg	90 kg	155 kg	155 kg
Price	1.450 EURO	2.490 EURO	1.630 EURO	2.540 EURO	2.530 EURO

N: Grooved D: Flat ND: Grooved+Flat CR: Chrome Surface

Grills / Electric



AEI - 490 S



AEI - 490 / N S



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Specially designed heating elements to ensure homogeneous cooking across plate surfaces.
- Dripped fat can be easily drained to the discharge drawer from the inclined plate for easy removal **50° - 300°C**
- Thermostat controls.
- Plate thickness is produced as **15 mm.** made of **ST52** stainless steel.
- **AEI-890** models are equipped with two independent thermostat controls.



AEI - 890 S



AEI - 890 / N S



AEI - 890 / ND S



Model	AEI - 490 S	AEI - 890 S	AEI - 490 / N S	AEI - 890 / N S	AEI - 890 / ND S
Plate	Düz	Düz	Nervürlü	Nervürlü	Nervürlü+Düz
Power	380-415 V	380-415 V	380-415 V	380-415 V	380-415 V
kW	6.9	13.8	6.9	13.8	13.8
Dimensions	400 x 900 x 300	800 x 900 x 300	400 x 900 x 300	800 x 900 x 300	800 x 900 x 300
Packaged Dim.	470 x 1000 x 620	880 x 1020 x 620	470 x 1000 x 620	880 x 1020 x 620	880 x 1020 x 620
Weight	45 kg	86 kg	45 kg	86 kg	86 kg
Pack. Weight	60 kg	103 kg	60 kg	103 kg	103 kg
Price	920 EURO	1.590 EURO	1.120 EURO	1.710 EURO	1.600 EURO


N: Grooved D: Flat ND: Grooved+Flat S: Countertop

Series 900

Grills / Electric Chrome Surface



AEI - 490 S CR



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Specially designed heating elements to ensure homogeneous cooking across plate surfaces.
- Dripped fat can be easily drained to the discharge drawer from the inclined plate for easy removal **50° - 300°C**
- Thermostat controls.
- Plate thickness is produced as **15 mm.** made of **ST52** stainless steel.
- **AEI-890 CR** models are equipped with two independent thermostat controls.



AEI - 890 / N S CR



AEI - 890 / ND S CR



Model	AEI - 490 S CR	AEI - 890 S CR	AEI - 490 / N S CR	AEI - 890 / N S CR	AEI - 890 / ND S CR
Plate	Düz	Düz	Nervürlü	Nervürlü	Nervürlü+Düz
Power	380-415 V	380-415 V	380-415 V	380-415 V	380-415 V
kW	6.9	13.8	6.9	13.8	13.8
Dimensions	400 x 900 x 300	800 x 900 x 300	400 x 900 x 300	800 x 900 x 300	800 x 900 x 300
Packaged Dim.	470 x 1000 x 620	880 x 1020 x 620	470 x 1000 x 620	880 x 1020 x 620	880 x 1020 x 620
Weight	45 kg	86 kg	45 kg	86 kg	86 kg
Pack. Weight	60 kg	103 kg	60 kg	103 kg	103 kg
Price	1.260 EURO	1.990 EURO	1.400 EURO	2.140 EURO	2.020 EURO

N: Grooved D: Flat ND: Grooved+Flat CR: Chrome Surface S: Countertop

Grills / Gas



AGI - 490



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Specially designed tubular burner to ensure homogeneous cooking across plate surfaces.
- Plate thickness is produced as **15 mm.** made of **ST52** stainless steel.
- **AGI-890** models are equipped with two different gas taps.
- The igniter lighter is separate from the device so that it is not affected by the heat.



AGI - 490 / N



AGI - 890 / N



Model	AGI - 490	AGI - 890	AGI - 490 / N	AGI - 890 / N	AGI - 890 / ND
Plate	Flat	Flat	Grooved	Grooved	Grooved + Flat
Gas Cons.-LPG	0,543 kg / h	1,085 kg / h	0,543 kg / h	1,085 kg / h	1,085 kg / h
Gas Cons.-NG	0,725 m ³ / h	1,45 m ³ / h	0,725 m ³ / h	1,45 m ³ / h	1,45 m ³ / h
kW-LPG	7	14	7	14	14
kW-NG	7	14	7	14	14
Kcal-LPG	6019	12038	6019	12038	12038
Kcal-NG	6019	12038	6019	12038	12038
Dimensions	400 x 900 x 850	800 x 900 x 850	400 x 900 x 850	800 x 900 x 850	800 x 900 x 850
Packaged Dimensions	470 x 1020 x 1210	880 x 1020 x 1210	470 x 1020 x 1210	880 x 1020 x 1210	880 x 1020 x 1210
Weight	82 kg	130 kg	82 kg	130 kg	130 kg
Packaged Weight	96 kg	152 kg	96 kg	152 kg	152 kg
Price	1.280 EURO	2.080 EURO	1.440 EURO	2.140 EURO	2.120 EURO

N: Grooved D: Flat ND: Grooved+Flat

Grills / Gas Chrome Surface



AGI - 490 / CR



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Specially designed tubular burner to ensure homogeneous cooking across plate surfaces.
- Plate thickness is produced as **15 mm.** made of **ST52** stainless steel.
- **AGI-890 CR** models are equipped with two different gas taps.
- The igniter lighter is separate from the device so that it is not affected by the heat.



AGI - 890 / N CR



AGI - 890 CR



Model	AGI - 490 CR	AGI - 890 CR	AGI - 490 / N CR	AGI - 890 / N CR	AGI - 890 / ND CR
Plate	Flat	Flat	Grooved	Grooved	Grooved + Flat
Gas Cons.-LPG	0,543 kg / h	1,085 kg / h	0,543 kg / h	1,085 kg / h	1,085 kg / h
Gas Cons.-NG	0,725 m ³ / h	1,45 m ³ / h	0,725 m ³ / h	1,45 m ³ / h	1,45 m ³ / h
kW-LPG	7	14	7	14	14
kW-NG	7	14	7	14	14
Kcal-LPG	6019	12038	6019	12038	12038
Kcal-NG	6019	12038	6019	12038	12038
Dimensions	400 x 900 x 850	800 x 900 x 850	400 x 900 x 850	800 x 900 x 850	800 x 900 x 850
Packaged Dimensions	470 x 1020 x 1210	880 x 1020 x 1210	470 x 1020 x 1210	880 x 1020 x 1210	880 x 1020 x 1210
Weight	82 kg	130 kg	82 kg	130 kg	130 kg
Packaged Weight	96 kg	152 kg	96 kg	152 kg	152 kg
Price	1.510EURO	2.600 EURO	1.710 EURO	2.660 EURO	2.630 EURO

N: Grooved D: Flat ND: Grooved+Flat CR: Chrome Surface

Grills / Gas



AGI - 490 S



AGI - 490 / N S



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Specially designed tubular burner to ensure homogeneous cooking across plate surfaces.
- Plate thickness is produced as **15 mm.** made of **ST52** stainless steel.
- **AGI-890 S** models are equipped with two different gas taps.
- The igniter lighter is separate from the device so that it is not affected by the heat.



AGI - 890 S



AGI - 890 / N S



AGI - 890 / ND S



Model	AGI - 490 S	AGI - 890 S	AGI - 490 / N S	AGI - 890 / N S	AGI - 890 / ND S
Plate	Flat	Flat	Grooved	Grooved	Grooved + Flat
Gas Cons.-LPG	0,543 kg / h	1,085 kg / h	0,543 kg / h	1,085 kg / h	1,085 kg / h
Gas Cons.-NG	0,725 m ³ / h	1,45 m ³ / h	0,725 m ³ / h	1,45 m ³ / h	1,45 m ³ / h
kW-LPG	7	14	7	14	14
kW-NG	7	14	7	14	14
Kcal-LPG	6019	12038	6019	12038	12038
Kcal-NG	6019	12038	6019	12038	12038
Dimensions	400 x 900 x 300	800 x 900 x 300	400 x 900 x 300	800 x 900 x 300	800 x 900 x 300
Packaged Dimensions	470 x 1000 x 620	880 x 1020 x 620	470 x 1000 x 620	880 x 1020 x 620	880 x 1020 x 620
Weight	71 kg	109 kg	71 kg	109 kg	109 kg
Packaged Weight	78 kg	124 kg	78 kg	124 kg	124 kg
Price	1.060 EURO	1.620 EURO	1.210 EURO	1.830 EURO	1.780 EURO

N: Grooved D: Flat ND: Grooved+Flat S: Countertop

Grills / Gas Chrome Surface



AGI - 490 S CR



AGI - 490 / N S CR



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Specially designed tubular burner to ensure homogeneous cooking across plate surfaces.
- Plate thickness is produced as **15 mm.** made of **ST52** stainless steel.
- **AGI-890 S CR** models are equipped with two different gas taps.
- The igniter lighter is separate from the device so that it is not affected by the heat.



AGI - 890 S CR



AGI - 890 / N S CR



AGI - 890 / ND S CR



Model	AGI - 490 S CR	AGI - 890 S CR	AGI - 490 / N S CR	AGI - 890 / N S CR	AGI - 890 / ND S CR
Plate	Flat	Flat	Grooved	Grooved	Grooved + Flat
Gas Cons.-LPG	0,543 kg / h	1,085 kg / h	0,543 kg / h	1,085 kg / h	1,085 kg / h
Gas Cons.-NG	0,725 m ³ / h	1,45 m ³ / h	0,725 m ³ / h	1,45 m ³ / h	1,45 m ³ / h
kW-LPG	7	14	7	14	14
kW-NG	7	14	7	14	14
Kcal-LPG	6019	12038	6019	12038	12038
Kcal-NG	6019	12038	6019	12038	12038
Dimensions	400 x 900 x 300	800 x 900 x 300	400 x 900 x 300	800 x 900 x 300	800 x 900 x 300
Packaged Dimensions	470 x 1000 x 620	880 x 1020 x 620	470 x 1000 x 620	880 x 1020 x 620	880 x 1020 x 620
Weight	71 kg	109 kg	71 kg	109 kg	109 kg
Packaged Weight	78 kg	124 kg	78 kg	124 kg	124 kg
Price	1.340 EURO	2.160 EURO	1.540 EURO	2.350 EURO	2.340 EURO

N: Grooved D: Flat ND: Grooved+Flat CR: Chrome Surface S: Countertop

American Grill / Cast Iron / Water Drawer / Gas



AAIG - 490



CAST IRON
SURFACE

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Bottom pool provide humidity.
- LPG and NG options available.
- Removable burners.
- Angled cast iron grills.
- Cooking surface has 2 scaled movement.
- The igniter lighter is separate from the device so that it is not affected by the heat.
- **AAIG-890** models are equipped with two different gas taps.
- **AAIG-1290** models are equipped with three different gas taps.



AAIG - 890



AAIG - 1290

Model	AAIG - 490	AAIG - 890	AAIG - 1290
Gas Cons.-LPG	0,822 kg / h	1,643 kg / h	2,465 kg / h
Gas Cons.-NG	1,152 m ³ / h	2,304 m ³ / h	3,456 m ³ / h
kW-LPG	10.6	21,2	31.8
kW-NG	10,6	21,2	31,8
Kcal-LPG	9114	18229	27343
Kcal-NG	9114	18229	27343
Dimensions	400 x 900 x 850	800 x 900 x 850	1200 x 900 x 850
Packaged Dimens.	470 x 1020 x 1210	880 x1020 x 1210	1280 x 1020 x 1210
Weight	73 kg	121 kg	195 kg
Packaged Weight	87 kg	144 kg	220 kg
Price	1.510 EURO	2.190 EURO	3.210 EURO

American Grill / Cast Iron / Water Drawer / Gas



AAIG - 490 S



CAST IRON
SURFACE

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Bottom pool provide humidity.
- LPG and NG options available.
- Removable burners.
- Angled cast iron grills.
- Cooking surface has 2 scaled movement.
- The igniter lighter is separate from the device so that it is not affected by the heat.
- **AAIG-890 S** models are equipped with two different gas taps.
- **AAIG-1290 S** models are equipped with three different gas taps.



AAIG - 890 S



AAIG - 1290 S

Model	AAIG - 490 S	AAIG - 890 S	AAIG - 1290 S
Gas Cons.-LPG	0,822 kg / h	1,643 kg / h	2,465 kg / h
Gas Cons.-NG	1,152 m ³ / h	2,304 m ³ / h	3,456 m ³ / h
kW-LPG	10.6	21,2	31.8
kW-NG	10,6	21,2	31,8
Kcal-LPG	9114	18229	27343
Kcal-NG	9114	18229	27343
Dimensions	400 x 900 x 300	800 x 900 x 300	1200 x 900 x 300
Packaged Dimens.	470 x 1020 x 620	880 x1020 x 620	1280 x 1020 x 620
Weight	66 kg	109 kg	164 kg
Packaged Weight	80 kg	131 kg	190 kg
Price	1.410 EURO	2.080 EURO	2.720 EURO

S: Countertop

Lava - Stone Grill / Cast Iron / Water Drawer / Gas



ALI - 490



**CAST IRON
SURFACE**

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Bottom pool provide humidity.
- LPG and NG options available.
- Removable burners.
- Angled cast iron grills.
- Cooking surface has 2 scaled movement.
- The igniter lighter is separate from the device so that it is not affected by the heat.
- **ALI-890** models are equipped with two different gas taps.
- **ALI-1290** models are equipped with three different gas taps.



ALI - 890



ALI - 1290

Model	ALI - 490	ALI - 890	ALI - 1290
Gas Cons.-LPG	0,822 kg / h	1,643 kg / h	2,465 kg / h
Gas Cons.-NG	1,152 m ³ / h	2,304 m ³ / h	3,456 m ³ / h
kW-LPG	10,6	21,2	31,8
kW-NG	10,6	21,2	31,8
Kcal-LPG	9114	18229	27343
Kcal-NG	9114	18229	27343
Dimensions	400 x 900 x 850	800 x 900 x 850	1200 x 900 x 850
Packaged Dimens.	470 x 1020 x 1210	880 x 1020 x 1210	1280 x 1020 x 1210
Weight	73 kg	121 kg	195 kg
Packaged Weight	87 kg	144 kg	220 kg
Price	1.520 EURO	2.400 EURO	3.420 EURO

Lava - Stone Grill / Cast Iron / Water Drawer / Gas



ALI - 490 S



**CAST IRON
SURFACE**



ALI - 890 S



ALI - 1290 S

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Bottom pool provide humidity.
- LPG and NG options available.
- Removable burners.
- Angled cast iron grills.
- Cooking surface has 2 scaled movement.
- The igniter lighter is separate from the device so that it is not affected by the heat.
- **ALI-890 S** models are equipped with two different gas taps.
- **ALI-1290 S** models are equipped with three different gas taps.

Model	ALI - 490 S	ALI - 890 S	ALI - 1290 S
Gas Cons.-LPG	0,822 kg / h	1,643 kg / h	2,465 kg / h
Gas Cons.-NG	1,152 m ³ / h	2,304 m ³ / h	3,456 m ³ / h
kW-LPG	10.6	21,2	31.8
kW-NG	10,6	21,2	31,8
Kcal-LPG	9114	18229	27343
Kcal-NG	9114	18229	27343
Dimensions	400 x 900 x 300	800 x 900 x 300	1200 x 900 x 300
Packaged Dimens.	470 x 1020 x 620	880 x 1020 x 620	1280 x 1020 x 620
Weight	66 kg	109 kg	164 kg
Packaged Weight	80 kg	131 kg	190 kg
Price	1.230 EURO	1.990 EURO	2.870 EURO

S: Countertop

Fryers / Electric



AEF - 490



AEF - 890

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Oil temperature is controlled by thermostat between **100°-190°C**.
- Equipped with limiting thermostat.
- Basket Size; **250 x 355 x 120 mm**.
- The drain tap is in the lower cabinet



Model	AEF - 490	AEF - 890
Capacity	Min. 15 lt. Max. 24 lt	Min. 2 x 15 lt. Max. 2 x 24 lt
Voltage	380-415 V	380-415 V
kW	16,5	33
Dimensions	400 x 900 x 850	800 x 900 x 850
Packaged Dim.	470 x 1020 x 1210	880 x 1020 x 1210
Weight	65 kg	96 kg
Packaged Weight	70 kg	109 kg
Price	1.860 EURO	3.330 EURO

Fryers / Gas



AGF - 490



AGF - 890

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- With the **7 steps** thermostat on the device, it provides the opportunity to adjust the temperature as requested.
- Thermocouple control system.

Model	AGF - 490	AGF - 890
Capacity	Min. 28 lt. Max. 30 lt	Min. 2 x 28 lt. Max. 2 x 30 lt
Gas Cons.-LPG	0,93 kg / h	1,96 kg / h
Gas Cons.-NG	0,898 m ³ / h	1,796 m ³ / h
kW-LPG	12	24
kW-NG	8.5	17
Kcal-LPG	10318	20636
Kcal-NG	7309	14617
Dimensions	400 x 900 x 850	800 x 900 x 850
Packaged Dimensions	470 x 1020 x 1210	880 x 1020 x 1210
Weight	63 kg	108 kg
Packaged Weight	78 kg	131 kg
Price	2.100 EURO	3.750 EURO

Warm Keeper / Electric



APD - 490 S



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic desing providing convenience to users in all aspects.
- Equipped with porcelain heater.
- Used for holding chips at perfect serving temperature and condition.
- Cable section; **3 x 1,5 mm² TTR**



APD - 490

Model	APD - 490 S	APD - 490
Capacity	GN 1/1 150	GN 1/1 150
Voltage	220-240 V	220-240 V
kW	0,65	0.65
Dimensions	400 x 900 x 300	400 x 900 x 850
Packaged Dim.	470 x 1000 x 650	470 x 1000 x 1210
Weight	28 kg	41 kg
Packaged Weight	32 kg	55 kg
Price	710 EURO	1.140 EURO

S: Countertop



Bain - Marie / Electric



ASB - 490

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Suitable for a variety of dimensions of **GN** pans.
- Complete with drainage tap.
- Thermostat controls **30°-120°C**
- Water level indicator.
- Cable section; ; **3 x 1,5 mm² TTR**



ASB - 890

Model	ASB - 490	ASB - 890
Capacity	GN 1/1 150+GN 1/3 150	2 x GN 1/1 150+ GN 1/3 150
Voltage	220-240 V	380-415 V
kW	2,5	5
Dimensions	400 x 900 x 850	800 x 900 x 850
Packaged Dim.	470 x 1020 x 1210	880 x 1020 x 1210
Weight	49 kg	73 kg
Packaged Weight	64 kg	96 kg
Price	1.240 EURO	1.950 EURO

Cookers / Electric



AEO - 490



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene, long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Heaters; **30x30 cm** square **4000 Watt** cast iron plate.



AEO - 890



AEO - 1290



Model	AEO - 490	AEO - 890	AEO - 1290
Plate	2 x 300 x 300	4 x 300 x 300	6 x 300 x 300
Voltage	380-415 V	380-415 V	380-415 V
kW	2 x 4 kW	4 x 4 kW	6 x 4 kW
Dimensions	400 x 900 x 850	800 x 900 x 850	1200 x 900 x 850
Packaged Dim.	470 x 1020 x 1210	880 x 1020 x 1210	1280 x 1020 x 1210
Weight	62 kg	101 kg	165 kg
Packaged Weight	77 kg	124 kg	190 kg
Price	1.370 EURO	2.120 EURO	3.150 EURO

Cookers / Electric



AEO - 490 S



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Heaters; **30x30 cm** square **4000** Watt cast iron plate.



AEO - 890 S



AEO - 1290 S



Model	AEO - 490 S	AEO - 890 S	AEO - 1290 S
Plate	2 x 300 x 300	4 x 300 x 300	6 x 300 x 300
Voltage	380-415 V	380-415 V	380-415 V
kW	2 x 4 kW	4 x 4 kW	6 x 4 kW
Dimensions	400 x 900 x 300	800 x 900 x 300	1200 x 900 x 300
Packaged Dim.	470 x 1020 x 620	880 x 1020 x 620	1280 x 1020 x 620
Weight	38 kg	71 kg	139 kg
Packaged Weight	52 kg	93 kg	159 kg
Price	1.080 EURO	1.740 EURO	2.670 EURO

S: Countertop

Cookers / Gas



AGO - 490



AGO - 890



AGO - 1290



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Equipped with burners with high calorie efficiency.
- Full removable high performance cast iron burners.



Model	AGO - 490	AGO - 890	AGO - 1290
Back	2 x Ø100	4 x Ø100	6 x Ø100
Gas Cons.-LPG	1,628 kg / h	3,256 kg / h	4,884 kg / h
Gas Cons.-NG	2,42 m ³ / h	4,84 m ³ / h	7,6 m ³ / h
kW-LPG	2 x 10,5	4 x 10,5	6 x 10,5
kW-NG	2 x 11,5	4 x 11,5	6 x 11,5
Kcal-LPG	18057	36114	54170
Kcal-NG	19776	39553	59329
Dimensions	400 x 900 x 850	800 x 900 x 850	1200 x 900 x 850
Packaged Dimens.	470 x 1000 x 1210	880 x 1020 x 1210	1280 x 1020 x 1210
Weight	61 kg	97 kg	160 kg
Packaged Weight	75 kg	120 kg	185 kg
Price	1.300 EURO	2.340 EURO	3.320 EURO

Series 900

Cookers / Gas



AGO - 490 S



AGO - 890 S



AGO - 1290 S



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Equipped with burners with high calorie efficiency.
- Full removable high performance cast iron burners.





Model	AGO - 490 S	AGO - 890 S	AGO - 1290 S
Back	2 x Ø100	4 x Ø100	6 x Ø100
Gas Cons.-LPG	1,628 kg / h	3,256 kg / h	4,884 kg / h
Gas Cons.-NG	2,42 m ³ / h	4,84 m ³ / h	7,6 m ³ / h
kW-LPG	2 x 10,5	4 x 10,5	6 x 10,5
kW-NG	2 x 11,5	4 x 11,5	6 x 11,5
Kcal-LPG	18057	36114	54170
Kcal-NG	19776	39553	59329
Dimensions	400 x 900 x 300	800 x 900 x 300	1200 x 900 x 300
Packaged Dimens.	470 x 1000 x 620	880 x 1020 x 620	1280 x 1020 x 620
Weight	36 kg	66 kg	105 kg
Packaged Weight	50 kg	88 kg	133 kg
Price	950 EURO	1.860 EURO	2.780 EURO

S: Countertop

Cookers / Gas
Single Back



AGO - 490 T



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Equipped with burners with high calorie efficiency.
- Full removable high performance cast iron burners.



AGO - 890 T

Model	AGO - 490 T	AGO - 890 T
Back	1 x Ø100	2
Gas Cons.-LPG	0,814 kg / h	1,512 kg / h
Gas Cons.-NG	1,21 m ³ / h	1,987 m ³ / h
kW-LPG	10,5	19,5
kW-NG	11,5	19
Kcal-LPG	9028	16767
Kcal-NG	9888	16337
Dimensions	400 x 900 x 850	800 x 900 x 850
Packaged Dimens.	480 x 1010 x 1210	880 x 1030 x 1210
Weight	42 kg	76 kg
Packaged Weight	48 kg	85 kg
Price	1.140 EURO	2.170 EURO

Wok Cookers / Gas



AWO - 490



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Top grates produced by cast iron.



AWO - 890

Model	AWO - 490	AWO - 890
Brulor	1	2
Gas Cons.-LPG	0,969 kg/h	1,938 kg/h
Gas Cons.-NG	1,303 m ³ / h	2,606 m ³ / h
kW-LPG	12,5	2 x 12,5
kW-NG	12,5	2 x 12,5
Kcal-LPG	10748	21496
Kcal-NG	10748	21496
Dimensions	400 x 900 x 850	800 x 900 x 850
Packaged Dimens.	470 x 1000 x 1210	880 x 1020 x 1210
Weight	59 kg	97 kg
Packaged Weight	73 kg	120 kg
Price	1.430 EURO	2.350 EURO

Cooking Ranges / Electric



AEK - 890





AEK - 1290

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Heaters **30x30 cm** square **4000** Watt cast iron plate.
- Equipped with cast iron plate.
- Each heater is controlled by an independent stepped switch.
- Comes with **2** wire shelves inside the oven.
- Have is controlled by an independent stepped thermostat in the oven.
- Oven has **GN 2/1** pan capacity.
- The device is sent wirelessly.



Model	AEK - 890	AEK - 1290
Oven Capacity	GN 2/1	GN 2/1
Number of Plates	4	6
Power	380-415 V	380-415 V
kW	4x4 kW + 6,3kW	6x4 kW + 6,3 kW
External Dimensions	800 x 900 x 850	1200 x 900 x 850
Packaged Dimensions	880 x 1020 x 1210	1280 x 1120 x 1210
Weight	159 kg	216 kg
Packaged Weight	181 kg	233 kg
Price	3.080 EURO	4.170 EURO

Ship Type Electric Cooking Ranges



AEKG - 890

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Equipped with cast iron plate.
- Each heater is controlled by an independed stepped switch.
- Oven has **GN 2/1** pan capacity.
- Ergonomical arms lead stabilization of pots.
- Heat is controlled by an independed stepped thermostat in the oven.
- Pillars can be fixed to the floor.

Model	AEKG - 890
Oven Capacity	GN 2/1
Voltage	380 - 415 V
kW	4 x 3 kW +6,3
Dimensions	800 x 900 x 850
Packaged Dim.	1000 x 1100 x 1210
Weight	156 kg
Packaged Weight	173 kg
Price	3.630 EURO

G: Ship Type

Cooking Ranges / Gas




AGK - 890



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Equipped with burners with high calorie efficiency.
- Comes with **2** wire shelves inside the oven
- Top grates produced by cast iron.
- Oven **has GN 2/1** pan capacity.



AGK - 1290



Model	AGK - 890	AGK - 1290
Oven Capacity	GN 2/1	GN 2/1
Back	4 x Ø100	6 x Ø100
Gas Cons.-LPG	3,744 kg / h	5,372 kg / h
Gas Cons.-NG	5,505 m ³ / h	7,926 m ³ / h
kW-LPG	4 x 10,5 kW + 6.3 kW	6 x 10,5 kW + 6.3 kW
kW-NG	4 x 11,5 kW + 6.3 kW	6 x 11,5 kW + 6.3 kW
Kcal-LPG	41531	59587
Kcal-NG	44970	64746
Dimensions	800 x 900 x 850	1200 x 900 x 850
Packaged Dimens.	880 x 1020 x 1210	1280 x 1120 x 1210
Weight	143 kg	210 kg
Packaged Weight	165 kg	233 kg
Price	3.500 EURO	4.310 EURO

Pasta Cooker / Electric



AMP - 490

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Thermostat control system **30°-120°C**
- **6 pieces 131 x 114 x 168 mm.** cooking basket.
- The device has a clean water inlet and an overflowing water discharge.
- Water level relay available.
- The drain tap is at the bottom of the cabinet.

Model	AMP - 490
Basket	6
Voltage	380-415 V
kW	10
Dimensions	400 x 900 x 850
Packaged Dim.	470 x 1000 x 1210
Weight	51 kg
Packaged Weight	65 kg
Price	1.750 EURO

Pasta Cooker / Gas



AMPG - 490

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.

Model	AMPG - 490
Kapasite	6
Gaz Sarfiyatı-LPG	0,736 kg/h
Gaz Sarfiyatı-NG	0,9 m ³ / h
kW - LPG	9,5
kW - NG	9,5
Kilokalori - LPG	8169
Kilokalori - NG	8169
Net Ölçüler	400 x 900 x 850
Paket Ölçüleri	470 x 1000 x 1210
Net Ağırlık	61 kg
Paket Ağırlık	67 kg
Fiyat	2.590 EURO

Tilting Pans / Electric



ADTE - 890



ADTE - 1290

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- The tilting mechanism is manually operated.
- Bottom produced by **AISI 316**.
- Adjustable cooking speed.

Model	ADTE - 890	ADTE - 1290
Litre	80	120
Voltage	380-415 V	380-415 V
kW	8,4	12,6
Dimensions	800 x 900 x 850	1200 x 900 x 850
Packaged Dim.	880 x 1020 x 1210	1280 x 1020 x 1210
Weight	170 kg	245 kg
Packaged Weight	193 kg	270 kg
Price	4.020 EURO	5.690 EURO

Tilting Pans / Gas



ADTG - 890



ADTG - 1290

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- The tilting mechanism is manually operated.
- Easy to fill and to wash with the water tap on top.
- Thermostatically controlled gas tap.
- Bottom produced by **AISI 316**.

Model	ADTG - 890	ADTG - 1290
Capacity	80	120
Gas Cons.-LPG	1,318 kg/h	1,318 kg/h
Gas Cons.-NG	1,841 m ³ / h	1,841 m ³ / h
kW-LPG	17	17
kW-NG	17	17
Kcal-LPG	14617	14617
Kcal-NG	14617	14617
Dimensions	800 x 900 x 850	1200 x 900 x 850
Packaged Dimens.	880 x 1020 x 1210	1280 x 1020 x 1210
Weight	170 kg	227 kg
Packaged Weight	193 kg	252 kg
Price	4.170 EURO	5.970 EURO

Boiling Pans / Indirect / Direct / Electric



AKTE - 890



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Thermostat control; **100°-190°C.**
- Heat transfer capacity **50 lt.**
- The device is sent wirelessly



AKTE - 1000

Model	AKTE - 890	AKTE - 1000
Litre	150	250
Direct/Indirect	Indirekt	Indirekt
Voltage	380-415 V	380-415 V
kW	12	24
Dimensions	800 x 900 x 850	1000 x 1070 x 950
Packaged Dim.	880 x 1020 x 1210	1080 x 1230 x 1270
Weight	145 kg	199 kg
Packaged Weight	157 kg	225 kg
Price	5.900 EURO	8.870 EURO

D : Direkt

Boiling Pans / Indirect / Direct / Gas



AKTG - 890



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- LPG and NG options available.
- Thermostat control; **100°-190°C.**
- Heat transfer capacity **50 lt.**



AKTG - 1000

Model	AKTG - 890	AKTG - 1000
Litre	150	250
Direct/Indirect	Indirekt	Indirekt
Gas Cons.-LPG	1,318 kg/h	1,497 kg/h
Gas Cons.-NG	1,738 m ³ / h	2,22 m ³ / h
kW-LPG	17	19
kW-NG	17	19
Kcal-LPG	14617	16337
Kcal-NG	14617	16337
Dimensions	800 x 900 x 850	1000 x 1070 x 950
Packaged Dimens.	870 x 1020 x 1210	1080 x 1230 x 1270
Weight	154 kg	207 kg
Packaged Weight	176 kg	235 kg
Price	6.500 EURO	9.640 EURO

D : Direkt

Neutral Worktop



AAT - 490 S



AAT - 890



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.



Model	AAT - 490	AAT - 490 S	AAT - 890	AAT - 890 S
Dimensions	400 x 900 x 850	400 x 900 x 300	800 x 900 x 850	800 x 900 x 300
Packaged Dim.	470 x 1020 x 1210	470 x 1020 x 530	870 x 1020 x 1210	870 x 1020 x 530
Weight	46 kg	26 kg	60 kg	40 kg
Pack. Weight	55 kg	35 kg	72 kg	52 kg
Price	590 EURO	370 EURO	930 EURO	570 EURO

S; Countertop

Undercounter Cabinets



AST - 89



AST - 129

- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Double-wall doors.
- Pins on the undercounter cabinets are designed for the top equipment so that the products have a uniform look.
- **AST-49** is produced for **40x90x30** products.
- **AST-89** is produced for **80x90x30** products.
- **AST-129** is produced for **120x90x30** products.
- **AST-89** can carry **2 pcs. 40x90x30** products at the same time.
- **AST-129** can carry **3 pcs. 40x90x30** products at the same time.

Model	AST - 49	AST - 89	AST - 129
Dimensions	400 x 850 x 560	800 x 850 x 560	1200 x 850 x 560
Packaged Dim.	420 x 870 x 560	820 x 870 x 560	1220 x 870 x 560
Weight	20 kg	28 kg	43 kg
Pack. Weight	21 kg	29 kg	44 kg
Price	450 EURO	490 EURO	570 EURO

Doner Kebab Robots
Doner Kebab Robot Equipments
Doner Kebab Machines



ADR Series Doner Robots

ADR Series Doner Robot / Gas





ADR-5G



ADR-10G



ADR-14G



Model	ADR-5G	ADR-10G	ADR-14G
Radian Heaters	5	10 (5x2)	14 (7x2)
a - Depth	142 cm.	142 cm.	142 cm.
b - Width	127 cm.	135 cm.	135 cm.
h - Height	147 cm.	147 cm.	186 cm.
c - Depth Without Tray	93 cm.	93 cm.	93 cm.
d - Dept With Tray	130,5 cm.	130,5 cm.	130,5 cm.
e - Lower Fix Width	95,5 cm.	96,1 cm.	96,1 cm.
Max Doner Diameter	Ø56 - Ø62 cm.	Ø56 - Ø62 cm.	Ø56 - Ø62 cm.
Meat Height	76 cm.	76 cm.	116 cm.
App. Meat Weight (+/-%5)	150 kg.	220 kg.	350 kg.
Blade Size	Ø140 mm.	Ø140 mm.	Ø140 mm.
Gas Consumption (NG)	1,595 m ³ /h	3,19 m ³ /h	4,466 m ³ /h
Gas Consumption (LPG)	1,027 kg./h	2,054 kg./h	2,876 kg./h
Gas Consumption (NG)	15 kW	30 kW	42 kW
Gas Consumption (LPG)	13,25 kW	26,5 kW	37,1 kW
Power	120-400 W	120-400 W	120-400 W
Voltage	230 V/50-60 Hz.	230 V/50-60 Hz.	230 V/50-60 Hz.
Weight	200 kg.	220 kg.	250 kg.
Packed Weight	250 kg.	260 kg.	300 kg.
Packed Dimensions	130x140x170 cm.	130x140x170 cm.	140x140x206 cm.
Price	15.450 EURO	16.910 EURO	18.960 EURO

Automatic movement mechanism 1.800 EURO


Over winding option 600 EURO

C1: Compact Series G: Gas NG:Natural Gas

LPG:Liquid Propane Gas

* Meat Intensity: Intensity or density is the amount of substance per unit volume.

* The table above is calculated according to minced doner meat and a density value of 1,008g/cm³.



ADR Series Doner Robots

ADR Series Doner Robot / Gas

- The patented moving feeling stick is detects and follows the doner surface. In this way, continuous cutting is possible. Since it measures the doner surface analogously, the surface detection sensitivity is high.
- Since the patented feeling stick is mechanical, The probability of malfunction is low.
- The feeling stick unit is placed in the area away from the heat. In this way, it is not exposed to high heat.
- Patented skewer holder; Thanks to its patented special design, it ensures that the doner kebab skewer sits in the slot with zero gap and the gap value is preserved unchanged over time. This means the correct positioning of the cuts during the cutting of the doner. In addition, thanks to its conical structure, easy positioning of the skewer is ensured. Angular positioning is not required.
- When the power is cut off, you can continue cutting with the manual rotation mode.
- Trays and protective plates; Removable parts can clean easily washing.
- Cut without waste; the uncut meat at the bottom of the doner can be easily cut.
- The suitable blade angle is adjustable.
- Provides wide cutting with $\varnothing 140$ mm circular blade.
- Continuous cutting; it has continuous cutting feature and integration of cutting speed adjustment, it saves time and energy by cutting without stopping at every turn.
- Automatic cooker movement mechanism; It does not require maintenance and its sliding bearing and chain gear movement mechanism. It is protected against external environmental conditions. It ensures that the ideal doner following distance is maintained. (It is an optional feature. It does not come with the standard machine.)

When you are order

Meat capacity, gas type, country information, table type

(if available in the order), preparation of the meat type to be cut (freshly prepared meat, frozen meat, preparation on the doner robot) this information should be given.

COMPATIBLE ITEMS



ADRM-01/02/03/04

Table



ADK-10/2
ADK-14/2
ADK-14/3
ADK-08

Doner Patter



ADST-01/02/03

Doner Lift



ABB-01

Sharpening
Machine



ADSK-01

Doner Tightener
Apparatus



ADSA-01/05

Doner Winding
Apparatus



ADTS-01

Doner Shaving And
Winding Apparatus



New
Feature

Automatic movement mechanism
is an optional feature.

ADR Series Doner Robots

ADR Series Doner Robot / Wide Cutting / Gas





ADR-5G-GK



ADR-10G-GK



ADR-14G-GK



Model	ADR-5G-GK	ADR-10G-GK	ADR-14G-GK
Radian Heaters	5	10 (5x2)	14 (7x2)
a - Depth	142 cm.	142 cm.	142 cm.
b - Width	127 cm.	135 cm.	135 cm.
h - Height	147 cm.	147 cm.	186 cm.
c - Depth Without Tray	93 cm.	93 cm.	93 cm.
d - Dept With Tray	130,5 cm.	130,5 cm.	130,5 cm.
e - Lower Fix Width	95,5 cm.	96,1 cm.	96,1 cm.
Max Doner Diameter	Ø56 - Ø62 cm.	Ø56 - Ø62 cm.	Ø56 - Ø62 cm.
Meat Height	76 cm.	76 cm.	116 cm.
App. Meat Weight (+/-%5)	150 kg.	220 kg.	350 kg.
Blade Size	Ø200 mm.	Ø200 mm.	Ø200 mm.
Gas Consumption (NG)	1,595 m³/h	3,19 m³/h	4,466 m³/h
Gas Consumption (LPG)	1,027 kg./h	2,054 kg./h	2,876 kg./h
Gas Consumption (NG)	15 kW	30 kW	42 kW
Gas Consumption (LPG)	13,25 kW	26,5 kW	37,1 kW
Power	120-400 W	120-400 W	120-400 W
Voltage	230 V/50-60 Hz.	230 V/50-60 Hz.	230 V/50-60 Hz.
Weight	200 kg.	220 kg.	250 kg.
Packed Weight	250 kg.	260 kg.	300 kg.
Packed Dimensions	130x140x170 cm.	130x140x170 cm.	140x140x206 cm.
Price	17.290EURO	18.730 EURO	20.800 EURO

Automatic movement mechanism 1.800 EURO


Over winding option 600 EURO

C1: Compact Series G: Gas NG:Natural Gas

LPG:Liquid Propane Gas GK:Wide Cutting

* Meat Intensity: Intensity or density is the amount of substance per unit volume.

* The table above is calculated according to minced doner meat and a density value of 1,008g/cm3.



ADR Series Doner Robots

ADR Series Doner Robot / Wide Cutting / Gas



- The patented moving feeling stick is detects and follows the doner surface. In this way, continuous cutting is possible. Since it measures the doner surface analogously, the surface detection sensitivity is high.
- Since the patented feeling stick is mechanical, The probability of malfunction is low.
- The feeling stick unit is placed in the area away from the heat. In this way, it is not exposed to high heat.
- Patented skewer holder; Thanks to its patented special design, it ensures that the doner kebab skewer sits in the slot with zero gap and the gap value is preserved unchanged over time. This means the correct positioning of the cuts during the cutting of the doner. In addition, thanks to its conical structure, easy positioning of the skewer is ensured. Angular positioning is not required.
- When the power is cut off, you can continue cutting with the manual rotation mode.
- Trays and protective plates; Removable parts can clean easily washing.
- Cut without waste; the uncut meat at the bottom of the doner can be easily cut.
- The suitable blade angle is adjustable.
- Provides wide cutting with Ø140 mm circular blade.
- Continuous cutting; it has continuous cutting feature and integration of cutting speed adjustment, it saves time and energy by cutting without stopping at every turn.
- Automatic cooker movement mechanism; It does not require maintenance and its sliding bearing and chain gear movement mechanism. It is protected against external environmental conditions. It ensures that the ideal doner following distance is maintained. (It is an optional feature. It does not come with the standard machine.)
- The maximum cutting width is 12 cm for wide cutting robots.



New Feature

When you are order

Meat capacity, gas type, country information, table type

(if available in the order), preparation of the meat type to be cut (freshly prepared meat, frozen meat, preparation on the doner robot) this information should be given.

Automatic movement mechanism is an optional feature.

COMPATIBLE ITEMS



ADRM-01/02/03/04

Table



ADK-10/2
ADK-14/2
ADK-14/3
ADK-08

Doner Patter



ADST-01/02/03

Doner Lift



ABB-01

Sharpening Machine



ADSK-01

Doner Tightener Apparatus



ADSA-01/05

Doner Winding Apparatus



ADTS-01



Doner Shaving And Winding Apparatus

ADR Series Doner Robots

ADR Series Doner Robot / Electric



ADR-5E



ADR-10E



ADR-14E

Model	ADR-5E	ADR-10E	ADR-14E
Radian Heaters	5	10 (5x2)	14 (7x2)
a - Depth	142 cm.	142 cm.	142 cm.
b - Width	130 cm.	130 cm.	130 cm.
h - Height	147 cm.	147 cm.	186 cm.
c - Depth Without Tray	93 cm.	93 cm.	93 cm.
d - Dept With Tray	135 cm.	135 cm.	135 cm.
e - Lower Fix Width	75 cm.	75 cm.	75 cm.
Max Doner Diameter	Ø56 - Ø62 cm.	Ø56 - Ø62 cm.	Ø56 - Ø62 cm.
Meat Height	76 cm.	76 cm.	116 cm.
App. Meat Weight (+/-%5)	150 kg.	220 kg.	350 kg.
Blade Size	Ø140 mm.	Ø140 mm.	Ø140 mm.
Cooking Heater Power	8 kW	13 kW	18 kW
Power	120-400 W	120-400 W	120-400 W
Voltage	380-415V 3N/50-60 Hz	380-415V 3N/50-60 Hz	380-415V 3N/50-60 Hz
Weight	218 kg.	257 kg.	307 kg.
Packed Weight	268 kg.	307 kg.	357 kg.
Packed Dimensions	100x110x170 cm.	100x110x170 cm.	100x110x206 cm.
Price	15.770 EURO	17.210 EURO	19.380 EURO


Automatic movement mechanism 1.800 EURO

Over winding option 600 EURO

E: Electric

* Meat Intensity: Intensity or density is the amount of substance per unit volume.


* The table above is calculated according to minced doner meat and a density value of 1,008g/cm3.



ADR Series Doner Robots

ADR Series Doner Robot / Electric

- The patented moving feeling stick is detects and follows the doner surface. In this way, continuous cutting is possible. Since it measures the doner surface analogously, the surface detection sensitivity is high.
- Since the patented feeling stick is mechanical, The probability of malfunction is low.
- The feeling stick unit is placed in the area away from the heat. In this way, it is not exposed to high heat.
- Patented skewer holder; Thanks to its patented special design, it ensures that the doner kebab skewer sits in the slot with zero gap and the gap value is preserved unchanged over time. This means the correct positioning of the cuts during the cutting of the doner. In addition, thanks to its conical structure, easy positioning of the skewer is ensured. Angular positioning is not required.
- When the power is cut off, you can continue cutting with the manual rotation mode.
- Trays and protective plates; Removable parts can clean easily washing.
- Cut without waste; the uncut meat at the bottom of the doner can be easily cut.
- The suitable blade angle is adjustable.
- Provides wide cutting with $\varnothing 140$ mm circular blade.
- Continuous cutting; it has continuous cutting feature and integration of cutting speed adjustment, it saves time and energy by cutting without stopping at every turn.
- Automatic cooker movement mechanism; It does not require maintenance and its sliding bearing and chain gear movement mechanism. It is protected against external environmental conditions. It ensures that the ideal doner following distance is maintained. (It is an optional feature. It does not come with the standard machine.)



Multiple
Language
Support
8



When you are order

Meat capacity, gas type, country information, table type

(if available in the order), preparation of the meat type to be cut (freshly prepared meat, frozen meat, preparation on the doner robot) this information should be given.

COMPATIBLE ITEMS



ADRM-01/02/03/04

Table



ADK-10/2
ADK-14/2
ADK-14/3
ADK-08

Doner Patter



ADST-01/02/03

Doner Lift



ABB-01

Sharpening
Machine



ADSK-01

Doner Tightener
Apparatus



ADSA-01/05

Doner Winding
Apparatus



ADTS-01



Doner Shaving And
Winding Apparatus

ADR Series Doner Robots

ADR Series Doner Robot / Wide Cutting / Electric



ADR-5E-GK



ADR-10E-GK



ADR-14E-GK

Model	ADR-5E-GK	ADR-10E-GK	ADR-14E-GK
Radian Heaters	5	10 (5x2)	14 (7x2)
a - Depth	142 cm.	142 cm.	142 cm.
b - Width	130 cm.	130 cm.	130 cm.
h - Height	147 cm.	147 cm.	186 cm.
c - Depth Without Tray	93 cm.	93 cm.	93 cm.
d - Dept With Tray	135 cm.	135 cm.	135 cm.
e - Lower Fix Width	75 cm.	75 cm.	75 cm.
Max Doner Diameter	Ø56 - Ø62 cm.	Ø56 - Ø62 cm.	Ø56 - Ø62 cm.
Meat Height	76 cm.	76 cm.	116 cm.
App. Meat Weight (+/-%5)	150 kg.	220 kg.	350 kg.
Blade Size	Ø200 mm.	Ø200 mm.	Ø200 mm.
Cooking Heater Power	8 kW	13 kW	18 kW
Power	120-400 W	120-400 W	120-400 W
Voltage	380-415V 3N/50-60 Hz.	380-415V 3N/50-60 Hz.	380-415V 3N/50-60 Hz.
Weight	218 kg.	257 kg.	307 kg.
Packed Weight	268 kg.	307 kg.	357 kg.
Packed Dimensions	100x110x170 cm.	100x110x170 cm.	100x110x206 cm.
Price	17.600 EURO	19.050 EURO	21.210 EURO


Automatic movement mechanism 1.800 EURO

Over winding option 600 EURO

E: Electric GK: Wide Cutting

* Meat Intensity: Intensity or density is the amount of substance per unit volume.

* The table above is calculated according to minced doner meat and a density value of 1,008g/cm3.




ADR Series Doner Robots

ADR Series Doner Robot / Wide Cutting / Electric



- The patented moving feeling stick is detects and follows the doner surface. In this way, continuous cutting is possible. Since it measures the doner surface analogously, the surface detection sensitivity is high.
- Since the patented feeling stick is mechanical, The probability of malfunction is low.
- The feeling stick unit is placed in the area away from the heat. In this way, it is not exposed to high heat.
- Patented skewer holder; Thanks to its patented special design, it ensures that the doner kebab skewer sits in the slot with zero gap and the gap value is preserved unchanged over time. this means the correct positioning of the cuts during the cutting of the doner. In addition, thanks to its conical structure, easy positioning of the skewer is ensured. Angular positioning is not required.
- When the power is cut off, you can continue cutting with the manual rotation mode.
- Trays and protective plates; Removable parts can clean easily washing.
- Cut without waste; the uncut meat at the bottom of the doner can be easily cut.
- The suitable blade angle is adjustable.
- Provides wide cutting with **Ø140** mm circular blade.
- Continuous cutting; it has continuous cutting feature and integration of cutting speed adjustment, it saves time and energy by cutting without stopping at every turn.
- Automatic cooker movement mechanism; It does not require maintenance and its sliding bearing and chain gear movement mechanism. It is protected against external environmental conditions. It ensures that the ideal doner following distance is maintained. (It is an optional feature. It does not come with the standard machine.)
- The maximum cutting width is 12 cm for wide cutting robots.



When you are order

Meat capacity, gas type, country information, table type

(if available in the order), preparation of the meat type to be cut (freshly prepared meat, frozen meat, preparation on the doner robot) this information should be given.

COMPATIBLE ITEMS



ADRM-01/02/03/04

Table



ADK-10/2
ADK-14/2
ADK-14/3
ADK-08

Doner Patter



ADST-01/02/03

Doner Lift



ABB-01

Sharpening
Machine



ADSK-01

Doner Tightener
Apparatus



ADSA-01/05

Doner Winding
Apparatus



ADTS-01

Doner Shaving And
Winding Apparatus

Compact Series Doner Robot

Doner Kebab Robot Compact / Gas



ADR-C1-4G



ADR-C1-5G



ADR-C1-8G



ADR-C1-10G



Compact Series Doner Robot

Doner Kebab Robot Compact / Gas

- Hygienic and hands free cutting
- Can cut doner kebab in desired thickness and continuously.
- Patented skewer control mechanism that maintain without mistake for turning and it has also manuel rotate ability.
- Patanted surface tracking tools which maintain perfect cutting
- User friendly control, doesn't meat any experience to use.
- Removable parts can clean easily washing.
- Has touch screen provide us various cutting parameters.
- Has protecting shield which maintain protection of burners.
- It has the feature of adjusting the rotation speed while doner is cooking.
- Removable meat storage which has rail and stainer.
- Cutting wideness has temporary and continious cutting system.
- Grill can move forward, backward and angled.
- Warming unit keep warmness of the meat.
- Sharpening mode.
- Adjustable cutting pressure.
- Gas and electrical burners can easily be adaptable to the device.
- Easy locatable for cleaning.
- Compact Design.
- Can work with LPG and NG.

When you're order;

Meat capacity, gas type, country information, table type (if available in the order), preparation of the meat type to be cut (freshly prepared meat, frozen meat, preparation on the doner robot) this information should be given.



Model	ADR-C1-4G	ADR-C1-5G	ADR-C1-8G	ADR-C1-10G
Radian Heaters	4	5	8	10
a - Depth	92 cm.	92 cm.	92 cm.	92 cm.
b - Width	72 cm.	72 cm.	93 cm.	93 cm.
c - Depth	86 cm.	86 cm.	86 cm.	86 cm.
h - Height	109 cm.	126 cm.	109 cm.	126 cm.
d - Depth With Tray	99,5 cm.	99,5 cm.	99,5 cm.	99,5 cm.
e - Lower Machine Width	70,5 cm.	70,5 cm.	70,5 cm.	70,5 cm.
Max Doner Diameter	Ø45 cm.	Ø45 cm.	Ø45 cm.	Ø45 cm.
Meat Height	62 cm.	78 cm.	62 cm.	78 cm.
App. Meat Weight (+/-%5)	90 kg.	120 kg.	90 kg.	120 kg.
Blade Size	Ø140 mm.	Ø140 mm.	Ø140 mm.	Ø140 mm.
Gas Consumption (NG)	1,276 m ³ /h	1,595 m ³ /h	2,552 m ³ /h	3,19 m ³ /h
Gas Consumption (LPG)	0,822 kg./h	1,027 kg./h	1,86 kg./h	1,89 kg./h
Gas Consumption (NG)	12 kW	15 kW	24 kW	30 kW
Gas Consumption (LPG)	10,6 kW	13,25 kW	21,2 kW	26,5 kW
Power	120-400 W	120-400 W	120-400 W	120-400 W
Voltage	220-240 V/50-60 Hz.	220-240 V/50-60 Hz.	220-240 V/50-60 Hz.	220-240 V/50-60 Hz.
Weight	150 kg.	180 kg.	165 kg.	185 kg.
Packed Weight	170 kg.	200 kg.	185 kg.	205 kg.
Packed Dimensions	80x100x140 cm.	80x100x140 cm.	90x110x147 cm.	90x110x147 cm.
Price	13.280 EURO	13.970 EURO	14.480 EURO	15.230 EURO

C1: Compact Series G: Gas NG:Natural Gas LPG:Liquid Propane Gas

* Meat Intensity: Intensity or density is the amount of substance per unit volume.

* The table above is calculated according to minced doner meat and a density value of 1,008g/cm³.

COMPATIBLE ITEMS



Table



Sharpening Machine



Doner Lift



Doner Winding Apparatus



Doner Tightener Apparatus



Doner Lifting Arm



Doner Shaving And Winding Apparatus

Compact Series Doner Robot

Doner Kebab Robot Compact / Wide Cutting / Gas



ADR-C1-4G-GK



ADR-C1-5G-GK



ADR-C1-8G-GK



ADR-C1-10G-GK



Compact Series Doner Robot

Doner Kebab Robot Compact / Wide Cutting / Gas

- Hygienic and hands free cutting
- Can cut doner kebab in desired thickness and continuously.
- Patented skewer control mechanism that maintain without mistake for turning and it has also manuel rotate ability.
- Patanted surface tracking tools which maintain perfect cutting
- User friendly control, doesn't meat any experience to use.
- Removable parts can clean easily washing.
- Has touch screen provide us various cutting parameters.
- Has protecting shield which maintain protection of burners.
- It has the feature of adjusting the rotation speed while doner is cooking.
- Removable meat storage which has rail and stainer.
- Cutting wideness has temporary and continious cutting system.
- Grill can move forward, backward and angled.
- Warming unit keep warmness of the meat.
- Sharpening mode.
- Adjustable cutting pressure.
- Gas and electrical burners can easily be adaptable to the device.
- Easy locatable for cleaning.
- Compact Design.
- Can work with LPG and NG.

When you're order;

Meat capacity, gas type, country information, table type (if available in the order), preparation of the meat type to be cut (freshly prepared meat, frozen meat, preparation on the doner robot) this information should be given.



Model	ADR-C1-4G-GK	ADR-C1-5G-GK	ADR-C1-8G-GK	ADR-C1-10G-GK
Radian Heaters	4	5	8	10
a - Depth	92 cm.	92 cm.	92 cm.	92 cm.
b - Width	72 cm.	72 cm.	93 cm.	93 cm.
c - Depth	86 cm.	86 cm.	86 cm.	86 cm.
h - Height	109 cm.	126 cm.	109 cm.	126 cm.
d - Depth With Tray	99,5 cm.	99,5 cm.	99,5 cm.	99,5 cm.
e - Lower Machine Width	70,5 cm.	70,5 cm.	70,5 cm.	70,5 cm.
Max Doner Diameter	Ø45 cm.	Ø45 cm.	Ø45 cm.	Ø45 cm.
Meat Height	62 cm.	78 cm.	62 cm.	78 cm.
App. Meat Weight (+/-%)	90 kg.	120 kg.	90 kg.	120 kg.
Blade Size	Ø140 mm.	Ø140 mm.	Ø140 mm.	Ø140 mm.
Gas Consumption (NG)	1,276 m ³ /h	1,595 m ³ /h	2,552 m ³ /h	3,19 m ³ /h
Gas Consumption (LPG)	0,822 kg./h	1,027 kg./h	1,86 kg./h	1,89 kg./h
Gas Consumption (NG)	12 kW	15 kW	24 kW	30 kW
Gas Consumption (LPG)	10,6 kW	13,25 kW	21,2 kW	26,5 kW
Power	120-400 W	120-400 W	120-400 W	120-400 W
Voltage	220-240 V/50-60 Hz.	220-240 V/50-60 Hz.	220-240 V/50-60 Hz.	220-240 V/50-60 Hz.
Weight	150 kg.	180 kg.	165 kg.	185 kg.
Packed Weight	170 kg.	200 kg.	185 kg.	205 kg.
Packed Dimensions	80x100x140 cm.	80x100x140 cm.	90x110x147 cm.	90x110x147 cm.
Price	15.120 EURO	15.800 EURO	16.480 EURO	17.220 EURO

GK: Wide Cutting C1: Compact Series G: Gas NG:Natural Gas LPG:Liquid Propane Gas

* Meat Intensity: Intensity or density is the amount of substance per unit volume.

* The table above is calculated according to minced doner meat and a density value of 1,008g/cm³.

COMPATIBLE ITEMS



Table



Sharpening Machine



Doner Lift



Doner Winding Apparatus



Doner Tightener Apparatus



Doner Lifting Arm



Doner Shaving And Winding Apparatus

Compact Series Doner Robot

Doner Kebab Robot Compact / Electric



ADR-C1-4E



ADR-C1-5E



ADR-C1-8E




ADR-C1-10E

Compact Series Doner Robot

Doner Kebab Robot Compact / Electric

- Hygienic and hands free cutting
- Can cut doner kebab in desired thickness and continuously.
- Patented skewer control mechanism that maintain without mistake for turning and it has also manuel rotate ability.
- Patanted surface tracking tools which maintain perfect cutting
- User friendly control, doesn't meat any experience to use.
- Removable parts can clean easily washing.
- Has touch screen provide us various cutting parameters.
- Has protecting shield which maintain protection of burners.
- It has the feature of adjusting the rotation speed while doner is cooking.
- Removable meat storage which has rail and stainer.
- Cutting wideness has temporary and continious cutting system.
- Grill can move forward, backward and angled.
- Warming unit keep warmth of the meat.
- Sharpening mode.
- Adjustable cutting pressure.
- Gas and electrical burners can easily be adaptable to the device.
- Easy locatable for cleaning.
- Compact Design.



Model	ADR-C1-4E	ADR-C1-5E	ADR-C1-8E	ADR-C1-10E
Radian Heaters	4	5	8	10
a - Depth	92 cm.	92 cm.	92 cm.	92 cm.
b - Width	72 cm.	72 cm.	98 cm.	98 cm.
c - Depth	72 cm.	72 cm.	86 cm.	86 cm.
h - Height	109 cm.	132 cm.	109 cm.	132 cm.
d - Depth With Tray	99,5 cm.	99,5 cm.	99,5 cm.	99,5 cm.
e - Lower Machine Width	70,5 cm.	70,5 cm.	70,5 cm.	70,5 cm.
Max Doner Diameter	Ø45 cm.	Ø45 cm.	Ø45 cm.	Ø45 cm.
Meat Height	62 cm.	78 cm.	62 cm.	78 cm.
App. Meat Weight (+/-%5)	90 kg.	120 kg.	90 kg.	120 kg.
Blade Size	Ø140 mm.	Ø140 mm.	Ø140 mm.	Ø140 mm.
Cooking Heater Power	6,4 kW	8 kW	10,4 kW	13 kW
Power (Robot)	120-400 W	120-400 W	120-400 W	120-400 W
Voltage (Robot)	220-240V / 50-60 Hz.	220-240V / 50-60 Hz.	220-240V / 50-60 Hz.	220-240V / 50-60 Hz.
Voltage (Coker)	380-415V 3N/50-60 Hz.	380-415V 3N/50-60 Hz.	380-415V 3N/50-60 Hz.	380-415V 3N/50-60 Hz.
Weight	156 kg.	173 kg.	190 kg.	215 kg.
Packed Weight	181 kg.	198 kg.	215 kg.	240 kg.
Packed Dimensions	80x80x140 cm.	80x80x140 cm.	90x110x147 cm.	90x110x147 cm
Price	13.740 EURO	14.430 EURO	14.980 EURO	15.730 EURO

When you're order;

Meat capacity, gas type, country information, table type (if available in the order), preparation of the meat type to be cut (freshly prepared meat, frozen meat, preparation on the doner robot) this information should be given.



C1: Compact Series E: Electric

* Meat Intensity: Intensity or density is the amount of substance per unit volume.

* The table above is calculated according to minced doner meat and a density value of 1,008g/cm3.

COMPATIBLE ITEMS



Table



Sharpening Machine



Doner Lift



Doner Winding Apparatus



Doner Tightener Apparatus



Doner Lifting Arm



Doner Shaving And Winding Apparatus

Compact Series Doner Robot

Doner Kebab Robot Compact / Wide Cutting / Electric



ADR-C1-4E-GK



ADR-C1-5E-GK



ADR-C1-8E-GK




ADR-C1-10E-GK

Compact Series Doner Robot

Doner Kebab Robot Compact / Wide Cutting / Electric


- Hygienic and hands free cutting
- Can cut doner kebab in desired thickness and continuously.
- Patented skewer control mechanism that maintain without mistake for turning and it has also manuel rotate ability.
- Patanted surface tracking tools which maintain perfect cutting
- User friendly control, doesn't meat any experience to use.
- Removable parts can clean easily washing.
- Has touch screen provide us various cutting parameters.
- Has protecting shield which maintain protection of burners.
- It has the feature of adjusting the rotation speed while doner is cooking.
- Removable meat storage which has rail and stainer.
- Cutting wideness has temporary and continious cutting system.
- Grill can move forward, backward and angled.
- Warming unit keep warmth of the meat.
- Sharpening mode.
- Adjustable cutting pressure.
- Gas and electrical burners can easily be adaptable to the device.
- Easy locatable for cleaning.
- Compact Design.



Model	ADR-C1-4E-GK	ADR-C1-5E-GK	ADR-C1-8E-GK	ADR-C1-10E-GK
Radian Heaters	4	5	8	10
a - Depth	92 cm.	92 cm.	92 cm.	92 cm.
b - Width	72 cm.	72 cm.	98 cm.	98 cm.
c - Depth	72 cm.	72 cm.	86 cm.	86 cm.
h - Height	109 cm.	132 cm.	109 cm.	132 cm.
d - Depth With Tray	99,5 cm.	99,5 cm.	99,5 cm.	99,5 cm.
e - Lower Machine Width	70,5 cm.	70,5 cm.	70,5 cm.	70,5 cm.
Max Doner Diameter	Ø45 cm.	Ø45 cm.	Ø45 cm.	Ø45 cm.
Meat Height	62 cm.	78 cm.	62 cm.	78 cm.
App. Meat Weight (+/-%5)	90 kg.	120 kg.	90 kg.	120 kg.
Blade Size	Ø200 mm.	Ø200 mm.	Ø200 mm.	Ø200 mm.
Cooking Heater Power	6,4 kW	8 kW	10,4 kW	13 kW
Power (Robot)	120-400 W	120-400 W	120-400 W	120-400 W
Voltage (Robot)	220-240V / 50-60 Hz.	220-240V / 50-60 Hz.	220-240V / 50-60 Hz.	220-240V / 50-60 Hz.
Voltage (Cooker)	380-415V 3N/50-60 Hz.	380-415V 3N/50-60 Hz.	380-415V 3N/50-60 Hz.	380-415V 3N/50-60 Hz.
Weight	159 kg.	176 kg.	193 kg.	218 kg.
Packed Weight	184 kg.	201 kg.	218 kg.	243 kg.
Packed Dimensions	80x80x140 cm.	80x80x140 cm.	90x110x147 cm.	90x110x147 cm
Price	15.570 EURO	16.260 EURO	16.970 EURO	17.720 EURO

When you're order;

Meat capacity, gas type, country information, table type (if available in the order), preparation of the meat type to be cut (freshly prepared meat, frozen meat, preparation on the doner robot) this information should be given.



GK: Wide Cutting C1: Compact Series E: Electric

* Meat Intensity: Intensity or density is the amount of substance per unit volume.

* The table above is calculated according to minced doner meat and a density value of 1,008g/cm3.

COMPATIBLE ITEMS



Table



Sharpening Machine



Doner Lift




Doner Winding Apparatus



Doner Tightener Apparatus



Doner Lifting Arm



Doner Shaving And Winding Apparatus

Frozen Meat Preparation Equipments



ADK-C5/2

About ADK-C5/2;

- Easy carriage through trolleys.
- Cylindric blocks can be put over and can be turned so they help easy installation. Has special springs maintain quick installation. Easy to install and has not bolt.
- Perfectly works with the lift.
- Hinged cylindric maintain easy usage.
- Complete S/S body and wheels.
- It provides hinge durability with its rigid locking system in pattern lateral joining.
- In addition, this locking system provided an extra advantage in pattern removal.
- Fast connection and precise block alignment are provided the pin structure in the lossy vertical joint.
- The stability of the pattern in geometric dimension tolerance has been increased.
- The doner kebab pattern's diameter is that **Ø450**. The pattern consist of **2** blocks.
- Ease of movement is provided as the wheels are opened and closed together with the semi-circles of the pattern.
- The geometric dimension stability of the skewer has been increased with the centering plate at the top.



Model	ADK-C5/2	ADK-10/2	ADK-8/3
Count Of Cover	2 x h;400 mm.	2 x h;400 mm.	3 x h;400 mm.
Mirror	Ø440 / Ø320 / Ø200 mm.	Ø440 / Ø320 / Ø200 mm.	Ø560 / Ø440 / Ø320 / Ø200 mm.
Inner Lenght	800 mm.	800 mm.	1200 mm.
Inner Diameter	Ø450 mm.	Ø560 mm.	Ø620 mm.
Dimensions(GxDxY)	675 x 645 x 1110 mm.	810 x 764 x 1170 mm.	810 x 764 x 1615 mm.
Weight	73 kg.	102 kg.	150 kg.
Pric	2.400 EURO	4.070 EURO	5.770 EURO


* Who have not used patterns before, wants to start using patterns, they must share information about the type and size of the skewer they have used in the order. The standard versions of the patterns are products compatible with doner robots.

Doner Kebab Patterns

Frozen Meat Preparation Equipments

About ADK-10/2;

- Easy carriage through trolleys.
- Cylindric blocks can be put over and can be turned so they help easy installation. Has special springs maintain quick installation. Easy to install and has not bolt.
- There are doors opening to both sides with hinged cylindrical blocks.
- Complete S/S body and wheels.
- Hinged cylinderic maintain easy usage.
- With the perforated structure on the pattern cover, excess meat oil/sauce is discharged and air gaps are minimized.
- The doner kebab pattern's diameter is that **Ø560**. The pattern consist of **2** blocks.
- Ease of movement is provided as the wheels are opened and closed together with the semi-circles of the pattern.
- The stability of the patternin geometric dimension tolerance has been increased.
- The pattern lock system has a mechanical structure that provides easy assembly.
- Perfectly works with the lift.



ADK-10/2

About ADK-08/3

- Easy carriage through trolleys.
- Cylindric blocks can be put over and can be turned so they help easy installation. Has special springs maintain quick installation. Easy to install and has not bolt.
- Perfectly works with the lift.
- Hinged cylinderic maintain easy usage.
- Complete S/S body and wheels.
- It provides hinge durability with its rigid locking system in pattern lateral joining.
- In addition, this locking system provided an extra advantage in pattern removal.
- Fast connection and precise block alignment are provided the pin structure in the lossy vertical joint.
- The stability of the patternin geometric dimension tolerance has been increased.
- The doner kebab pattern's diameter is that **Ø620**. The pattern consist of **3** blocks.
- Ease of movement is provided as the wheels are opened and closed together with the semi-circles of the pattern.
- The geometric dimension stability of the skewer has been increased with the centering plate at the top.



ADK-08/3

Doner Kebab Lift And Equipments

Doner Kebab Lift, Doner Kebab Shaving And Winding Lifts



ADST-01

When ordering;

ADST-01

- The skewer is the bottom handle. It comes without a tray.
- It's not suitable for doner winding.
- It's suitable for all **ADR** doner robot series.
- It's suitable for all compact doner robot series.
- The robot model should be specified when ordering.

ADST-02

- The skewer is the bottom handle.
- It's suitable for doner winding.
- It comes wide tray.
- It's suitable for all **ADR** doner robot series.
- It's suitable for all compact doner robot series.



ADST-02

ADST-03

- The skewer is the bottom and top handle.
- It comes wide tray.
- It's suitable for all **ADR** doner robot series.
- It's suitable for all compact doner robot series.
- **ADR-10** and **ADR-14** should be specified in the order.



ADST-03

Common Features:

- Has a secure skewer locking system.
- With a foot pedal hydraulic lift system.
- With its hydraulic structure, precise height positioning can be done.
- It can lift max **350 kg**.



Model	ADST-01	ADST-02	ADST-03
Dimensions	665x955x1925mm.	570x986x1605 mm.	850x1161x1605 mm.
Weight	86 kg.	94 kg.	104 kg.
Min. Lifting Level	30 cm.	31 cm.	30 cm.
Max. Lifting Level	124 cm.	125 cm.	124 cm.
Max. Doner Diameter and Height	Ø62 cm.	Ø62 cm.	Ø58 cm.
Details	Suitable for lifting only.	Suitable for lifting and wrapping.	Suitable for lifting, wrapping and shaving
Price	3.070 EURO	3.200 EURO	3.510 EURO

Doner Kebab Lift And Equipments

Doner Kebab Lift, Doner Kebab Shaving And Winding Lifts



ADST-04



ADST-05



ADST-06

When ordering;

ADST-04 / ADST-05

- **ADST-04**'s skewer is the bottom handle. It comes without tray.
- **ADST-04** is not suitable for doner winding.
- **ADST-04**'s skewer is the bottom handle. It comes with narrow and wide tray.
- **ADST-05**'s skewer is the bottom handle. It comes with narrow and wide tray.
- **ADST-05** can use for doner winding.
- **12x12, 15x15 and 20x20** can be produced according to skewer types. (square size of the skewer x the height of the skewer) must be specified when ordering.
- When ordering, the doner kebab machine where the skewer will be used should be specified.
- The apparatus or table dimensions (depth & height) from which the skewer will be use should be specified.

Common Features

- It has a safe skewer locking system.
- With a foot pedal hydraulic lift system.
- With its hydraulic structure, precise height positioning can be done.
- It can lift max **350 kg**.

ADST-06

- The skewer is the bottom and top handle.
- It comes wide tray.
- It can use for doner shaving and winding.
- **12x12, 15x15 and 20x20** can be produced according to skewer types. (square size of the skewer x the height of the skewer) must be specified when ordering.
- When ordering, the doner kebab machine where the skewer will be used should be specified.
- It has a safe skewer locking system.
- With a foot pedal hydraulic lift system.
- With its hydraulic structure, precise height positioning can be done.
- It can lift max **350 kg**.



ALDA - Lift / Narrow Trolley
Item Code:M004355



ALGA - Lift / Wide Trolley
Item Code:M007715

Model	ADST-04	ADST-05	ADST-06
Dimensions	566x890x1605 mm.	568x986x1605 mm.	850x1160x1605 mm.
Weight	88 kg.	92 kg.	86 kg.
Min. Lifting Level	30 cm.	34 cm.	34 cm.
Max. Lifting Level	123 cm.	128 cm.	128 cm.
Max. Doner Diameter and Height	Ø62 cm.	Ø62 cm.	Ø62 cm.
Details	Sadece Kaldırma İçin Uygunur.	Kaldırma ve Üzerinde Sarma İçin Uygunur.	Kaldırma, Üzerinde Sarma ve Traşlama İçin Uygunur.
Price	3.040 EURO	3.170 EURO	3.250 EURO

ADR and Compact Series Doner Robot Tables



ADRM-01



ADRM-02



ADRM-03



ADRM-C1-01



ADRM-C1-02

- Made of stainless steel.
- Thanks to its rigid structure, the robot does not flex while moving.
- The models with wheel are equipped with brake system.
- Hygienic design, Welded fabrication.
- Does not contain water during cleaning.
- Legs can be adjusted

When ordering

The order should be given by paying attention to the height of the bench in the area where the robot will be located and the height of the hood from the ground.

Model	ADRM-01	ADRM-02	ADRM-03	ADRM-C1-01	ADRM-C1-02
Net Dimensions(GxDxY)	680x715x641 mm.	680x715x641 mm.	710x750x641 mm.	710x665x670 mm.	710x665x670 mm.
Weight	18 kg.	20 kg.	42 kg.	23 kg.	32 kg.
Leg Type	Without Wheel	With Wheel	With Wheel	Without Wheel	With Wheel
Suitable Models	ADR Series Robot	ADR Series Robot	ADR Series Robot	COMPACT Series Robot	COMPACT Series Robot
Price	520 EURO	650 EURO	1290 EURO	610 EURO	930 EURO

Doner Kebab Trolley

Doner Transport, Freezing and Storage Trolley

ADTA Series

- In 1 Trolley 2 skewers can be used
- Thanks to it wheel the product is mobile, Made of stainless steel
- The trolley can be unassembled for space management
- It is Compatible with the lift, the doner that is prepared on the lift can be transported to the trolley and to the robot
- Made of stainless steel



ADTA-C5/2



ADTA-14 ST



ADTA-10/2



ADTA-14/2

Model	ADTA-C5/2	ADTA-14 ST	ADTA-10/2	ADTA-14/2
Net Dimensions	1170 x 630 x 1150 mm.	910 x 850 x 1790 mm.	1270 x 730 x 1300 mm.	1370 x 730 x 1690 mm.
Weight	42 kg.	46 kg.	45 kg.	50 kg.
Attachable Meat Diam.	Ø450 mm.	Ø620 mm.	Ø620 mm.	Ø620 mm. kadar
Price	1.030 EURO	1.400 EURO	1.070 EURO	1.190 EURO

Sharpening Machines and Knives

Doner Robot Knife Sharpening and Knives




ABB-01

ABB - 01 Doner Robot Knife Sharpening Machine and Blades

- The machine can sharpen a blade from **70 mm** to **200 mm** with an angle of **20** degrees
- Thanks to the special sharpening technique, burr-free and perfect sharpness is obtained by removing the minimum amount of chips on the surface.
- Thanks to the safety switch cover, it provides a safe working environment, the sharpening stone is long-lasting.
- Easy to use
- The device can sharpen many knife types
- Made of stainless steel.

Model	ABB-01
Voltage	220-240 V - 50/60 Hz.
kW	2,95 kW
Net Dimensions	310x310x570 mm.
Weight	15 kg.
Packed Weight	22 kg.
Hub of Compatible Blades	Ø70 - Ø200 mm.
Price	1.520 EURO



Sharpening Apparatus
P003495

Model	Narrow Cut Blade	Wide Cut Blade
Outer Diameter	Ø140 mm.	Ø200 mm.
Order Code	P002374	P008796
Used Place	Compact, ADR	Compact, ADR
Price	60 EURO	90 EURO

* Tandır knife is **100mm** and **140 mm** and are provided on order only please contact for minimum order information

Doner Winding Apparatus

Doner Winding Apparatus

- Doner winding apparatus can be favorised for its fast and simple solutions
- Winding apparatus is designed for different skewer types
- **02/03/04/05** models are precision spaced and bearing structure
- Thanks to the bearing structure and it's flexible body it can turn easier
- Easy to clean and made in stainless steel
- While ordering skewer type should be mentionned



ADSA-02



ADSA-03



ADSA-04



ADSA-05

Model	ADSA-02	ADSA-03	ADSA-04	ADSA-05
Dimensions	Ø340x170 mm.	Ø340x170 mm.	Ø340x170 mm.	Ø360x164 mm.
Weight	5,5 kg.	5,5 kg.	5,5 kg.	8,3 kg.
Skewer Type	12x12 mm.	15x15 mm.	20x20 mm.	ADR Series Skewer
Price	120 EURO	170 EURO	170 EURO	250 EURO

ADTS Doner Shaving Apparatus

- It helps shaving at the same time all the meat
- It can shave cylindircal and conical
- Easy to use
- It can be assembled and dissamble for place
- **ADTS-01** is for ADR robots
- **ADTS-02** is for winding apparatus skewers
- Made of Stainless Steel



ADTS-01



ADTS-02

Model	ADTS-01	ADTS-02
Dimensions	410x580x1110 mm.	360x560x1156 mm.
Weight	12 kg.	8 kg.
Maximum Shaving Diameter	Ø60 mm.	Ø56 mm.
Maximum Doner Height	115 cm.	100 cm.
Price	650 EURO	470 EURO

Doner Preparation Accessories

Doner Lifting Arm




ADKM-01

- Quick installation with the help of the click system
- All Stainless Steel
- Skewer type should be mentioned before order

Model	ADKM-01
Dimensions	2690x90x30 mm.
Weight	1,8 kg.
Price	120 EURO

Doner Kebab Tightener Apparatus



- Can provide high pressure with special design and back lock system
- Semi tightening technique helps firm doner kebab rolling
- Easy to install and demount
- Skewer type should be mentioned before order

Model	ADSK-01	ADKS-02	ADSK-03
Dimensions	355x101x48 mm.	355x101x48 mm.	355x101x48 mm.
Weight	0,8 kg.	0,85 kg.	0,9 kg.
Skewer Type	12x12 mm.	30x10 mm.	20x20 mm.
Price	190 EURO	190 EURO	190 EURO

Lama Type Skewer




Lama Type Skewer

Situations To Be Preferred

The spit ensures that the doner meat to the skewer when it is fresh and not frozen. Otherwise, the meat cut in this way sticks to the skewer weaker. For this reason, irregular cutting surface occur due to play in this section in lange doner cutting jobs. It would be useful for users to inform the seller about meat preparation, cooking and cutting method when ordering.

Doner Preparation Accessories

Doner Robot Mirrors




Model	Skewer Dimensions	Mirror Diameter	Thickness	Order Code	Price
ADR-C1-4/5 & ADR-5/10	12 x 12 ve 30 x 30 Şişe Göre	Ø560	3 mm.	P081838	120EURO
		Ø440	3 mm.	P023613	72EURO
		Ø320	3 mm.	P023612	40EURO
		Ø200	3 mm.	P023614	18EURO
		Ø140	2 mm.	P064430	8EURO
ADR-14	20 x 20 Şişe Göre	Ø560	3 mm.	P079933	120EURO
		Ø440	3 mm.	P015993	72EURO
		Ø320	3 mm.	P015991	40EURO
		Ø200	3 mm.	P015989	18EURO

Doner Robot Skewer

Model	Skewer Type	Flange Type	Order Code	Price
ADR-5/10	12 x 12	Flanged	M006731	146 EURO
ADR-5/10	12 x 12	Without Flange	M021858	128 EURO
ADR-5/10	30 x 10	Flanged	M010395	154 EURO
ADR-14	20 x 20	Flanged	M002296	218 EURO
ADR-14	20 x 20	Without Flange	M007248	200 EURO
ADR-C1-4	12 x 12	Flanged	M012175	132 EURO
ADR-C1-4	30 x 10	Flanged	M013074	140 EURO
ADR-C1-5	12 x 12	Flanged	M000821	136 EURO
ADR-C1-5	30 x 10	Flanged	M012176	146 EURO
Conversion set to wrap skewer group on robot				380 EURO

Information Before Order :

- In all Doner Robot Order , the machine comes with 1 Skewer an 1 Mirror Set .
- In all Orders Code should be mentionned .
- Standard Skerwers can be transformed into Winding Skewers with change kit .





Food Conveyor Systems

We transfer your food safely.



- *FDA approved conveyor belt system and body are made of AISI 304 stainless steel.
- * Optional speed control and automation systems in the band is done.
- * Installation is very easy thanks to its modular structure.
- *Easy to carry thanks to its ergonomic structure, the band is easy to clean.
- *Please contact the project / sales team to evaluate your projects.

Doner Kebab Machines

Doner Kebab Machines / Gas / Without Motor



ADG - 3 S



ADG - 4 S



ADG - 5 S



ADG - 6 S

- LPG and NG options available.
- Safety valve automatically cuts off the gas from the radiant heaters that go out unexpectedly.
- Stainless steel meat tray.
- Movable skewer holder maintain forward and backward moving.
- Wing set prices are optional;

ADG-3S; 52 EURO

ADG-4S; 62 EURO

ADG-5S; 73 EURO

ADG-6S; 84 EURO

Model	ADG - 3 S	ADG - 4 S	ADG - 5 S	ADG - 6 S
Radian Heathers	3	4	5	6
Gas Consumption-LPG	0,616 kg/h	0,822 kg/h	1,027 kg/h	1,233 kg/h
Gas Consumption-NG	0,95 m ³ /h	1,276 m ³ /h	1,595 m ³ /h	1,914 m ³ /h
kW -LPG	7,95	10,6	13,25	15,9
kW - NG	9	12	15	18
Kcal-LPG	6836	9114	11393	13672
Kcal - NG	7739	10318	12898	15477
Dimensions	630 x 745 x 845	630 x 745 x 1010	630 x 745 x 1180	630 x 745 x 1370
Packaged Dimens.	640 x 780 x 1010	640 x 780 x 1080	640 x 780 x 1220	640 x 780 x 1500
Weight	22 kg	25 kg	28 kg	33 kg
Packaged Weight	34 kg	37 kg	40 kg	45 kg
Price	590 EURO	690 EURO	770 EURO	930 EURO

S: Without Motor

Doner Kebab Machines

Doner Kebab Machines / Electric / Without Motor



ADE - 3 S



ADE - 4 S



ADE - 5 S



- Electric controlled and complete with Ceran glass.
- Ceran glass surface enables easy cleaning after use.
- Side flaps are available as an option.
- Stainless steel meat tray.
- Movable skewer holder maintain forward and backward moving.
- Holed tray helps easy fat dripping.
- Burners are adjustable with two modes such as. (min.-max)
- Wing set prices are optional;

ADE-3S; 52 EURO

ADE-4S; 62 EURO

ADE-5S; 73 EURO



Model	ADE - 3 S	ADE - 4 S	ADE - 5 S
Radiant Heaters	3	4	5
Power	380-415 V	380-415 V	380-415 V
kW	4,2	5,6	7
Dimensions	630 x 772 x 975	630 x 772 x 1140	630 x 772 x 1180
Packaged Dim.	640 x 780 x 1010	640 x 780 x 1200	640 x 780 x 1220
Weight	42 kg	46 kg	50 kg
Packaged Weight	54 kg	58 kg	62 kg
Price	910 EURO	1.030 EURO	1.120 EURO

S: Without Motor

Doner Kebab Machines

Doner Kebab Machines / Gas / Top Motor



ADG - 3 U



ADG - 4 U



ADG - 5 U



- LPG and NG options available.
- Safety valve automatically cuts off the gas from the radiant heaters that go out unexpectedly.
- Electric motor installed at the top rotates in both directions.
- Side flaps are available as an option.
- In case of failure of the electric motor, the machine can be controlled manually.
- Flame curtain moving along with the motor extends the life of the motor.
- Stainless steel meat tray.
- Movable skewer holder maintain forward and backward moving.
- Holed tray helps easy fat dripping.
- **Wing set prices are optional;**
ADG-3U; 52 EURO
ADG-4U; 62 EURO
ADG-5U; 73 EURO



Model	ADG - 3 U	ADG - 4 U	ADG - 5 U
Radian Heathers	3	4	5
Voltage	220-240 V	220-240 V	220-240 V
Gas Consumption-LPG	0,616 kg/h	0,822 kg/h	1,027 kg/h
Gas Consumption-NG	0,95 m ³ /h	1,276 m ³ /h	1,595 m ³ /h
kW - LPG	7,95	10,6	13,25
kW - NG	9	12	15
Kcal-LPG	6836	9114	11393
Kcal - NG	7739	10318	12898
Dimensions	550 x 700 x 970	550 x 700 x 1140	550 x 700 x 1300
Packaged Dimens.	640 x 780 x 1160	640 x 780 x 1310	640 x 780 x 1500
Weight	30 kg	35 kg	38 kg
Packaged Weight	42 kg	47 kg	50 kg
Price	910 EURO	1.010 EURO	1.070 EURO

U: Top Motor

Doner Kebab Machines

Doner Kebab Machines / Electric / Top Motor




ADE - 3 U



ADE - 4 U



ADE - 5 U



- Electric controlled and complete with Ceran glass.
 - Ceran glass surface enables easy cleaning after use.
 - Electric motor installed at the top rotates in both directions.
 - Side flaps are available as an option.
 - In case of failure of the electric motor, the machine can be controlled manually.
 - Flame curtain moving along with the motor extends the life of the motor.
 - Stainless steel meat tray.
 - Movable skewer holder maintain forward and backward moving.
 - Holed tray helps easy fat dripping.
 - Burners are adjustable with two modes such as. (min.-max)
 - Wing set prices are optional;
- ADE-3U; 52 EURO**
ADE-4U; 62 EURO
ADE-5U; 73 EURO



Model	ADE - 3 U	ADE - 4 U	ADE - 5 U
Radiant Heaters	3	4	5
Power	380-415 V	380-415 V	380-415 V
kW	4,2	5,6	7
Dimensions	630 x 825 x 975	630 x 825 x 1140	630 x 825 x 1310
Packaged Dim.	640 x 780 x 1160	640 x 780 x 1310	640 x 780 x 1500
Weight	28 kg	33 kg	38 kg
Packaged Weight	40 kg	45 kg	50 kg
Price	1.160 EURO	1.350 EURO	1.480 EURO

U: Top Motor

Doner Kebab Machines

Doner Kebab Machine / Gas / Bottom Motor / Movable



ADG - 3 A



ADG - 6 A



ADG - 4 A



ADG - 5 A

- LPG and NG options available.
- The motor can be controlled on the device itself.
- The body can be moved back and forth to adjust the distance to the meat.
- Dripping fat from the meat can be easily drained to the discharge drawer from the inclined tray for easy removal.
- Safety valve automatically cuts off the gas from the radiant heaters that go out unexpectedly.
- Use of manuel motor in case of power outages.
- Electric motor installed at the bottom rotates in both directions.
- Tray and wing set flaps are available as an option.
- Wing set prices are optional;
ADG-3A; 52 EURO / ADG-4A; 62 EURO / ADG-5A; 73 EURO / ADG-6A; 84 EURO
- 'U' tray optional; 52 EURO

Model	ADG - 3 A	ADG - 4 A	ADG - 5 A	ADG - 6 A
Radian Heathers	3	4	5	6
Voltage	220-240 V	220-240 V	220-240 V	220-240 V
Gas Consumption-LPG	0,616 kg/h	0,822 kg/h	1,027 kg/h	1,233 kg/h
Gas Consumption-NG	0,95 m ³ /h	1,276 m ³ /h	1,595 m ³ /h	1,914 m ³ /h
kW -LPG	7,95	10,6	13,25	15,9
kW - NG	9	12	15	18
Kcal-LPG	6836	9114	11393	13672
Kcal - NG	7739	10318	12898	15477
Dimensions	575 x 715 x 960	575 x 715 x 1135	575 x 715 x 1300	575 x 715 x 1470
Packaged Dimens.	640 x 780 x 1160	640 x 780 x 1310	640 x 780 x 1500	640 x 780 x 1650
Weight	38 kg	43 kg	48 kg	53 kg
Packaged Weight	50 kg	55 kg	60 kg	65 kg
Price	1.020 EURO	1.120 EURO	1.180 EURO	1.240 EURO

A: Bottom Motor

Doner Kebab Machines

Doner Kebab Machines / Electric / Bottom Motor / Movable



ADE - 3 A




ADE - 4 A



ADE - 5 A



- Electric controlled and complete with Ceran glass.
- Ceran glass surface enables easy cleaning after use.
- The motor can be controlled on the device itself.
- The body can be moved back and forth to adjust the distance to the meat.
- Dripping fat from the meat can be easily drained to the discharge drawer from the inclined tray for easy removal.
- Electric motor installed at the bottom rotates in both directions.
- Tray and side flaps are available as an option.
- Burners are adjustable with two modes such as. (min.-max).
- Each of the radiators has a capacity of **1600 Watts** and is a stone wrapped wire resistance.
- For electric models, burn for **10 minutes** at the first stage and then switch to the second stage
- Wing set prices are optional;
ADE-3A; 52 EURO / ADE-4A; 62 EURO / ADE-5A; 73 EURO
- 'U' tray optional; 52 EURO



Model	ADE - 3 A	ADE - 4 A	ADE - 5 A
Radiant Heaters	3	4	5
Power	380-415 V	380-415 V	380-415 V
kW	4,2	6,4	7
Dimensions	565 x 715 x 960	565 x 715 x 1135	565 x 715 x 1300
Packaged Dim.	640 x 780 x 1160	640 x 780 x 1310	640 x 780 x 1500
Weight	48 kg	55 kg	65 kg
Packaged Weight	60 kg	67 kg	77 kg
Price	1.250 EURO	1.420 EURO	1.580 EURO

A: Bottom Motor

Doner Kebab Machines

Doner Kebab Machines / Gas / Thermal Ceramic Covered / Without Motor





ADGC - 3 S



ADGC - 4 S



ADGC - 5 S



- LPG and NG options available.
- Safety valve automatically cuts off the gas from the radiant heaters that go out unexpectedly.
- Ceran glass surface enables easy cleaning after use.
- Side flaps are available as an option.
- Stainless steel meat tray.
- Movable skewer holder maintain forward and backward moving.
- Wing set prices are optional;

ADGC-3S; 52 EURO

ADGC-4S; 62 EURO

ADGC-5S; 73 EURO



Model	ADGC - 3 S	ADGC - 4 S	ADGC - 5 S
Radian Heathers	3	4	5
Gas Consumption-LPG	0,616 kg/h	0,822 kg/h	1,027 kg/h
Gas Consumption-NG	0,95 m ³ /h	1,276 m ³ /h	1,595 m ³ /h
kW -LPG	7,95	10,6	13,25
kW - NG	9	12	15
Kcal-LPG	6836	9114	11393
Kcal - NG	7739	10318	12898
Dimensions	630 x 745 x 845	630 x 745 x 1010	630 x 745 x 1180
Packaged Dimens.	640 x 780 x 1010	640 x 780 x 1080	640 x 780 x 1220
Weight	22 kg	25 kg	28 kg
Packaged Weight	34 kg	37 kg	40 kg
Price	830 EURO	950 EURO	1.100 EURO

S: Without Motor C: Glass

Doner Kebab Machines

Doner Kebab Machines / Gas / Thermal Ceramic Covered / Top Motor




ADGC - 3 U



ADGC - 4 U



ADGC - 5 U



- LPG and NG options available.
- Safety valve automatically cuts off the gas from the radiant heaters that go out unexpectedly.
- Electric motor installed at the top rotates in both directions
- Side flaps are available as an option.
- Use of manuel motor in case of power outages.
- Flame curtain moving along with the motor extends the life of the motor.
- Stainless steel meat tray.
- Movable skewer holder maintain forward and backward moving.
- Holed tray helps easy fat dripping.

• **Wing set prices are optional;**

ADGC-3U; 52 EURO

ADGC-4U; 62 EURO

ADGC-5U; 73 EURO



Model	ADGC - 3 U	ADGC - 4 U	ADGC - 5 U
Radian Heathers	3	4	5
Power	220-240 V	220-240 V	220-240 V
Gas Consumption-LPG	0,616 kg/h	0,822 kg/h	1,027 kg/h
Gas Consumption-NG	0,95 m ³ /h	1,276 m ³ /h	1,595 m ³ /h
kW -LPG	7,95	10,6	13,25
kW - NG	9	12	15
Kcal-LPG	6836	9114	11393
Kcal - NG	7739	10318	12898
Dimensions	550 x 700 x 970	550 x 700 x 1140	550 x 700 x 1300
Packaged Dimens.	640 x 780 x 1160	640 x 780 x 1310	640 x 780 x 1500
Weight	30 kg	35 kg	38 kg
Packaged Weight	32 kg	47 kg	50 kg
Price	1.130 EURO	1.260 EURO	1.380 EURO

U: Top Motor C: Glass

Doner Kebab Machines

Doner Kebab Machines / Gas / Thermal Ceramic Covered / Bottom Motor



Movable




ADGC - 3 A



ADGC - 4 A



ADGC - 5 A



- LPG and NG options available.
- The motor can be controlled on the device itself.
- Ceran glass surface enables easy cleaning after use.
- The body can be moved back and forth to adjust the distance to the meat.
- Dripping fat from the meat can be easily drained to the discharge drawer from the inclined tray for easy removal.
- Safety valve automatically cuts off the gas from the radiant heaters that go out unexpectedly.
- Use of manual in case of power outages.
- Electric motor installed at the bottom rotates in both directions.
- Wing set flaps and tray are available as an option.
- Wing set prices are optional;
ADGC-3A; 52 EURO / ADG-4AC; 62 EURO / ADG-5AC; 73 EURO
- 'U' tray optional; 52 EURO



Model	ADGC - 3 A	ADGC - 4 A	ADGC - 5 A
Radian Heaters	3	4	5
Voltage	220-240 V	220-240 V	220-240 V
Gas Consumption-LPG	0,616 kg/h	0,822 kg/h	1,027 kg/h
Gas Consumption-NG	0,95 m ³ /h	1,276 m ³ /h	1,595 m ³ /h
kW -LPG	7,95	10,6	13,25
kW - NG	9	12	15
Kcal-LPG	6836	9114	11393
Kcal - NG	7739	10318	12898
Dimensions	575 x 715 x 960	575 x 715 x 1135	575 x 715 x 1300
Packaged Dimens.	640 x 780 x 1160	640 x 780 x 1310	640 x 780 x 1500
Weight	38 kg	43 kg	48 kg
Packaged Weight	50 kg	55 kg	60 kg
Price	1.240 EURO	1.380 EURO	1.480 EURO


A: Bottom Motor C: Glass

Doner Kebab Machines

Doner Kebab Machines / Gas / Bottom Motor / Movable



ADG - 4+4 A



- LPG and NG options available.
- The motor can be controlled on the device itself.
- The body can be moved back and forth to adjust the distance to the meat.
- Safety valve automatically cuts off the gas from the radiant heaters that go out unexpectedly.
- Dripping fat from the meat can be easily drained to the discharge drawer from the inclined tray for easy removal.
- Use of manual in case of power outages.
- Electric motor installed at the bottom rotates in both directions.
- Tray and wing set flaps are available as an option.



ADG - 5+5 A



Model	ADG - 4+4 A	ADG - 5+5 A
Radian Heaters	4x2	5x2
Voltage	220-240 V	220-240 V
Gas Consumption-LPG	1,643 kg/h	2,054 kg/h
Gas Consumption-NG	2,552 m ³ /h	3,19 m ³ /h
kW -LPG	21,2	26,5
kW - NG	24	30
Kcal-LPG	18229	22786
Kcal - NG	20636	25795
Dimensions	1135 x 740 x 1090	1135 x 740 x 1265
Packaged Dimens.	1260 x 780 x 1220	1260 x 780 x 1460
Weight	95 kg	105 kg
Packaged Weight	115 kg	120 kg
Price	2.190 EURO	2.300 EURO

A: Bottom Motor

Doner Kebab Machines

Doner Kebab Machines / Gas / Without Motor / V Type





ADG - 8 S




ADG - 10 S



ADG - 12 S



- LPG and NG options available.
- Safety valve automatically cuts off the gas from the radiant heaters that go out unexpectedly.
- Fast serving and cooking with the help of V shape burners which lead wider cooking surface.
- Inclined tray prevents the Doner Kebab from getting dry.
- **Wings are standard in 'V' type models.**



Model	ADG - 8 S	ADG - 10 S	ADG - 12 S
Radian Heaters	4x2	5x2	6x2
Gas Consumption-LPG	1,643 kg/h	2,054 kg/h	2,465 kg/h
Gas Consumption-NG	2,552 m ³ /h	3,19 m ³ /h	3,828 m ³ /h
kW -LPG	21,2	26,5	31,8
kW - NG	24	30	36
Kcal-LPG	18229	22786	27343
Kcal - NG	20636	25795	30954
Dimensions	740 x 900 x 1040	740 x 900 x 1210	740 x 900 x 1340
Packaged Dimens.	880 x 980 x 1220	880 x 980 x 1380	880 x 980 x 1500
Weight	67 kg	72 kg	76 kg
Packaged Weight	81 kg	86 kg	90 kg
Price	1.430 EURO	1.620 EURO	1.910 EURO

S: Without Motor

Doner Kebab Machines

Doner Kebab Machines / Gas / Bottom Motor / V Type




ADG - 8 A



ADG - 10 A



ADG - 12 A



- LPG and NG options available.
- Safety valve automatically cuts off the gas from the radiant heaters that go out unexpectedly.
- The motor can be controlled on the device itself.
- The body can be moved back and forth to adjust the distance to the meat.
- Dripping fat from the meat can be easily drained to the discharge drawer from the inclined tray for easy removal.
- Fast serving and cooking with the help of V shape burners which lead wider cooking surface.
- Expansion tray is available as an option.
- Inclined tray prevents the Doner Kebab from getting dry.
- Electric motor installed at the bottom rotates in both directions.
- Use of manual in case of power outages.
- **Wings and 'U' tray are standard in 'V' type models.**

Model	ADG - 8 A	ADG - 10 A	ADG - 12 A
Radian Heaters	4x2	5x2	6x2
Voltage	220-240 V	220-240 V	220-240 V
Gas Consumption-LPG	1,643 kg/h	2,054 kg/h	2,465 kg/h
Gas Consumption-NG	2,552 m ³ /h	3,19 m ³ /h	3,828 m ³ /h
kW -LPG	21,2	26,5	31,8
kW - NG	24	30	36
Kcal-LPG	18229	22786	27343
Kcal - NG	20636	25795	30954
Dimensions	750 x 860 x 1160	750 x 860 x 1330	750 x 860 x 1500
Packaged Dimens.	880 x 1040 x 1300	880 x 1040 x 1500	880 x 1040 x 1580
Weight	81 kg	91 kg	101 kg
Packaged Weight	95 kg	105 kg	115 kg
Price	2.010 EURO	2.220 EURO	2.470 EURO

A: Bottom Motor

Wall Mounting Doner Kebab Machines



Wall Mounting Doner Kebab Machine / Gas / Movable Lower Cabinet / Bottom Motor



ADG - 5 D



ADG - 6 D



- LPG and NG options available.
- Safety valve automatically cuts off the gas to the radiant heaters that go out unexpectedly.
- Fast service possibility with the help of wide heating range.
- Easy Rolling process with movable trolley.
- Bottom Motor.
- Skewer base maintain not need for above profile. It is more hygienic.
- Manuel cutting availability.
- Upper body can move forward and backward.
- Wings and 'U' tray are standard in wall mounted models.



Model	ADG - 5 D	ADG - 6 D
Radian Heathers	5	6
Voltage Control	220-240 V	220-240 V
Gas Consumption-LPG	1,027 kg/h	1,233 kg/h
Gas Consumption-NG	1,595 m ³ /h	1,914 m ³ /h
kW - LPG	13,25	15,9
kW - NG	15	18
Kcal-LPG	11393	13672
Kcal - NG	12897	15477
Dimensions	1030 x 1047 x 2090	1030 x 1047 x 2250
Packaged Dimensions	850 x 1250 x 1200	850 x 1250 x 1350
Dimensions/Not Tray	780 x 875 x 2090	780 x 875 x 2250
Weight	133 kg	143 kg
Packaged Weight	160 kg	170 kg
Price	3.510 EURO	3.740 EURO

D: Wall Mounting

Wall Mounting Doner Kebab Machines

Wall Mounting Doner Kebab Machine / Gas / Movable Lower Cabinet / Bottom Motor



ADG - 8 D



ADG - 12 D



ADG - 10 D

- LPG and NG options available.
- Safety valve automatically cuts off the gas to the radiant heaters that go out unexpectedly.
- Fast service with the help of V shape burners.
- Easy Rolling process with movable trolley.
- Bottom Motor.
- Skewer base maintain not need for above profile. It is more hygienic.
- Manuel cutting availability.
- Upper body can move forward and backward.
- Wings and 'U' tray are standard in wall mounted models.

Model	ADG - 8 D	ADG - 10 D	ADG - 12 D
Radian Heathers	4x2	5x2	6x2
Voltage Control	220-240 V	220-240 V	220-240 V
Gas Consumption-LPG	1,643 kg/h	2,054 kg/h	2,465 kg/h
Gas Consumption-NG	2,552 m ³ /h	3,19 m ³ /h	3,828 m ³ /h
kW -LPG	21,2	26,5	31,6
kW - NG	24	30	36
Kcal-LPG	18229	22786	27171
Kcal - NG	20636	25795	30954
Dimensions	1030 x 1047 x 1920	1030 x 1047 x 2090	1030 x 1047 x 2250
Packaged Dimensions	850 x 1250 x 1200	850 x 1250 x 1200	850 x 1250 x 1350
Dimensions/Not Tray	780 x 875 x 1920	780 x 875 x 2090	750 x 875 x 2250
Weight	153 kg	163 kg	173 kg
Packaged Weight	180 kg	190 kg	200 kg
Price	4.340 EURO	4.700 EURO	5.050 EURO

D: Wall Mounting

Wall Mounting Doner Kebab Machines



Wall Mounting Doner Kebab Machine / Gas / Movable Lower Cabinet / Without Motor



- LPG and NG options available.
- Safety valve automatically cuts off the gas to the radiant heaters that go out unexpectedly.
- Fast service possibility with the help of wide heating range.
- Easy Rolling process with movable trolley.
- Skewer base maintain not need for above profile. It is more hygienic.
- Manuel cutting availability.
- Upper body can move forward and backward.
- Wings and 'U' tray are standard in wall mounted models.

ADG - 5 D S



ADG - 6 D S

Model	ADG - 5 D S	ADG - 6 D S
Radian Heathers	5	6
Voltage Control	Manuel	Manuel
Gas Consumption-LPG	1,027 kg/h	1,233 kg/h
Gas Consumption-NG	1,595 m ³ /h	1,914 m ³ /h
kW -LPG	13,25	15,9
kW - NG	15	18
Kcal-LPG	11393	13672
Kcal - NG	12897	15477
Dimensions	1030 x 1047 x 2090	1030 x 1047 x 2250
Packaged Dimensions	850 x 1250 x 1200	850 x 1250 x 1350
Dimensions/Not Tray	780 x 875 x 2090	780 x 875 x 2250
Weight	133 kg	143 kg
Packaged Weight	160 kg	170 kg
Price	2.910 EURO	3.100 EURO

D: Wall Mounting S: Without Motor

Wall Mounting Doner Kebab Machines

Wall Mounting Doner Kebab Machine / Gas / Movable Lower Cabinet / Without Motor



ADG - 8 D S



ADG - 12 D S



ADG - 10 D S

- LPG and NG options available.
- Safety valve automatically cuts off the gas to the radiant heaters that go out unexpectedly.
- Fast service with the help of V shape burners.
- Easy Rolling process with movable trolley.
- Skewer base maintain not need for above profile. It is more hygienic.
- Manuel cutting availability.
- Upper body can move forward and backward.
- Wings and 'U' tray are standard in wall mounted models.

Model	ADG - 8 D S	ADG - 10 D S	ADG - 12 D S
Radian Heathers	4x2	5x2	6x2
Voltage Control	Manuel	Manuel	Manuel
Gas Consumption-LPG	1,643 kg/h	2,054 kg/h	2,465 kg/h
Gas Consumption-NG	2,552 m ³ /h	3,19 m ³ /h	3,828 m ³ /h
kW -LPG	21,2	26,5	31,6
kW - NG	24	30	36
Kcal-LPG	18229	22786	27171
Kcal - NG	20636	25795	30954
Dimensions	1030 x 1047 x 1920	1030 x 1047 x 2090	1030 x 1047 x 2250
Packaged Dimensions	850 x 1250 x 1200	850 x 1250 x 1200	850 x 1250 x 1350
Dimensions/Not Tray	780 x 875 x 1920	780 x 875 x 2090	750 x 875 x 2250
Weight	153 kg	163 kg	173 kg
Packaged Weight	180 kg	190 kg	200 kg
Price	3.600 EURO	3.900 EURO	4.190 EURO

D: Wall Mounting S: Without Motor

Doner Kebab Cutting Machines



T-2 Electric Cutting Machine Set



* **T2;** It is recommended for 1-50 kg. doner kebabs.

Blade	100 mm / Stainless Steel
Power	15 V / 90Watt
rpm	2000
Wight in Palm	1000 gr
Price	950 EURO

Set Contents

1 x T-2 Machine
1 x Transformer
2 x 100 mm Blades
1 x Sharpening Steel
1 x Screwdriver
1 x User's Manuel

T-2 Rechargeable Cutting Machine Set



Battery	Li-Ion Battery (Rechargeable without requiring full discharge. Cutting power does not change depending on the charge level)
Blade	100 mm / Stainless Steel
Power	15 V / 90Watt
rpm	2000
Wight in Palm	1100 gr
Price	1.460 EURO

Set Contents

1 x T-2 Machine
2 x Batteries
1 x Charging Unit
2 x 100 mm Blades
1 x Sharpening Steel
1 x Screwdriver
1 x User's Manuel

T-2 Complete (Cable + Charge) Cutting Machine Set



Battery	Li-Ion Battery (Rechargeable without requiring full discharge. Cutting power does not change depending on the charge level)
Blade	100 mm / Stainless Steel
Power	15 V / 90Watt
rpm	2000
Wight in Palm	1100 gr
Price	1.830 EURO

Set Contents

1 x T-2 Machine
2 x Batteries
1 x Transformer
1 x Charging Unit
2 x 100 mm Blades
1 x Sharpening Steel
1 x Screwdriver
1 x User's Manuel

T-3 Electric Cutting Machine Set



* **T3;** It is recommended for 1-100 kg. doner kebabs.

Blade	120 mm / Stainless Steel
Power	15 V / 90Watt
rpm	2000
Wight in Palm	1000 gr
Price	970 EURO

Set Contents

1 x T-3 Machine
1 x Transformer
2 x 120 mm Blades
1 x Sharpening Steel
1 x Screwdriver
1 x User's Manuel

T-3 Rechargeable Cutting Machine Set



Battery	Li-Ion Battery (Rechargeable without requiring full discharge. Cutting power does not change depending on the charge level)
Blade	120 mm / Stainless Steel
Power	15 V / 90Watt
rpm	2000
Wight in Palm	1100 gr
Price	1.510 EURO

Set Contents

1 x T-3 Machine
2 x Batteries
1 x Charging Unit
2 x 120 mm Blades
1 x Sharpening Steel
1 x Screwdriver
1 x User's Manuel

Doner Kebab Cutting Machines



T-3 Complete (Cable + Charge) Cutting Machine Set



Battery	Li-Ion Battery (Rechargeable without requiring full discharge. Cutting power does not change depending on the charge level)
Blade	120 mm / Stainless Steel
Power	15 V / 90Watt
rpm	2000
Wight in Palm	1100 gr
Price	1.870 EURO

Set Contents

1 x T-3 Machine
2 x Batteries
1 x Transformer
1 x Charging Unit
2 x 120 mm Blades
1 x Sharpening Steel
1 x Screwdriver
1 x User's Manuel

T-4 Electric Cutting Machine Set



* **T4;** It is recommended for 100 kg. doner kebabs.

Blade	140 mm / Stainless Steel
Power	15 V / 90Watt
rpm	2000
Wight in Palm	1350 gr
Price	1.450 EURO

Set Contents

1 x T-4 Machine
2 x Batteries
1 x Transformer
2 x 140 mm Blades
1 x Sharpening Steel
1 x Screwdriver
1 x User's Manuel

T-4 Rechargeable Cutting Machine Set



Battery	Li-Ion Battery (Rechargeable without requiring full discharge. Cutting power does not change depending on the charge level)
Blade	140 mm / Stainless Steel
Power	15 V / 90Watt
rpm	2000
Wight in Palm	1450 gr
Price	1.890 EURO

Set Contents

1 x T-4 Machine
1 x Transformer
2 x 140 mm Blades
1 x Sharpening Steel
1 x Screwdriver
1 x User's Manuel

T-4 Complete (Cable + Charge) Cutting Machine Set



Battery	Li-Ion Battery (Rechargeable without requiring full discharge. Cutting power does not change depending on the charge level)
Blade	140 mm / Stainless Steel
Power	15 V / 90Watt
rpm	2000
Wight in Palm	1350 gr / 1450 gr
Price	2.260 EURO

Set Contents

1 x T-4 Machine
2 x Batteries
1 x Transformer
1 x Charging Unit
2 x 140 mm Blades
1 x Sharpening Steel
1 x Screwdriver
1 x User's Manuel

- Produced by AISI 4116 stainless steel knife.
- The lion battery used in rechargeable models can be charged without waiting for the end of the charge.
Cutting power does not charge even if the charge decreases.
- 45 - 60 kg. of meat can be cut with a fully charged battery.
- T2 models have an engine with a gearbox. Belt motors is used in T3 and T4 models which increases the cutting power.
- There is an adapter with world standards.

Clam Grill

Clam Grill/ Electric



NEW
PRODUCT



ACIE-01S



ACIE-02S



Model	ACIE-01S	ACIE-02S
Power	380-415 V	380-415 V
kW	6,2	12,4
Cooking Area	Top 360x400 / Lower 396x440 mm	Top 2x360x400 / Lower 796x440 mm.
Meat Thickness	0-25 mm.	0-25 mm.
Dimensions	400 x 743 x 980 mm.	800 x 743 x 980 mm.
Packaged Dim.	473 x 880 x 707 mm.	873 x 880 x 707 mm.
Net Weight	78 kg	136 kg
Packaged Weight	86 kg	147 kg
Price	2.650 EURO	4.720 EURO

- Made of stainless steel.
- Hygienic long service life and easy cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Plate thickness is produced as **15 mm.** made of **ST52** stainless steel.
- Saving **6** different programs in the system.
- When the program (cooking) time expires, the top cover opens automatically and provides voice alert.
- Cable Section;**5 x 1,5 mm² TTR**

Conveyor Grill - Toaster

Conveyor Grill / Electric



AKIE - 01



AKIE - 02

- Made of stainless steel
- Conveyor contains **12 heaters**. **6 x 300 Watt** Top side, **6 x 300 Watt** bottom side.
- Conveyor can be controlled to both directions and can be adjusted from **8 seconds** to **6 minutes**.
- Conveyor grill entrance is max. **85 mm**.
- Cable Section; **AKIE - 01**; 3 x 2,5 mm² TTR, **AKIE - 02**; 5 x 2,5 mm² TTR

Model	AKIE - 01	AKIE - 02
Power	220-240 V	380-415 V
KW	3.6	6.54
Internal Dimensions	260 x 550	260 x 785
Dimensions	1150 x 470 x 510	1500 x 630 x 510
Packaged Dimensions	850 x 550 x 750	850 x 660 x 750
Net Weight	50 kg	65 kg
Packaged Weight	60 kg	78 kg
Price	3.030 EURO	3.620 EURO

Vertical Conveyor Toaster / Electric Hamburger Bread



DİJİTAL

ADEK - 01D



MANUEL

ADEK - 01M

- Made of stainless steel **AISI304**.
- Hygienic long service life and easy cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Heaters controlled between **ADEK-01 D 100°-350°C**, **ADEK-01 M 50°-350°C** with thermostats.
- Cooking wire band **ADEK - 01 D** model **18-60** seconds, while adjustable in the range.
- In **ADEK - 01 M** model, it has a constant speed and is **22** seconds.
- Conveyor contains **1x2000** watt resistance.
- Cable Section; **1,5 mm² TTR**

Model	ADEK - 01 D	ADEK - 01 M
Power	220-240 V	220-240 V
KW	2	2
Internal Dimensions	360 x 425 mm.	360 x 425 mm.
Bread Thickness	10-50 mm.	10-50 mm.
Dimensions	700 x 235 x 620 mm.	650 x 235 x 620 mm.
Packaged Dimensions	710 x 250 x 730 mm.	660 x 250 x 730 mm.
Net Weight	42 kg	38 kg
Packaged Weight	47 kg	42 kg
Price	2.920 EURO	2.080 EURO

Horizontal Conveyor Toaster / Electric



AYЕК - 01

- Made of Stainless Steel **AISI304**.
- Hygenic long service life and easy cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Heaters are controlled **100°-350°С** with thermostat.
- Wire conveyor speed can be adjusted between **10** seconds to **50** seconds.
- Conveyor contains **12x800** watt resistance.
- Cable Section; **AYЕК-01 5x2,5 mm² TTR, AYЕК-02 3x2,5 mm² TTR,**

Model	AYЕК - 01	AYЕК - 02
Power	380-415 V	380-415 V
kW	9,6	3,6
Cooking Area	520 x 540 mm.	250 x 540 mm.
Meat Thickness	10-50 mm.	10-50 mm.
Dimensions	790 x 735 x 600 mm.	495 x 735 x 600 mm.
Packaged Dim.	800 x 750 x 750 mm.	550 x 750 x 750 mm.
Net Weight	43 kg	30 kg
Packaged Weight	50 kg	37 kg
Price	3.310 EURO	3.100 EURO

Conveyor Toaster

Conveyor Toaster / Electric



AKEK - 02 M

- Made of Stainless Steel
- There is a crumb collection drawer.
- **500-600** slice per hour



Model	AKEK-02 M	AKEK-02 T
Power	220-240 V	380-415 V
kW	3,6	5,4
Cooking Area	365 x 320 mm.	365 x 320 mm.
Meat Thickness	10-20 mm.	10-20 mm.
Dimensions	490 x 485 x 670 mm.	490 x 485 x 670 mm.
Packaged Dim.	1150 x 750 x 730 mm.	1150 x 750 x 730 mm.
Net Weight	37 kg	37 kg
Packaged Weight	43 kg	43 kg
Price	1.100 EURO	1.200 EURO

M: Monofaze T:Trifaze

Turkish Coffee Machines



Turkish Coffee Machines

Turkish Coffee Machine / Electric Manuel



ritüel



ATKM-2M



ATKM-3M



ATKM-4M


- Stainless steel sheet construction provides hygiene long service life and easy of cleaning
- Ergonomic design providing convenience to users in all aspects
- The device has a patented foam detection, heat detection, mixing and elevator system that allows the equipment in charge of adding water to the coffee pot to move up and down.
- Heat loss is kept to a minimum with the method of compressing the coffee pot from above and below.
- There is an ion sensor that detects the foam of the coffee.
- A homogeneous mixture is obtained at the end of the coffee making, which prevents the coffee from sinking to the bottom.
- The Device is equipped with warning system on screen and voice warning system, for water level and cleaning system.
- There is a switch that determines the coffee pot position on the device, so cooking cannot be done without the coffee pot is not in the right position
- Water filling to the device's tank is done manually, automatic water pump is optional

Model	ATKM-2M	ATKM-3M	ATKM-4M
Pot Number	2	3	4
Water Storage	0,8 lt.	1,2 lt.	1,5 lt.
Portion Number	2 x 2	3 x 2	4 x 2
Water Pressure	Max. 2 Bar	Max. 2 Bar	Max. 2 Bar
Water Entrance	1/2"	1/2"	1/2"
Voltage	220-240 V	220-240 V	220-240 V
Kw	1,4	2	2,6
Net Dimensions	380 x 410 x 410	510 x 410 x 410	640 x 410 x 410
Packaged Dim.	460 x 490 x 530	590 x 490 x 530	720 x 590 x 530
Net Weight	15 kg	25 kg	30 kg
Packaged Weight	18 kg	28 kg	33 kg
Price	1.170 EURO	1.480 EURO	1.940 EURO


M: Manuel

Coffee Drawer

Coffee Drawer



AKC - 01



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.


Model	AKC - 01
Dimensions	250 x 376 x 87
Packaged Dimensions	270 x 395 x 100
Weight	3,6 kg
Packaged Weight	4 kg
Price	120 EURO

Leaven Cabinets

Leaven Cabinets / Electric



AMAY - 4060 / 6




- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- Control valve, can get water as desired.
- Internal water drawer.
- Thermostat control.



AMAY - 4060 / 12

Model	AMAY - 4060 / 6	AMAY - 4060 / 12
Capacity	6 adet 40x60 Tray	12 adet 40x60 Tray
Voltage	220-240 V	220-240 V
kW	2,4	2,4
Dimensions	800 x 855 x 840	890 x 965 x 840
Packaged Dim.	990 x 1030 x 1020	1075 x 1140 x 1020
Weight	66 kg	70 kg
Packaged Weight	83 kg	90 kg
Price	1.180 EURO	1.300 EURO

Banquet Trolley 6 x 2/1 - Electric



- Made of stainless steel.
- **0 - 90 °C** digital thermostat control.
- **4** casters, **2** with brake.
- Adjustable shelf heights.
- Body and door are double walled and insulated with polyurethane.
- Humidification feature with the heated pool at the bottom.
- **ABA - 6 2/1; GN 2/1 100 x 6** pan capacity.
- Water temperature can be controlled by independent thermostat.
- Water evacuation valve.



ABA - 6 2/1

Model	ABA - 6 2/1
GN Pan Dimensions	2/1 100
GN Pan Capacity	6
Power	230 V
kW	1.65
External Diameters	860 x 940 x 1070
Weight	106 kg
Packaged Weight	121 kg
Price	1.620 EURO

Banquet Trolley 12 x 2/1 - Electric



ABA - 12 2/1

- Made of stainless steel.
- **0 - 90 °C** digital thermostat control.
- **4** casters, **2** with brake.
- Adjustable shelf heights.
- Body and door are double walled and insulated with polyurethane.
- Humidification feature with the heated pool at the bottom.
- **ABA - 12 2/1; GN 2/1 100 x 12** pan capacity.
- Water temperature can be controlled by independent thermostat.
- Water evacuation valve.

Model	ABA - 12 2/1
GN Pan Dimensions	2/1 100
GN Pan Capacity	12
Power	230 V
kW	2.35
External Diameters	840 x 920 x 1780
Weight	153 kg
Packaged Weight	160 kg
Price	2.310 EURO

Banquet Trolley 10 x 2/1 - Electric



ABA - 10 2/1

- Made of stainless steel.
- **0 - 90 °C** digital thermostat control.
- **4** casters, **2** with brake.
- Pressed inside rails.
- Body and door are double walled and insulated with polyurethane.
- Humidification feature with the heated pool at the bottom.
- **ABA-10 2/1; GN 2/1 100 x 10** pan capacity.
- Corners equipped with rubber material for protection against impacts.
- Heater can be removed as cartridge. Hygienic and easy cleaning.



Model	ABA - 10 2/1
GN Pan Dimensions	2/1 100
GN Pan Capacity	10
Power	230 V
kW	1.70
External Diameters	740 x 950 x 1830
Weight	136 kg
Packaged Weight	165 kg
Price	2.110 EURO

Banquet Trolley 15 x 1/1 - Electric



ABA - 15 1/1

- Made of stainless steel.
- **0 - 90 °C** digital thermostat control.
- **4** casters, **2** with brake.
- Pressed inside rails.
- Body and door are double walled and insulated with polyurethane.
- Humidification feature with the heated pool at the bottom.
- **ABA - 15 1/1; GN 1/1 65 x 15** pan capacity.
- Corners equipped with rubber material for protection against impacts.
- Water temperature can be controlled by independent thermostat.
- Water evacuation valve.



Model	ABA - 15 1/1
GN Pan Dimensions	1/1 65
GN Pan Capacity	15
Power	230 V
kW	2.05
External Diameters	590 x 870 x 1550
Weight	142 kg
Packaged Weight	155 kg
Price	1.760 EURO

Stock Pot Stove

Stock Pot Stove / Electric



AYOE - 01


- Made of stainless steel.
- Stainless steel sheet construction provides hygienic long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- 40x40 cm heater plate.

Model	AYOE - 01
Power	400 V
kW	5
Dimensions	550 x 580 x 605
Packaged Dimens.	610 x 640 x 680
Weight	42 kg
Packaged Weight	50 kg
Price	1.020 EURO

Stock Pot Stove / Gas / 2 Burners / 3 Burners



AYOG - 60



AYOG - 70

Model	AYOG - 60	AYOG - 70
Burner Pieces	2	3
Power Cons.-LPG	1,536 kg/h	2,363 kg/h
Power Cons.-NG	2,008 m ³ /h	3,171 m ³ /h
kW-LPG	19,5	30
kW-NG	19	30
Kcal-LPG	16767	25795
Kcal-NG	16337	25795
Dimensions	600 x 740 x 590	700 x 850 x 590
Packaged Dimens.	650 x 790 x 745	750 x 955 x 745
Weight	56 kg	63 kg
Packaged Weight	66 kg	74 kg
Price	890 EURO	1.130 EURO

Compact Counter Type Cookers

Cookers / Electric



AEO - 01



AEO - 02

- Made of stainless steel.
- Stainless steel sheet construction provides hygienic long service life and easy of cleaning.
- Ergonomic design providing convenience to users in all aspects.
- AEO-01 plate diameter; Ø22 cm.
- AEO-02 plate diameter; 2 pieces Ø22 cm.
- Cable cross section; **AEO - 01**; 3 x 1,5 mm² TTR , **AEO - 02**; 3 x 2,5 mm² TTR

Model	AEO - 01	AEO - 02
Burner Pieces	1 x Ø20	2 x Ø20
Power	220-240 V	220-240 V
kW	2	4
Dimensions	300 x 300 x 200	600 x 300 x 200
Packaged Dimens.	320 x 320 x 250	620 x 320 x 250
Weight	5 kg	10 kg
Packaged Weight	7 kg	12 kg
Price	240 EURO	460 EURO

Cookers / Gas



AGO - 01



AGO - 02




- AGO-01 casting size; 30x30 cm.
- AGO-02 casting size; 2 pieces 30x30 cm.

Model	AGO - 01	AGO - 02
Burner Pieces	1	2
Power Cons.-LPG	0,388 kg/h	0,775 kg/h
Power Cons.-NG	0,581 m ³ /h	1,162 m ³ /h
kW-LPG	5,75	11,5
kW-NG	5,75	11,5
Kcal-LPG	4944	9888
Kcal-NG	4944	9888
Dimensions	320 X 365 X 227	635 X 365 X 227
Packaged Dimens.	390 X 450 X 380	710 X 450 X 380
Weight	12 kg	15 kg
Packaged Weight	15 kg	21 kg
Price	300 EURO	490 EURO

Salamander / Lift / Electric



ASM - 45



- Heated from the top.
- The moving heating section enables adjustment of the heating distance.
- Required temperature can be set by a stepped switch.
- The bottom tray can be filled with water to provide humidification.
- Electrical wiring from the top prevents failures and extends the service life of the product.
- The bottom tray can be removed for easy of removal of the heated food.
- **ASM 65** model is equipped with independent two switches controls.



ASM - 65




Model	ASM - 45	ASM - 65
Power	220-240 V	220-240 V
kW	1.5	3
Dimensions	450 x 500 x 525	650 x 500 x 525
Packaged Dimensions	560 x 580 x 600	680 x 580 x 670
Weight	39 kg	52 kg
Packaged Weight	45 kg	60 kg
Price	710 EURO	830 EURO

Salamander / Lift / Electric



ASM - 3 E



- Heated from the top.
- The moving heating section enables adjustment of the heating distance.
- Heating element adjustable to any required temperature.
- Optionally, the bottom tray can be filled with water to provide humidification.
- Electrical wiring from the top prevents failures and extends the service life of the salamander.
- The bottom tray can be removed for easy removal of the heated food.



ASM - 5 E



Model	ASM - 3 E	ASM - 5 E
Power	3	5
Heating Elements	380-415 V	380-415 V
kW	6,75	11,25
Dimensions	960 x 480 x 695	1295 x 480 x 695
Packaged Dimens.	1050 x 500 x 730	1350 x 580 x 750
Weight	50 kg	60 kg
Packaged Weight	63 kg	81 kg
Price	1.070 EURO	1.480 EURO

E : Electric

Salamander / Lift / Gas




ASM - 2 G



ASM - 4 G



ASM - 6 G



- Heated from the top.
- The moving heating section enables adjustment of the heating distance.
- Safety valve automatically cuts off the gas to the radiant heaters that go out unexpectedly.
- Optionally, the bottom tray can be filled with water to provide humidification.
- Gas piping from the top prevents failures and extends the service life of the salamander.
- The bottom tray can be removed for easy removal of the heated food.



Model	ASM - 2 G	ASM - 4 G	ASM - 6 G
Radiant Heaters	2	4	6
Gas. Cons.-LPG	0,419 kg/h	0,837 kg/h	1,256 kg/h
Gas. Cons.-NG	0,6 m ³ /h	1,2 m ³ /h	1,8 m ³ /h
kW - LPG	5,4	10,8	16,2
kW - NG	5,4	10,8	16,2
Kcal - LPG	4643	9286	13929
Kcal - NG	4643	9286	13929
Dimensions	650 x 430 x 600	960 x 430 x 600	1295 x 430 x 600
Packaged Dimens.	720 x 580 x 830	1040 x 580 x 830	1360 x 580 x 830
Weight	38 kg	52 kg	61 kg
Packaged Weight	45 kg	65 kg	82 kg
Price	890 EURO	1.190 EURO	1.550 EURO


G: Gas

Chicken Rotisserie Machines





Chicken Rotisserie Machines

Chicken Rotisserie / Gas



APMG - 02



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.
- LPG and Ng options available



APMG - 04



APMG - 08



APMG - 06

Model	APMG - 02	APMG - 04	APMG - 06	APMG - 08
Skewer Pieces	2	4	6	8
Gas Cons.-LPG	0.511 kg / h	1.022 kg / h	1.533 kg / h	2.044 kg / h
Gas Cons.-NG	0.67 m ³ / h	1.34 m ³ / h	2.01 m ³ / h	2.68 m ³ / h
kW-LPG	6.5	13	19.5	26
Kw-NG	6.5	13	19.5	26
Dimensions	1130 x 500 x 830	1130 x 500 x 1210	1130 x 500 x 1475	1130 x 500 x 1850
Packaged Dim.	1200 x 600 x 770	1200 x 600 x 1150	1200 x 600 x 1700	1200 x 600 x 2070
Weight	65 kg	100 kg	160 kg	200 kg
Pack. Weight	75 kg	120 kg	180 kg	220 kg
Price	1.990 EURO	2.800 EURO	3.450 EURO	4.160 EURO


G: Gas

Chicken Rotisserie Machines

Chicken Rotisserie / Electric



APME - 02



- Made of stainless steel.
- Stainless steel sheet construction provides hygiene long service life and easy of cleaning.



APME - 04



APME - 06



Model	APME - 02	APME - 04	APME - 06
Skewer Pieces	2	4	6
Voltage	380-415 V	380-415 V	380-415 V
kW	6	12	18
Dimensions	1130 x 500 x 830	1130 x 500 x 1210	1130 x 500 x 1475
Packaged Dim.	1200 x 600 x 1070	1200 x 600 x 1450	1200 x 600 x 1700
Weight	65 kg	100 kg	160 kg
Pack. Weight	75 kg	120 kg	180 kg
Price	1.960 EURO	2.670 EURO	3.150 EURO

E: Electric

Pizza Ovens

Pizza Oven / Electric / 40 x 40



APF - 40 / 1

- Single Pizza Oven, capacity of **2 x Ø 20 cm.** Pizza.
- Twin-deck Pizza Oven, capacity **4 x Ø 20 cm.** Pizza.
- Cooking chamber dimensions **40 x 40 x 10 cm.**
- Internal insulation of the oven is resistant to high temperatures, ensuring minimum heat loss.
- Temperature range : **85 °C - 450 °C**
- Internal lighting available.
- Independent thermostats for top and base heaters.
- **APFM - 40** pizza oven bottom bench can be use for also **APF-40/1** and **APF-40/2**.



Model	APF - 40/1	APF - 40/2	APFM - 40 Sub Stand
Power	230 V	400 V	-
kW	3,5	7	-
External Dim.	650 x 510 x 290	650 x 510 x 500	650 x 510 x 850
Internal Dim.	400 x 400 x 100	400 x 400 x 100	-
Weight	38 kg	68 kg	21 kg
Price	970 EURO	1.340 EURO	430 EURO

M: Sub Stand

Pizza Oven / Electric / 50 x 50



APF - 50 / 1

- Single-deck Pizza Oven, capacity of **4 x Ø 24 cm.** Pizza.
- Twin-deck Pizza Oven, capacity **8 x Ø 24 cm.** Pizza.
- Cooking chamber dimensions **50 x 50 x 10 cm.**
- Internal insulation of the oven is resistant to high temperatures, ensuring minimum heat loss.
- Temperature range : **85 °C - 450 °C.**
- Internal lighting available.
- Independent thermostats for top and base heaters.
- **APFM - 50** pizza oven bottom bench can be use for also **APF-50/1** and **APF-50/2**.



APF - 50 / 2

Model	APF - 50/1	APF - 50/2	APFM - 50 Sub Stand
Power	400 V	400 V	-
kW	4	6	-
External Dim.	800 x 640 x 360	800 x 640 x 500	800 x 640 x 850
Internal Dim.	500 x 500 x 100	500 x 500 x 100	-
Weight	56 kg	73 kg	26 kg
Price	1.110 EURO	1.570 EURO	430 EURO

M: Sub Stand

Pizza Ovens

Pizza Oven / Electric / 62 x 62



APF - 62 / 1



APF - 62 / 2

- Single-deck Pizza Oven, capacity of **4 x Ø 30 cm.** Pizza.
- Twin-deck Pizza Oven, capacity **8 x Ø 30 cm.** Pizza.
- Cooking chamber dimensions **62 x 62 x 15 cm.**
- Internal insulation of the oven is resistant to high temperatures, ensuring minimum heat loss.
- Temperature range : **85 °C - 450 °C**
- Internal lighting available.
- Independent thermostats for top and base heaters.
- **APFM - 62** pizza oven bottom bench can be use for also **APF-62/1** and **APF-62/2**.



Model	APF - 62/1	APF - 62/2	APFM - 62 Sub Stand
Power	400 V	400 V	-
kW	5	10	-
External Dim.	890 x 720 x 430	890 x 720 x 760	890 x 720 x 850
Internal Dim.	620 x 620 x 150	620 x 620 x 150	-
Weight	75 kg	144 kg	30 kg
Price	1.270 EURO	2.000 EURO	480 EURO

M: Sub Stand

Pizza Oven / Electric / 92 x 62



APF - 962 / 1



APF - 962 / 2

- Single-deck Pizza Oven, capacity of **6 x Ø 30 cm.** Pizza.
- Twin-deck Pizza Oven, capacity **12 x Ø 30 cm.** Pizza.
- Cooking chamber dimensions **92 x 62 x 15 cm.**
- Internal insulation of the oven is resistant to high temperatures, ensuring minimum heat loss.
- Temperature range : **85 °C - 450 °C**
- Internal lighting available.
- Independent thermostats for top and base heaters.
- **APFM - 962** pizza oven bottom bench can be use for also **APF-962/1** and **APF-962/2**.



Model	APF - 962/1	APF - 962/2	APFM - 962 Sub Stand
Power	400 V	400 V	-
kW	6	12	-
External Dim.	1190 x 720 x 430	1190 x 720 x 760	1190 x 720 x 850
Internal Dim.	920 x 620 x 150	920 x 620 x 150	-
Weight	102 kg	195 kg	37 kg
Price	1.860 EURO	2.830 EURO	630 EURO

M: Sub Stand

Pizza Ovens

Pizza Oven / Electric / 92 x 92



APF - 92 / 1



- Single-deck Pizza Oven, capacity of **9 x Ø 30 cm.** Pizza.
- Twin-deck Pizza Oven, capacity **18 x Ø 30 cm.** Pizza.
- Cooking chamber dimensions **92 x 92 x 15 cm.**
- Internal insulation of the oven is resistant to high temperatures, ensuring minimum heat loss.
- Temperature range : **85 °C - 450 °C**
- Internal lighting available.
- Independent thermostats for top and base heaters.
- **APFM - 92** pizza oven bottom bench can be use for also **APF-92/1** and **APF-92/2**



APF - 92 / 2



Model	APF - 92/1	APF - 92/2	APFM - 92 Sub Stand
Power	400 V	400 V	-
kW	8	16	-
External Dim.	1190 x 1030 x 430	1190 x 1030 x 760	1190 x 1030 x 850
Internal Dim.	920 x 920 x 150	920 x 920 x 150	-
Weight	130 kg	245 kg	46 kg
Price	2.300 EURO	3.650 EURO	680 EURO

M: Sub Stand

Baked Potato Ovens and Carts

Baked Potato Ovens / Gas / Electric



AKF - 20 E



AKF - 30 E



AKF - 40 E



AKF - 20 G



AKF - 30 G



AKF - 40 G

- Gas fired models complete with lighter.
- Gas fired models equipped with safety valve.
- Internal parts made of stainless steel.
- **AKA-01** model trolley can be used with all baked potato ovens.

Model	AKF - 20 E	AKF - 30 E	AKF - 40 E	AKF - 20 G	AKF - 30 G	AKF - 40 G	AKA - 01 Baked Carts
Drawer	2	3	4	2	3	4	-
Power	380 V	380 V	380 V	-	-	-	-
kW - LPG	3	4.5	6	5	5	5	-
kW - NG	-	-	-	4.3	4.3	4.3	-
Dimensions	500 x 700 x 840	500 x 700 x 1030	500 x 700 x 1220	500 x 700 x 960	500 x 700 x 1120	500 x 700 x 1320	580 x 790 x 900
Packaged Dimens	600 x 760 x 900	600 x 760 x 1090	600 x 760 x 1300	600 x 760 x 1090	600 x 760 x 1200	600 x 760 x 1400	600 x 820 x 1000
Weight	55 kg	66 kg	76 kg	54 kg	65 kg	75 kg	32 kg
Packaged Weight	65 kg	76 kg	85 kg	64 kg	75 kg	85 kg	35 kg
Capacity/Hours	24 - 30	36 - 45	48 - 60	24 - 30	36 - 45	48 - 60	-
Price	1.390 EURO	1.550 EURO	1.820 EURO	1.220 EURO	1.320 EURO	1.490 EURO	630 EURO

G: Gas E: Electric

Panini Machine / Electric



- Thermostat control.
- Grease hole maintain to keep away any grease and left overs from the grilling range.
- **ATM 2745 / 2** has **2** thermostat which controls upper and bottom grills seperately.


Block Cover 20 Slice
Bottom and top separate thermostat




ATM-2745 / 2

Block Cover 12 Slice




ATM-2735

Block Cover 20 Slice




ATM-2745

Double Cover 24 Slice




ATM-5530

Model	ATM-2735	ATM-2745	ATM-5530	ATM 2745/2
Power	230 V	230 V	230 V	230 V
Internal Surface	27 x 36	27 x 45	24 x 52	27 x 45
kW	2.5	3	3.5	3
Dimensions	410 x 500 x 300	510 x 500 x 300	560 x 440 x 300	510 x 500 x 300
Weight	27 kg	31 kg	33 kg	33 kg
Price	460 EURO	520 EURO	620 EURO	560 EURO

2: Double Thermostat

Waffle and Crep Machines


Waffle - Crep Machine / Electric



Single Square Waffle



AWM-2401



- Stainless steel body.
- Adjustable thermostat. (50°+310°C)
- Temperature control light.
- **AKM-4001 / AKM-4002** Plate diameter 40cm.

Double Square Waffle



AWM-2402

Single Clover Waffle



AWMC-2401

Single Crep



AKM-4001

Double Crep



AKM-4002

Model	AWM-2401	AWM-2402	AWMC-2401	AWMC-2402	AKM-4001	AKM-4002
Power	230 V	230 V	230 V	230 V	230 V	400 V
Internal Surface	8x16x1,5 Square	2x8x16x1,5 Square	Ø16 cm Clover	2 x Ø16 cm Clover	Ø 40	2 x Ø40
kW	2,2	4,4	2,2	4,4	3	6
Dimensions	300 x 320 x 300	580 x 320 x 300	320 x 320 x 300	600 x 320 x 300	450 x 500 x 220	900 x 500 x 220
Weight	24 kg	48 kg	10 kg	18 kg	23 kg	44 kg
Price	520 EURO	910 EURO	560 EURO	1.160 EURO	580 EURO	1.160 EURO


C: Clover

Horizontal Kebab Machine



Horizontal Kebab Machine / Cag Kebab / Electric



ACAG - 02



- Horizontal Kebab rotate speed is adjustable.
- Horizontal Kebab can move forward and backward for easy cooking and cutting.
- Heightness control according to meat.
- Fire bricks and row cooking material place.
- Additional electric heater.
- Two sided heater plate.



Model	ACAG - 02
Power	400 V
kW	9,8
Dimensions	1380 x 840 x 940
Packaged Dimensions	1070 x 1510 x 1050
Weight	149 kg
Packaged Weight	250 kg
Price	4.760 EURO

Sterilizers

Sterilizers / 10 Knives / 20 Knives



ABS - 10



- Ultraviolet lamp lead long lasting hygienic environment against bacterias.
- Emergency switch shut down the **UV** solar when door is opened.
- Ultraviolet - C radiation time can be controlled from **0-90** minutes.



ABS - 20

Model	ABS - 10	ABS - 20
Power	230 V	230 V
kW	0.015	0.030
Dimensions	490 x 100 x 600	970 x 100 x 600
Packaged Dim.	540 x 180 x 650	980 x 180 x 650
Weight	8 kg	14 kg
Packaged Weight	9 kg	15 kg
Price	210 EURO	330 EURO

Knee Operated Hand Washing Sinks



AKE - 01



- Made of stainless steel.
- Cold / Hot water inlet.
- Timer type work.
- Dirty water outlet.
- Waste tap and fauce included.



AKE - 02

Model	AKE - 01	AKE - 02
Dimensions	500 x 430 x 330	500 x 430 x 520
Weight	9 kg	10 kg
Price	310 EURO	320 EURO

Plate Dispensers

Plate Dispenser / Heated / Neutral



ATI - 50



ATN - 50

- 50 and 100 plate capacity.
- Suitable for plates with diameters from 24 cm. up to 29 cm.
- Complete with 4 casters, 2 casters with brake system.
- Heated style is insulated to prevent heat loss.



ATI - 100



ATN - 100



Model	ATI - 50	ATN - 50	ATI - 100	ATN - 100
Heated/Neutral	Isıtmalı	Nötr	Isıtmalı	Nötr
Capacity	Ø24-Ø32 cm - 50 plate	Ø24-Ø32 cm - 50 plate	Ø24-Ø32 cm - 100 plate	Ø24-Ø32 cm - 100 plate
Power	220-240 V	-	220-240 V	-
kW	1	-	2	-
Dimensions	490 x 600 x 1018	490 x 600 x 1018	490 x 1000 x 1018	490 x 1000 x 1018
Packaged Dimens.	510 x 620 x 1120	510 x 620 x 1120	510 x 1030 x 1120	520 x 1030 x 1120
Weight	38 kg	35 kg	55 kg	52 kg
Packaged Weight	48 kg	45 kg	71 kg	68 kg
Price	840 EURO	540 EURO	1.290 EURO	870 EURO

I: Heated N: Neutral

Plate Dispenser Cartridges

Plate Dispenser Cartridge / Embedded / Heated / Neutral



ATIA - 50

- 50 plate capacity.
- Suitable for plates with diameters from 24 cm. up to 32 cm.
- Embedded to the counter for use in open buffet and self service equipment.
- Heated and neutral models available.
- Diameter of the hole required for embedding is 41 cm.

Model	ATIA - 50	ATA - 50
Heated/Neutral	Heated	Neutral
Capacity	50 plate	50 plate
Power	230 V	-
kW	1	-
Dimensions	440 x 650	440 x 650
Packaged Dimens.	490 x 490 x 800	490 x 490 x 800
Weight	13 kg	12 kg
Packaged Weight	16 kg	14 kg
Price	300 EURO	240 EURO

I: Heated

Service Trolleys



Service Trolley / Dublex / Triplex



ASA - 860 / 2



ASA - 860 / 3



- Made of stainless steel.
- Lowered table.
- Complete with 4 casters, 2 casters with brake.
- Equipped with 4 rubber shock absorbers against impacts.

Model	ASA - 860 / 2	ASA - 860 / 3
Number of Shelves	2	3
External Diameters	860 x 540 x 890	860 x 540 x 890
Weight	12 kg	19 kg
Price	360 EURO	460 EURO

Tray Trolleys

37 x 53 cm / Table d'hote / Thermotray



- Made of stainless steel.
- Complete with 4 casters, 2 casters with brake.
- 4 pcs bumper to avoid damage against crushes.
- Table d'hote tray trolleys, 37 x 53 cm, open below, above can carry glasses, around is open.
- ATAT - 3753 / 18 model have open bottom, top is without glass carriage, open around.



ATA - 3753 / 15

- 37 x 53 cm 15 Tray



ATA - 3753 / 30

- 37 x 53 cm 30 Tray



ATA - 3753 / 45

- 37 x 53 cm 45 Tray



ATAT - 30

- 28 x 40 cm 30 Table d'hote Tray



ATAT - 3753 / 18

- 37 x 53 cm 18 Termotray Tray

Model	ATA - 3753 / 15	ATA - 3753 / 30	ATA - 3753 / 45	ATAT - 30	ATAT - 3753 / 18
Tray Pieces	15	15x2	15x3	30	9x2
Tray Dims	37 x 53	37 x 53	37 x 53	28 x 40	37 x 53 Termotray
Dimensions	440 x 570 x 1540	840 x 570 x 1540	1250 x 570 x 1540	460 x 600 x 1540	850 x 570 x 1430
Weight	22 kg	38 kg	45 kg	19 kg	25 kg
Price	530 EURO	910 EURO	1.250 EURO	650 EURO	740 EURO

Tray Trolleys



Tray Trolleys

40 x 60 / 50 x 70 / GN 1-1 / GN 2-1 / 34 x 84




ATA - 4060 / 15

- 40 x 60 cm 15 Tray




ATA - 5070 / 15

- 50 x 70 cm 15 Tray



- Made of stainless steel.
- Complete with 4 casters, 2 casters with brake.
- 4 pcs pumber to avoid damage against crushes.
- 40 x 60 , 50 x 70, GN 1/1, GN 2/1, 34 x 84 cm tray trolleys, bottom, top and around is open.



ATA - 3253 / 15

- GN 1/1 - 15 Tray



ATA - 5365 / 15

- GN 2/1 - 15 Tray



ATA - 3484 / 14

- 34 x 84 cm 14 Pan

Model	ATA - 4060 / 15	ATA - 5070 / 15	ATA - 3253 / 15	ATA - 5365 / 15	ATA - 3484 / 14
Tray Pieces	15	15	15	15	14
Tray Dims	40 x 60	50 x 70	32 x 53	53 x 65	34 x 84
Dimensions	470 x 650 x 1540	570 x 740 x 1540	390 x 560 x 1540	590 x 690 x 1540	410 x 880 x 1540
Weight	22 kg	26 kg	17 kg	19 kg	28 kg
Price	500 EURO	550 EURO	480 EURO	530 EURO	730 EURO

Bain-Maries / Medium Type / Wooden Finish



ASBM - 02



- Top tray and internal pool made of stainless steel.
- Internal pool is made of single piece material with press.
- Thermostat controls.
- Pans are not included.
- Complete wooden finish.
- Tray stand on both sides.
- Equipped with lighting.
- Complete with 4 wheels, 2 wheels with brake.



ASBM - 03



ASBM - 04

Model	ASBM - 02	ASBM - 03	ASBM - 04
Capacity	GN 1/1 x 2	GN 1/1 x 3	GN 1/1 x 4
Voltage	230 V - 50 Hz	230 V - 50 Hz	230 V - 50 Hz
kW	0.25	0.25	0.25
Net Dimensions	800 x 700 x 1400	1150x 700 x1400	1500 x 700 x 1400
Net Weight	80 kg	100 kg	120 kg
Price	1.550 EURO	1.580 EURO	1.610 EURO

Saladbars / Medium Type / Wooden Finish



ASSB - 02



- Top tray and internal pool made of stainless steel.
- Internal pool is made of single piece material with press.
- **250** grams of **R 134 A** refrigerant.
- Pans are not included.
- Complete wooden finish.
- Tray stand on both sides.
- Equipped with lighting.
- Complete with **4** wheels, **2** wheels with brake.



ASSB - 03



ASSB - 04

Model	ASSB - 02	ASSB - 03	ASSB - 04
Capacity	GN 1/1 x 2	GN 1/1 x 3	GN 1/1 x 4
Voltage	230 V - 50 Hz	230 V - 50 Hz	230 V - 50 Hz
kW	0.25	0.25	0.25
Net Dimensions	800 x 700 x 1400	1150x 700 x1400	1500 x 700 x 1400
Net Weight	90 kg	110 kg	130 kg
Price	2.080 EURO	2.110 EURO	2.160 EURO



SHOWROOM

Bahriye Cad. No: 29 34440
Kasımpaşa-Istanbul-TURKEY
Phone : +90(212) 256 71 60 pbx
 +90(212) 254 22 45
 +90(212) 235 35 60
Fax : +90(212) 235 19 73

FACTORY-SHOWROOM

Yeni Mahalle 9. Sokak No: 2/1-1
Büyükkarıştıran O.S.B
Lüleburgaz - Kırklareli -TÜRKİYE
Tel : +90(282) 674 52 72
 +90(282) 674 52 73
Fax : +90(282) 674 52 74

Atalay Madeni Eşya San. ve Tic. A.Ş.
export@atalay.com.tr • export2@atalay.com.tr
www.atalay.com.tr



www.facebook.com/atalaymutfak



www.instagram.com/atalaymutfak



www.youtube.com/atalaymutfak



Project



Communication



An Appropriate Price



On Time Delivery



Technical Support



Extensive Service Network

RMN 0212 272 79 04

Atalay Madeni Eşya San. Tic. A.Ş. reserves the right to make changes to the technical specifications and designs of all its product groups.
If the required technical or physical conditions are not met during installation or after installation, or if these conditions change later, our products will no longer be covered under warranty.